

**2024 - 2025 CATALOGUE**



**RELEASE  
YOUR  
POTENTIAL**

***ROSTAING***



# RELEASE YOUR POTENTIAL

**Building, growing, processing,  
protecting, helping, ...**

**We are responsible designers  
and manufacturers of Proven and  
Accessible Protective Equipment.**


As human beings, we have an overpowering need to **DO** things. To progress, to do good, to do one's best, to do one's duty, or just for pleasure.

And to do that every day, you need to be able to concentrate on **the essentials...**

At **Rostaing**, the French protective glove experts, we make sure that your hands have more power for all your activities, without fear or danger.

And because you are also concerned about your everyday impact on the planet, we are committed to an **eco-design** approach to create innovating and certified products, using **sustainable raw materials** and production that is ever closer to home.

**So treat yourself. Surpass yourself!  
Focus fully on what you're doing  
right now and make it happen.**



**We're at your side to release your potential.**

# YOUR NEW PRODUCTS FOR 2024

Our innovation comes from the field, we like to surprise and please you, it's our energy, what we work for.

## PRONATUR

4 new products for landscapers and foresters. Loggers will now have their own gloves and cuffs to protect against chainsaws (page 17). The CORDIST\* glove (page 17) has been added to the range for all work on ropes and at height (trimming, pruning, etc.). The THERMALIGHT\*\* (page 16) under-glove completes the range to enhance the comfort and thermal insulation of workers in cold weather.



## FOOD INDUSTRY

CUTFOOD gloves, cuffs and aprons (page 36) are innovating cut-resistant products that meet all the protection and comfort needs of agri-food sector professionals.

## TACTICAL

With 10 new gloves (page 42), security professionals will find the glove to suit their needs (pat-down, security, law enforcement, intervention, rope access, weapons handling, etc.).



## FIRE-FIGHTERS

Our fire-fighter gloves are upgrading with a complete line (page 58). Whether for structural fires, wild fires or traffic rescue operations, the "shield" ergonomics of this new line optimise our fire-fighters' comfort and protection.

## INDUSTRY

Our range of para-aramid products has been expanded to include an ergonomic and resistant anti-heat cuff (page 78) and a glove reinforced against the risk of puncture (page 74). ONTARIO\* (page 100), designed specifically for logistics activities in cold environments and outdoor winter work, completes our range. Our range of gauge 18 knitted gloves is expanding with the FULLSENS\*\* (page 82), the thinnest glove on the market with the best cut performance (level F), which is also available in the FULLSENS/O knitted version (page 80). Finally, you will discover our new FLUOSENS\*\*\* gauge 21 knitted glove (page 80), an ultra-thin glove for F.O.D. environments.



# PRODUCTS



## DURANIT

Two new products have been added to the ultra-strong DURANIT line. DURANIT-IMPACT\* (page 68) for standardised protection from impacts on the back of the hand. DURANIT-DRY\*\* (page 74) for extended protection from water and oil on the back of the hand.

## HEATING

Our innovating, responsible approach heating concept (page 98) proposes a glove, a glove liner and a remote electronic system that increases the durability of the solution. Rostaing also recovers and recycles defective or worn systems.



## SUPERHEROSTAING

An innovating new line of 6 "superpower" gloves for 6-11 year-olds! The kids will want to copy the grown-ups, and will keep their gloves on for DIY, gardening and all other leisure activities (cycling, scootering, climbing, etc.). check them out on page 110.

## GARDEN

2 new specific cold environment products (page 127): COCOON\*, made from recycled polyester, is suitable for positive cold and can be used as a glove liner or as a stylish leisure glove. MONTBLANC\*\*, a vintage style leather glove lined with fleece, is ideal for use in negative cold temperatures and for winter garden maintenance.



## TOUCH

2 new additions to our touch line: MAXIMPACT\* (page 132), standard shock-resistant and visible thanks to its orange colour. MAXSAFE\*\* (page 130), an innovating washable glove that provides protection from viruses and bacteria. It is long-lasting and keeps its properties for up to 100 washes.

Help us grow by sharing your experiences and telling us about your new needs:

[product@rostaing.fr](mailto:product@rostaing.fr)



All information in this catalogue is current as of October 2023. The digital version will be updated regularly.

**08**  
Our values  
and commitments

**14**  
Your professional  
worlds

**148**  
Your gloves  
by risk

**170**  
Your services

**178**  
Your store solutions

**192**  
Your contacts





**12**  
The  
standards

**108**  
Your private  
worlds

**168**  
Your additional  
products

**172**  
Your product line  
effects

**180**  
Bar codes  
and index




All our references featuring a **B** are gloves that are available in a pin display version



# MAKE SURE IT FITS YOU LIKE A GLOVE

To do that, just put  
your hand on the  
model to find your  
glove size.





**Our teams  
work to release  
your potential**

# OUR DNA

Created in 1789, Rostaing is committed to protecting the hands and lives of industry workers. Today, our vocation is to protect all hands, in all universes from all risks. The ROSTAING brand carries this mission through the commitment of its teams and the passion of every employee. We strongly believe that a company is not just a workplace but also somewhere we can feel useful and where it is important to share life values. Our CSR policy reflects our values and defines the policies which make it possible for us to limit our impact on the planet.

## OUR CORPORATE COMMITMENTS



**Putting people at the heart of our** Group policy. Since 2019, ENDOGENE has been working with us to towards human cohesion and performance, the success of the teams and the growth of the ROSTAING Group.



**In 2019** we were among the first companies to sign up to this RFAR label, which recognises companies that have demonstrated **sustainable and balanced relationships with their suppliers**. For this first and only label awarded by the public authorities, we are audited annually by an approved body.



As a signatory, we have submitted a "Communication on CSR Progress" report every year **since 2016**. This communication provides a detailed description of our actions in the fight AGAINST child labour, forced labour, corruption, and FOR the protection of the environment and biodiversity.



Obtained and renewed **since 2009**, this certification guarantees a **quality management** system and provides a solid framework for our organisational processes so that we can give our customers ever-better service and satisfaction. We measure the efficiency of our processes as part of a continuous improvement policy.



Obtained and renewed **since 2015**, this certification defines the criteria for an **environmental management** system. It allows us to identify our environmental impact and plan actions to reduce it. The standard is audited and challenged every year.



**Since 2014**, we have been providing all the information needed to carry out this assessment. The rating criteria cover Policies, Actions and Measures for each of four categories: Environment, Social and Human Rights, Ethics and Responsible Purchasing. In 2023, we were awarded the silver medal and we are aiming for gold in 2024.



This organisation provides precise assessments of **the carbon impact of businesses**. This number is a starting point to make it possible to measure annual improvements.



**Since 2023**, we have been a member of the Sedex database, which is used to share information on ethically sustainable production in the supply chain. The result is an improvement in ethically responsible business practices.

# OUR COMMON CHALLENGE!

ROSTAING proposes gloves to protect every hand, in every situation. Gloves made to last, specific to each activity, both for professionals and private individuals alike.

Our company has a resolutely responsible approach to its activity, taking into account social and environmental issues. We believe that we need to gradually transform the way we live and produce. This requires a strong sustainable development policy, which is intended to **meet the needs of the present without compromising the ability of future generations to meet their own needs.**

## A PRODUCT OFFER THAT REFLECTS OUR VALUES

### 1 Contributor to the health of the planet and of Mankind

Better known as forever chemicals, over 4,700 chemicals contain PFAS. Used in everyday products for their non-stick, waterproofing and strong heat-resistant properties, PFASs accumulate in the organism and the environment over time. They can cause health problems. We are investing and are committed to sourcing raw materials for the design of PFAS-free gloves.

For more information:



### 2 Protect all hands

As a hand protection specialist, we are committed to protecting every hand, including those of the disabled. Rostaing has a made in France bespoke glove design department. It is a solution that makes it possible for people to return to work.

**Contact us: [contact@rostaing.fr](mailto:contact@rostaing.fr)**



### 3 Our product quality

This is the first guarantee for extended use and reduced waste. At Rostaing, protective gloves are not just a basic consumable, but a quality technical product with real built-in durability. All our raw materials are tested by our in-house laboratory.



### 5 Only buy what you need!

We don't wear out left gloves and right gloves in the same way. To avoid wastage, on certain products we provide the option of only ordering the glove that needs replacing.



### 4 Proximity: ecology and economy

Over 50% of our business is covered with products manufactured in our own workshops less than 2000 km from where you are! Rostaing has manufacturing sites in France and Morocco and over 80% of our raw materials are European. Finally, our factories are BSCI-audited (A rating).



### 6 The guarantee of washable gloves

We design protective equipment that keeps its shape. Rostaing gloves are washable and keep their properties throughout their life cycle. Hand washing, machine washing or industrial washing, each glove has its own care instructions.



## OUR ENVIRONMENT, OUR COMMITMENTS!


# A FIRST STEP TOWARDS ENVIRONMENTAL LABELLING

As the textile industry is one of the biggest polluting industries in the world, **Europe is getting ready to deploy environmental labelling starting in 2024**, which will allow consumers to prefer clothes that are better for the environment and companies to rethink their design and production methods.

## EXAMPLE OF AN ENVIRONMENTAL IMPACT CALCULATION

Rostaing, an impact calculation pioneer, uses the calculator developed by La Belle Empreinte, which we use to measure the water consumption and CO<sub>2</sub> emissions needed to manufacture and use the glove throughout its life cycle.

You can't reduce without measuring. **We now give you the CO<sub>2</sub> equivalent weight of your pair of gloves.** We are committed to finding the best solutions to reduce this impact for you and the planet. You will be able to rely on factual, conclusive results that will make it easier to calculate your own carbon footprint and give consumers the power to make informed choices. Just saying you're transparent isn't enough: you have to be transparent.



Explanation: Our pair of EPS7BPA gloves has a carbon impact of 0.8 kg CO<sub>2</sub> eq. compared with 1.5 kg for most equivalent models on the market. We can achieve better results if we install a renewable energy system on the roofs of our plants (2025 project: photovoltaic panels). **Why is CO<sub>2</sub> the main indicator?** It is the main cause of global warming due to its excessive quantities.



Several Rostaing products are OEKO-TEX STANDARD 100 certified.

This is one of the Oeko-Tex label technical standards which certifies the absence of any toxic substances in textile products.

FIND OUT MORE



All our leathers come from LWG-certified environmental performance tanneries. This is an international benchmark certification covering the environmental performance of tanneries (energy and water consumption, discharges into water, atmospheric emissions, etc.).

FIND OUT MORE



# PROTECTIVE GLOVES: THE STANDARDS



## EN ISO 21420: General requirements. Published in April 2020

This is the reference standard that defines the general requirements and test methods covering the design and construction of the glove, its harmless nature and the markings and information provided by the manufacturer which are applicable to all protective gloves.

## EN 388: Mechanical risks. Published in 2016 with an A1 amendment in 2018.

Performance levels are checked for the **palm** of the glove.

EN388	Performance level	1	2	3	4	5	
	Abrasion resistance (number of cycles)	100	500	2000	8000	/	
	Cutting by slicing resistance (index)	1.2	2.5	5	10	20	
	Tear resistance (N)	10	25	50	75	/	
	Perforation resistance (N)	20	60	100	150	/	
<b>4231DP</b>	<b>ISO 13997</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>
	Cutting resistance in N	2	5	10	15	22	30
<b>Impact protection (joint protection)</b>					<b>1 (P)</b>		
Expected result					≤ 7.0 kN		

## EN 407: Thermal risks (heat and/or fire). Published in April 2023

EN407	Performance level	1	2	3	4
	Fire behaviour	≤2.0	≤10	≤ 3	≤ 2
	Flame persistence time (in seconds)	no criteria	≤ 120	≤ 25	≤ 5
	Residual incandescence time (in seconds)				
<b>41324X</b>	Contact heat:	100	250	350	500
	Contact temperature (in °C)	≥15	≥15	≥15	≥15
	Limit time (in seconds)				
	Convective heat: time for the temperature to rise by 24°C	≥4	≥7	≥10	≥18
	Radiating heat: time for the temperature to rise by 24°C	≥7	≥20	≥50	≥95
	Minor liquid metal spray: number of drops for a rise in temperature of 40°C	≥10	≥15	≥25	≥35
	Major molten metal spray. Molten iron, in grammes, poured on the material without damaging the PVC sheet	30	60	120	200



## EN 12477: Welders.


It specifies the requirements and test methods applicable to protective gloves used for welding and manual metal cutting.

### Gloves classified into 2 types:

#### Type A

Low dexterity with the other performances higher - Dexterity (EN420) Level 1 out of 5


#### Minimum requirements



#### Type B

High dexterity with the other performances lower - (EN420) Level 4 out of 5

#### Minimum requirements



Resistance to convective heat is tested on the palm, back and cuff. Resistance to minor molten metal spray is tested on the back and the cuff.

EN 511: Thermal risks (cold)



Performance level	0	1	2	3	4
Convection cold thermal insulation $I_{TR}$ in $m^2 K/W$	-	$0.10 \leq I_{TR} \leq 0.15$	$0.15 \leq I_{TR} \leq 0.22$	$0.22 \leq I_{TR} \leq 0.30$	$0.30 \leq I_{TR}$
Contact cold Thermal resistance $R$ in $m^2 K/W$	-	$0.025 \leq R \leq 0.050$	$0.050 \leq R \leq 0.100$	$0.100 \leq R \leq 0.150$	$0.150 \leq R$
Leak test for water	The glove is not waterproof	The glove is waterproof		-	-

EN16350



EN 16350: Electrostatic properties

This standard indicates the test methods and requirements applicable to electrostatic dissipation gloves to reduce explosion risks to a minimum in flammable zones.

EN13594



EN 13594: Motorcyclists

This standard indicates the requirements in terms of size, ergonomics, harmlessness, mechanical properties, shock protection, marking and information for motorcyclist gloves.

**For example: Level 1 KP:** Protection of the hands from abrasion for 4s and protection of the joints (Shock resistance).



Standards for fire-fighters

	NF EN 659	ISO 15383
GENERAL REQUIREMENTS	Chrome content (VI)	< 3mg / kg.
	Dexterity	Level 1: Grip diameter Ø11 mm. CIVIL PROTECTION LABEL: Level 3 (Ø8 mm).
EN 388 MECHANICAL REQUIREMENTS	Abrasion	Level 3: Test performed on the palm.
	Cuts	Level 2: Test performed on the palm and back.
	Tears	Level 3: Test performed on the palm.
	Perforation	Level 3: Test performed on the palm.
	Cuts as per ISO 13997 TDM	No level requirements. CIVIL PROTECTION LABEL: 13 N (Tested on the palm, back and vein patch).
EN 407 THERMAL REQUIREMENTS	Flame behaviour	Level 4: Test performed on the palm and back.
	Convective heat	Level 3: Test performed on the palm and back.
	Radiant heat	Level 2: Test performed on the back.
	Contact heat	Level 2: Test on the palm, in dry and wet conditions.
	Lining material heat resistance	At 180°C, the lining must not melt, form drops or catch fire.
	Heat shrinkage	At 180°C, the glove should not shrink by more than 5%.
	Seam breaking force	F >_ 350 N.
OTHER REQUIREMENTS	Complete glove integrity tests	Waterproof glove with membrane: Immersion of the glove. No leaks observed.
	Water penetration	Optional.
	Washing pre-treatments	NF EN ISO 6330: if a washing pre-treatment is specified as an integral part of the operating procedure or performance requirement.
	Grip test / Gripping	No requirements.
	Colour	No requirements. CIVIL PROTECTION LABEL: For type C gloves, R red-orange".



Standards for chemical and pesticide risks: see page 33



More information about the standards.



Every PPE supplier is bound to make the Declaration of conformity for the glove available. To get it, download it from our website.

# Protecting fauna & flora

## HARVESTING

- 16. HMPS7BP
- 16. THERMALIGHT
- 16. ONTARIO
- 16. FOREST
- 17. CORDIST
- 17. BLACKTOP
- 17. STOPCHAIN1
- 17. STOPCHAINCUFF

## PLANTING

- 18. SEQUOIA
- 18. BASIC
- 18. EVO13

## PRUNING

- 20. ROSERAIE
- 20. EM25A
- 20. SARMENT
- 20. IVERNO

## BRUSH CLEARING

- 21. RONCIER
- 21. OPTIPRO
- 21. T.70X135

## FITTING OUT

- 22. DURANIT-ONE
- 22. MIDSEASON
- 22. MACPRO
- 22. WINTERPRO
- 23. STRONGER
- 23. CLOTURE
- 23. SOLIDO

## SORTING & RECYCLING

- 24. BLACKNIT
- 24. LIQUIDO
- 24. RIPEUR/CO

## CLEANING

- 26. STOP-OIL
- 26. STOP-OILCUT
- 26. WETPRO
- 26. SNITRILE

## CARING

- 27. ANIMALYST
- 27. RONCIER





## HMPS7BP

### Planting and control

- VALIDATED BY FORESTERS
- REINFORCED VEIN PROTECTION
- TIGHTENING ELASTIC AT THE WRIST



**SIZES: 7 TO 11**

**COMPOSITION:**

Goat leather, polyester



## B THERMALIGHT

### Work glove liner

- INSULATES FROM NEGATIVE COLD (-5°C)
- USED AS A GLOVE LINER, IMPROVES THERMAL COMFORT
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SIZES: 6 TO 11**

**COMPOSITION:**

Polypropylene, elasthan

2016/425 MINOR RISKS

## ONTARIO

### Outdoor work in cold weather


- INSULATES FROM NEGATIVE COLD (DOWN TO -10°C)
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY
- TIGHTENING ELASTIC AT THE WRIST



**SIZES: 6 TO 12**

**COMPOSITION:**

Cow leather, recycled polyester



## B FOREST

### Logging and pruning

- VALIDATED FOR THE REDUCTION OF MSD
- VIBRATIONS ABSORBED BY THE REINFORCEMENT FOAM
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



**SIZES: 8 TO 11**

**COMPOSITION:**

Cow split leather, goat leather, polyester Ripstop, D30®





# HARVESTING

## BLACKTOP

Thinning, winching and rope work

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- HIGHLY PERFORATION RESISTANT



**SIZES: 7 TO 11**

**COMPOSITION:**

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres



## CORDIST

Work at height

- IDEAL FOR PRUNING AND MAINTAINING PLANTS
- INCREASED SERVICE LIFE FOR ROPE PASSAGE
- CLOSURE ADJUSTABLE AT THE WRIST



**SIZES: 6 TO 12**

**COMPOSITION:**

Goat leather, polyester, Neoprene



## STOPCHAIN 1

Forestry work: pruning, felling


- PROTECTION AGAINST CHAINSAW CHAINS
- REINFORCED WEAR AREAS
- 1-HAND OR 2-HAND PROTECTION



**SIZES: 8 TO 11**

**COMPOSITION :**

Ripstop polyester, goat skin, siliconised amara, polyester, polypropylene, polyethylene



## STOPCHAINCUFF

Travaux forestiers : élagage, abattage

- PROTECTION AGAINST CHAINSAW CHAINS
- HIGH-VISIBILITY ORANGE COLOUR
- FULL ARM PROTECTION (46 CM)



**SINGLE SIZE**

**COMPOSITION :**

Ripstop polyester, polyester, polypropylene, polyethylene, polyamide, elastane

2016/425 MINOR RISKS



## B SEQUOIA

### Planting, digging and weeding

- VALIDATED BY LANDSCAPERS
- WATER REPELLENT AND BREATHABLE BACK
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



**SIZES: 7 TO 12**

**COMPOSITION:**

Grain leather, polyester Ripstop



## EVO13

### Planting, digging, weeding

- SCOTCHGUARD-TREATED WATER REPELLENT LEATHER
- FREEDOM OF MOVEMENT
- GRIP IN WET ENVIRONMENTS



**SIZES: 6 TO 11**

**COMPOSITION:**

Goat leather, Skinsoft



## B BASIC

### Planting, digging, weeding

- GOOD GRIP
- PALM AND FINGER PROTECTION



**SIZES: 6 TO 10**


**COMPOSITION:**

Latex, polycotton



## DEVELOPMENT OF INNOVATING TECHNOLOGICAL MATERIALS

**RIPSTOP:** a non-tear fabric weave, composed of 3 layers:



1. RIPSTOP non-scratch
2. Waterproof-breathable membrane
3. Comfortable velvet lining

**SKINSOFT:** synthetic material with properties close to leather (appearance, flexibility, strength, oil repellent properties) composed of 2 layers:



1. Polyurethane coating
2. Comfortable velvet lining





## B ROSERAIE

### Thorny plant maintenance

- VALIDATED BY ROSE-GROWERS
- FOREARM PROTECTION FROM THORNS
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



LEATHER TANNED  
IN FRANCE

✓ VALIDATED AND TESTED BY:



CO<sub>2</sub>  
2.1 Kg eq.



**SIZES: 7 TO 10**

**COMPOSITION:**  
Goat leather, Skinsoft



## B EM25A

### Garden maintenance

- FULL SUPPLE, THIN LEATHER PROTECTION
- GOOD HAND BREATHABILITY
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



**SIZES: 6 TO 11**

**COMPOSITION:**  
Metis grain



## B SARMENT


### Intensive pruning, root removal, bundling

- IDEAL FOR COLD AND WET ENVIRONMENTS DOWN TO 0°C
- 3 X LONGER LASTING: ERGONOMIC REINFORCEMENTS ON WEAR AREAS
- VALIDATED BY WINEGROWERS AND LANDSCAPERS



**SIZES: 7 TO 11**

**COMPOSITION:**  
Acrylic, nitrile, polyamide, para-aramid



## B IVERNO

### Cold weather pruning

- WITHSTANDS COLD DOWN TO -10°C
- WATERPROOF, BREATHABLE MEMBRANE
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY




CO<sub>2</sub>  
2.4 Kg eq.



**SIZES: 7 TO 11**

**COMPOSITION:**  
Cow leather, polar fleece, polyester  
Ripstop





# CLEAR BRUSH

## B RONCIER

### Care of large thorny plants (Pyracantha)

- THE THICK LEATHER PROTECTS FROM LARGE THORNS
- BARRIER TO OILS AND MAINTAINS A GOOD GRIP
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



TOP SALES



**SIZES: 7 TO 11**

**COMPOSITION:**

Grain leather, polyester Ripstop, Skinsoft



## B OPTIPRO

### Garden maintenance

- SUITABLE FOR LOW VIBRATION TOOLS
- NON-SLIP FINGERTIPS
- CLOSURE ADJUSTABLE AT THE WRIST



**SIZES: 8 TO 11**

**COMPOSITION:**

Polyester, polyester microfibre

2016/425 - MINOR RISKS

## B T.70X135

### Brush clearance and branch cutting

- HIGH THORN RESISTANCE
- COMPLETE LEG COVERING



**SINGLE SIZE**

**COMPOSITION:**

Cow split leather

2016/425 - MINOR RISKS





# FITTING OUT

## B DURANIT-ONE


### Handling and machinery operation

- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- GRIP IN OILY CONDITIONS
- SECOND SKIN EFFECT



**SIZES: 6 TO 12**

**COMPOSITION:**  
Nitrile, polyamide, elasthan



## B MIDSEASON


### Mid-season work and pruning

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- PLEASANT ON THE SKIN



**SIZES: 7 TO 12**

**COMPOSITION:**  
Nitrile, acrylic



## B MACPRO

### Outdoor masonry and earthworks

- HIGHLY CUT-RESISTANT (24 N)
- EXCELLENT TOOL GRIP
- VALIDATED BY MASONS



**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, high tenacity polyethylene, mineral fibres



## B WINTERPRO

### Heavy work - cold and wet environments

- WITHSTANDS COLD DOWN TO -10°C
- FULL HAND PROTECTION
- GOOD TOOL GRIP



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, acrylic





# FITTING OUT

## B STRONGER

### Major abrasive and cutting works

- HIGHLY CUT-RESISTANT
- INCREASED SERVICE LIFE THANKS TO THE PALM REINFORCEMENT
- MAINTAINS A GOOD GRIP IN WET OR OILY ENVIRONMENTS



**SIZES: 8 TO 11**

**COMPOSITION:**

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres, polyamide



## B CLOTURE

### Barbed wire handling

- VALIDATED BY FARMERS
- HIGHLY PERFORATION RESISTANT
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



**SIZES: 8 TO 11**

**COMPOSITION:**

Grain leather, polyester Ripstop



## B SOLIDO

### Timber, rock and plant handling

- HIGHLY PERFORATION RESISTANT
- WATER REPELLENT AND BREATHABLE BACK
- COMFORT LINING



**SIZES: 8 TO 11**

**COMPOSITION:**

Split cowhide leather, polyester Ripstop, polyamide





## BLACKNIT

Waste management, sorting and recycling

- MAXIMUM CUT RESISTANCE (33.6 N)
- SUITABLE FOR OILY ENVIRONMENTS
- SOBER, STAIN RESISTANT BLACK COLOUR



**SIZES: 7 TO 11**

**COMPOSITION:**

Nitrile, high tenacity polyethylene, mineral fibres, polyamide



## B LIQUIDO

Waste collection and sorting

- GOOD GRIP
- SUITABLE FOR PEOPLE SUFFERING FROM LATEX ALLERGY
- FOREARM PROTECTION (35 CM)



**SIZES: 7 TO 11**

**COMPOSITION:**

Nitrile, polyester



## RIPEUR/CO

Waste collection and sorting

- MAXIMUM CUT RESISTANCE (61.4 N)
- HIGHLY PERFORATION RESISTANT
- BARRIER TO OILS AND MAINTAINS A GOOD GRIP



**SIZES: 7 TO 12**

**COMPOSITION:**

Split cowhide leather, stainless steel, high tenacity polyethylene, polyamide







# DRAINAGE

## STOP-OIL

### High pressure cleaning

- GRIP IN OILY CONDITIONS
- TOTAL OIL AND WATER PROTECTION



**SIZES: 6 TO 11**  
**COMPOSITION:**  
 Nitrile, polyamide




## STOP-OILCUT

### Piping, sewer inspection

- MAXIMUM CUT RESISTANCE (40.7 N)
- GRIP IN WET AND OILY ENVIRONMENTS
- WITHSTANDS CONTACT HEAT UP TO 100°C



**SIZES: 6 TO 12**  
**COMPOSITION:**  
 Nitrile, high tenacity polyethylene, polyester, stainless steel



## B WETPRO

### Pit, sewage cleaning

- PROTECTION EXTENDED UP TO THE SHOULDER (60 CM)
- ARM ADJUSTMENT USING A TIGHTENING ELASTIC
- GOOD GRIP



**SIZES: 9 TO 11**  
**COMPOSITION:**  
 PVC, cotton




## B SNITRILE


### Cleaning and washing

- WITHSTANDS 9 CHEMICALS (SEE PAGE 33)
- SUITABLE FOR PEOPLE SUFFERING FROM LATEX ALLERGY



**SIZES: 7 TO 11**  
**COMPOSITION:**  
 Nitrile, cotton





**ANIMALYS1**

**Work with animals - bites**

- BARRIER TO BITES AND SCRATCHES
- FULL AND EXTENDED ARM PROTECTION (58 CM)
- GOOD PERFORATION PROTECTION



LEATHER TANNED  
IN FRANCE



**SIZES: 8 TO 12**

**COMPOSITION:**

Cow grain leather, para-aramid

2016/425 MINOR RISKS  
*\*Levels only as an indication*



**B RONCIER**

**Work with animals - scratches**

- PROTECTION FROM SCRATCHES AND SMALL TEETH
- GRIP MAINTAINED IN GREASY ENVIRONMENTS
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



TOP SALES



**SIZES: 7 TO 11**

**COMPOSITION:**

Grain leather, polyester Ripstop, Skinsoft



# Farming & feeding people

## **GROWING & BREEDING**

- 30. RONCIER
- 30. CLOTURE
- 31. WETCUTO3-EVOLUTION
- 31. EVO13
- 31. BLACKSTICK+
- 32. DURANIT-ONE
- 32. COLDPRO
- 32. SARMENT
- 33. SNITRILE
- 33. GASPRO

## **HARVESTING**

- 34. LIQUIDO
- 34. MECANO
- 34. VISIBLE
- 34. MAXIMA

## **FISHING & CLEANING**

- 35. MACPRO
- 35. PROTECTMAX

## **PROCESSING & COOKING**

- 36. CUTFOOD
- 36. CUTFOOD-SENS
- 36. CUTFOOD-MAX
- 37. CUTFOOD-CUFF
- 37. T.CUTFOOD
- 37. T.CRYO
- 38. CANADA
- 38. FEELPRO
- 38. WINTERPRO
- 38. ZPP25
- 39. TN22
- 39. TFI27
- 39. WARM250/50D2



# GROWING & BREEDING



## B RONCIER

### Brush clearance and plot maintenance

- THE THICK LEATHER PROTECTS FROM LARGE THORNS
- BARRIER TO OILS AND KEEPS A GOOD GRIP
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



TOP SALES



**SIZES: 7 TO 11**

**COMPOSITION:**

Grain leather, polyester Ripstop, Skinsoft

EN388



4143X

## B CLOTURE

### Installing agricultural fencing

- VALIDATED BY FARMERS
- HIGHLY PERFORATION RESISTANT
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



LEATHER TANNED  
IN FRANCE

CO<sub>2</sub>  
1.5 Kg eq.



**SIZES: 8 TO 11**


**COMPOSITION:**

Grain leather, polyester Ripstop

EN388



4144X





# GROWING & BREEDING

## WETCUTO3-EVOLUTION

### Weeding, suckering

- HIGHLY CUT RESISTANT
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



**SIZES: 7 TO 12**

**COMPOSITION:**

Grain leather, Skinsoft, mineral fibres, polyamide, polyester



## EVO13

### Plot clearance, market gardening

- SCOTCHGUARD TREATED WATER REPELLENT LEATHER
- FREEDOM OF MOVEMENT
- GRIP IN WET ENVIRONMENTS



**SIZES: 6 TO 11**

**COMPOSITION:**

Goat leather, Skinsoft



## BLACKSTICK+

### Heavy work, timber handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- DURABILITY STRENGTHENED BY THE BONDING PROCESS
- HIGHLY PERFORATION RESISTANT



**SIZES: 6 TO 12**

**COMPOSITION:**

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres





# GROWING & BREEDING

## B DURANIT-ONE

### Machinery operation

- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



**OEKO TEX®**

**STANDARD 100**  
15.HCN.68777  
Hohenstein HTTI

**CO<sub>2</sub>**  
1,9 Kg eq.

LEAK TIGHTNESS


COMFORT

DURABILITY

DEXTERITY

**SIZES: 6 TO 12**

**COMPOSITION:**  
Nitrile, polyamide, elasthane



## B COLDPRO

### Winter works

- WITHSTANDS COLD DOWN TO -10°C
- EXCELLENT GRIP
- VISIBLE COLOUR



LEAK TIGHTNESS


COMFORT

DURABILITY

DEXTERITY

**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, acrylic



## B SARMENT

### Vineyard maintenance: pruning, wood, and sorting

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- 3 X MORE LONG LASTING: ERGONOMIC REINFORCEMENTS ON WEAR AREAS
- VALIDATED BY WINEGROWERS



LEAK TIGHTNESS


COMFORT

DURABILITY

DEXTERITY

**SIZES: 7 TO 11**

**COMPOSITION:**  
Acrylic, nitrile, polyamide, para-aramid





**B SNITRILE**

Preparation for crop treatments, spreading, cleaning, washing and re-entry

- RESISTANT TO 9 CHEMICALS
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



CO<sub>2</sub>  
2.3 Kg eq.



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, cotton

**EN388** **EN ISO 374-5:2016** **EN ISO 374-1:2016** **ISO 18889**  
  
**4101X** **VIRUS** **AJKLMOPT** **G2**

**B GASPRO**

Crop treatment and leaching preparation

- EXCELLENT GRIP IN GREASY OR WET CONDITIONS
- 35 CM FOREARM PROTECTION
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



**SIZES: 9 AND 10**

**COMPOSITION:**  
PVC, nitrile, polyamide

**EN388** **EN ISO 374-1:2019**  
  
**4131X** **AKLMPT**

**CHEMICAL AND PESTICIDE STANDARDS**

CODE LETTER	CHEMICALS	CAS NUMBER	CLASS	CODE LETTER	CHEMICALS	CAS NUMBER	CLASS	CODE LETTER	CHEMICALS	CAS NUMBER	CLASS
A	Methanol	67-56-1	Primary alcohol	G	Diethylamine	109-89-7	Amine	M	Nitric acid 65 %	7697-37-2	Non-organic, oxidant mineral acid
B	Acetone	67-64-1	Ketone	H	Tetrahydrofuran	109-99-9	Etheric heterocyclic compounds	N	ACETIC acid 99 %	64-19-7	Organic acid
C	Acetonitrile	75-05-8	Nitrile compound	I	Ethyl acetate	141-78-6	Ester	O	Ammonia 25%	1336-21-6	Organic base
D	Dichloromethane	75-09-2	Chlorinated hydrocarbon	J	n-Heptane	142-82-5	Saturated hydrocarbon	P	Hydrogen peroxide 30 %	7722-84-1	Peroxide
E	Carbon disulphide	75-15-0	Organic compound containing sulphur	K	Caustic soda 40 % (NaOH or sodium hydroxide)	1310-73-2	Non-organic base	S	Hydrogen fluoride 40 %	7664-39-3	Non-organic mineral acid
F	Toluene	108-88-3	Aromatic hydrocarbon	L	Sulphuric acid 96 %	7664-93-9	Non-organic, oxidant mineral acid	T	Formaldehyde 37%	50-00-0	Aldehyde

**TYPE A GLOVES**

must be at least level 2 to permeation for 6 chemicals.



**TYPE B GLOVES**

must be at least level 2 to permeation for 3 chemicals.



**TYPE C GLOVES**

must be at least level 1 to permeation for 1 chemical.



The ISO 18889 standard defines the minimum required performance, classification and specific marking for gloves worn by operators handling pesticides and for re-entry tasks.

**G1 gloves** provide protection for the whole hand for low risks (single-use glove, used with diluted pesticides and without mechanical risks)

**G2 gloves** provide protection for the whole hand for higher risks (possibility of using concentrated pesticides with required mechanical resistance).

**GR gloves** only protect the palm of the hand (not the fingers) and are designed for the handling of products that have been in contact with pesticides.



**B LIQUIDO**

Market gardening and vegetable cleaning

- GOOD GRIP
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- FOREARM PROTECTION (35 CM)



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, polyester



**B MECANO**

Pesticide handling: re-entry workers

- RESISTANT TO CHEMICALS
- GUARANTEED SECOND SKIN EFFECT
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



**SIZES: 7 TO 10**

**COMPOSITION:**  
Nitrile



**B VISIBLE:**

Thorned fruit harvesting

- EXCELLENT TOOL GRIP
- BRIGHT COLOUR TO FIND THE GLOVES QUICKLY



**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, polyester



**B MAXIMA**

Juice fruit harvesting

- FULL PROTECTION: AN ALTERNATIVE TO LEATHER
- SUITABLE FOR INTENSE PLANTING WORK
- CLOSURE ADJUSTABLE AT THE WRIST



**SIZES: 7 TO 10**

**COMPOSITION:**  
Nitrile, polyamide





# FISHING & CLEANING

## B MACPRO

### Fish collection and selection

- EXCELLENT GRIP ON FISHING RODS AND FISH
- FACILITATES HOOK REMOVAL
- VERY HIGH CUT RESISTANCE (24 N)



**SIZES: 8 TO 11**

**COMPOSITION:**

Latex, high tenacity polyethylene, mineral fibres



## B PROTECTMAX

### Oyster farming

- EXCELLENT GRIP
- ITS THICK LATEX WITHSTANDS SMALL PERFORATIONS



TOP SALES



**SIZES: 7 TO 10**

**COMPOSITION:**

Latex, cotton





# PROCESSING & COOKING

## CUTFOOD

Slaughter house - poultry boning and butchering

- MAXIMUM CUT RESISTANCE (45.3 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SIZES: 5 TO 13**

### COMPOSITION:

High tenacity polyethylene, mineral fibres, polyester, stainless steel, polypropylene - 10 gauge



## CUTFOOD-SENS

Slaughter house - beef boning and butchering

- MAXIMUM CUT RESISTANCE
- EXCEPTIONALLY THIN: 1<sup>ST</sup> GAUGE 15 FOOD GLOVE
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SIZES: 5 TO 13**

### COMPOSITION:

High tenacity polyethylene, mineral fibres, polyester, stainless steel, polypropylene



## CUTFOOD-MAX

Slaughter house - pork boning and butchering


- MAXIMUM CUT RESISTANCE (62.8 N)
- INCREASED SERVICE LIFE
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SIZES: 5 TO 13**

### COMPOSITION:

High tenacity polyethylene, high tenacity polyamide, stainless steel - 10 gauge



## FOOD CONTACT AND WASHING

Our CUTFOOD protective gloves and cuffs have been specifically developed to handle and cut foodstuffs such as meat. **These PPEs are ready for direct contact with food and carcasses.**

All our CUTFOOD products are industrially washed directly after manufacture.

CUTFOOD products **can be machine-washed at 70°C to extend their service life.** Washing does not alter their properties and performance throughout their service life. This solution reduces waste and PPE costs.



### CUTFOOD-CUFF

Slaughter house - boning and butchering

- MAXIMUM CUT RESISTANCE (45,3 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



NEW



**SIZE: 25 CM**

**COMPOSITION:** High tenacity polyethylene, mineral fibre, polyester, stainless steel, polypropylene - 10 gauge

2016/425 MINOR RISKS



### T.CUTFOOD

Slaughter house - butchering and processing

- WATER AND GREASE SPRAY RESISTANT
- MAXIMUM CUT RESISTANCE (40.7 N)
- COMFORT SUSPENDERS



NEW



**SINGLE SIZE**

**COMPOSITION:** Polyurethane, high-tenacity polyamide, stainless steel, high-tenacity polyester, high-tenacity polyethylene

2016/425 MINOR RISKS



### T.CRYO

Slaughter house - butchering and processing

- FOOD HANDLING
- ADJUSTABLE TIGHTENING STRAP



**SINGLE SIZE**

**COMPOSITION:** Silicone, wool, cotton

2016/425 MINOR RISKS



## BLUE GLOVE, WHITE GLOVE, WHAT'S THE DIFFERENCE?

The **glove colour** is important because blue is rarely present in foods. This colour **makes it possible to spot** any **debris or lost** gloves that could be present in food at a glance. **Blue gloves** are therefore used in **cutting rooms**. **White gloves** are worn in **slaughter houses**.



## B CANADA

### Positive cold room handling

- IDEAL FOR COLD AND WET ENVIRONMENTS DOWN TO 0°C
- GOOD GRIP
- FOOD HANDLING



**SIZES: 6 TO 11**

**COMPOSITION:**  
Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

## FEELPRO

### Handling in temperate environments

- ULTRA-COMFORTABLE, SECOND SKIN EFFECT
- HIGH VISIBILITY COLOUR
- FOOD HANDLING



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, polyamide, elastane



EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

## B WINTERPRO

### Handling in negative cold rooms

- WITHSTANDS COLD DOWN TO -10°C
- FULL HAND PROTECTION
- GOOD GRIP



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

## ZPP25

### Glove liner for cold rooms

- INSULATES FROM NEGATIVE COLD (-5°C)
- USED AS A GLOVE LINER, IMPROVES THERMAL COMFORT
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SIZES: 6 TO 11**

**COMPOSITION:**  
Polypropylene, elastane

2016/425 MINOR RISKS



# PROCESSING & COOKING

## TN22

### Handling of fragile foodstuffs and chocolate production

- DOES NOT FLUFF
- PROCESS PROTECTION: NO SOILING, NO MARKS



**SIZES: 6 TO 10**

**COMPOSITION:**  
Polyamide

## TFI22

### Miscellaneous precision handling

- WASHABLE: NON-SHRINK STITCH
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SIZES: 6 TO 10**

**COMPOSITION:**  
Cotton

## WARM250/50D2


### Removal of dishes from the oven

- FOOD COMPATIBILITY
- WITHSTANDS CONTACT HEAT UP TO 350°C
- DOES NOT SHRINK



**SIZES: 8 TO 12**

**COMPOSITION:**  
Silicone, para-aramid, acrylic, cotton



# Protecting property and people

## **WEAPONS HANDLING**

42. GUARDIAN  
42. OPSB+

## **LAW ENFORCEMENT**

44. MO456  
44. PATROLSHOCK  
44. URBANSHOCK

## **ROPE ACCESS WORK**

45. OPS-BLACK  
45. CORDIST  
45. CLIFF  
45. SAP

## **WORKING IN COLD WEATHER**

46. COCOON  
46. COLDPROOF  
46. ALPIN

## **INTERVENTIONS - OTHER**

47. VERDON  
47. SPEEDERIKP  
47. INTERCROSS

## **PARADING**

48. CEREMONIE  
48. TN27NS  
48. PARADE  
48. FAUVE

## **DETECTING WEAPONS**

50. SCANFORCE-BR  
50. SCANFORCE-LG  
50. SCANFORCE-BL  
51. SCANFORCE-GP  
51. SCANFORCE-VE

## **CONTROL**

52. SKINTOUCH  
52. FULLSENS/O  
52. EVOTACTIL  
52. FULLSENS  
53. BLACKTACTIL/O  
53. BLACKTACTIL  
53. PATROL  
53. MECANO

## **SECURING VENUES**

54. DURANIT-ONE  
54. DURANIT-ULTRA  
54. RIPDEXG

## **SECURING EVENTS**

55. SPLITWELD  
55. SPP2NIT05+  
55. ATTACK6PEOM-BSC



SECURITY



# WEAPON HANDLING

## GUARDIAN

Intervention, close combat

- INCREASED WEAPON HANDLING DEXTERITY
- EASY TO PUT ON AND OPTIMUM FIT
- STANDARDISED SHOCK PROTECTION ON SENSITIVE AREAS



**SIZES: 6 TO 12**

**COMPOSITION:**

Amara, silicone amara, polyamide, polyurethane, D30®, thermoplastic



## OPSB+

Intervention, arrests

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARDISED SHOCK PROTECTION ON SENSITIVE AREAS
- SEAMLESS BASE FOR FINE DEXTERITY AND TRIGGER FINGER



**SIZES: 6 TO 11**

**COMPOSITION:**

High tenacity polyethylene, polyurethane, D30®, silicone amara, thermoplastic



## TECHNOLOGY



Built into the palms or backs of gloves, smart D30® foam helps protect your hands subjected to impacts or high energy impacts.

Proven in a wide range of applications (contact sports, motor sports), its exceptional resilience allows it to return to its initial state after any distortions and also gives it excellent durability.

## HOW DOES IT WORK?



SUPPLE AND FLEXIBLE MATERIAL



ABSORBS AND DISSIPATES IMPACT ENERGY



RETURNS TO A SUPPLE STATE







# LAW ENFORCEMENT

## MO456

### Securing and controlling borders

- STANDARD SHOCK PROTECTION FROM IMPACTS USING D30®
- OPTIMUM FULL HAND PROTECTION
- FIRE TREATMENT




LEATHER TANNED IN FRANCE



**SIZES: 6 TO 12**

#### COMPOSITION:

Goat leather, aramid, D30®, nubuck



## PATROLSHOCK

### Security, intervention, arrests

- MULTIFUNCTION INTERVENTION GLOVE
- CUT RESISTANT PALM
- STANDARDISED SHOCK PROTECTION ON SENSITIVE AREAS



NEW



**SIZES: 6 TO 12**

#### COMPOSITION:

Amara, silicone amara, D30®, thermoplastic, para-aramid, mineral fibres



## URBANSHOCK

### Security, anti riot

- LEATHER AND TEXTILE MIX FOR MAXIMUM CONVENIENCE
- STANDARD SHOCK PROTECTION USING D30®
- FIRE TREATMENT



NEW


LEATHER TANNED IN FRANCE



**SIZES: 6 TO 12**

#### COMPOSITION:

Goat leather, Nomex, high tenacity polyethylene cotton, stainless steel, Twaron, amara silicone, D30®





# ROPE ACCESS WORK

SECURITY

## OPS-BLACK

### Interventions and lanyard handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- SEAMLESS BASE FOR FINE DEXTERITY AND TRIGGER FINGER
- REINFORCEMENT PROVIDING GRIP AND FRICTION HEAT RESISTANCE



**SIZES: 7 TO 11**

#### COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres, polyamide



## B CORDIST

### Rope access work, abseiling

- MULTI-PURPOSE GLOVE SUITABLE FOR ROPE WORK AND SHOOTING
- VERY SUPPLE AND COMFORTABLE MATERIALS
- REINFORCEMENTS ON THE WEAR ZONES



**SIZES: 6 TO 12**

#### COMPOSITION:

Goat leather, polyester, Neoprene



## CLIFF

### FAST-ROPE descents and abseiling operations

- SUITABLE FOR ROPE USE
- REINFORCEMENT ON THE 1<sup>ST</sup> WEAR ZONE
- VERY ABRASION AND PERFORATION RESISTANT



**SIZES: 8 TO 11**

2016/425 MINOR RISKS

#### COMPOSITION:

Cow split leather, foamback, goat leather, polyester

## SAP

### FAST-ROPE descents and special patrol insertion/extraction


- DEVELOPED ALONGSIDE SPECIAL FORCES
- EXCELLENT HEAT PROTECTION
- CAN BE WORN OVER A TACTICAL GLOVE



**SIZES: 7 TO 11**

#### COMPOSITION:

Goat leather, polyurethane rolled polyamide fabric cow split leather, para-aramid



# WORKING IN COLD WEATHER



## B COCOON

### Cotton glove liner

- CAN BE WORN BY ITSELF (0 TO 10°C)
- SOFT, STRETCH MATERIAL
- SLIPS EASILY INSIDE ANY GLOVE



**SIZES: 5 TO 11**

**COMPOSITION:**  
Recycled polyester

## COLDPROOF

### Cold weather work

- FLEECE LINING FOR COMFORT AND WARMTH (DOWN TO -5°C)
- FULL-HAND WIND-PROOF INSULATION TECHNOLOGY
- PITTARD LEATHER GUARANTEEING ALL WEATHER GRIP



**SIZES: 6 TO 11**

**COMPOSITION:**  
Goat leather, polyester-PTFE softshell, fleece



## ALPIN

### Mountain operations

- FLEECE LINING FOR COMFORT AND WARMTH (DOWN TO -15°C)
- FULL-HAND WIND-PROOF INSULATION TECHNOLOGY
- THUMB/INDEX REINFORCEMENT FOR USE WITH POLES



**SIZES: 6 TO 11**

**COMPOSITION:**  
Goat leather, polyester-PTFE softshell, recycled polyester wadding, fleece, D3O®





## VERDON

### Special operations, sharpshooting

- OPTIMISED DEXTERITY AND SENSITIVITY
- EXCELLENT SHOCK PROTECTION
- QUICK TO DON AND REMOVE



**SIZES: 8 TO 11**

2016/425 MINOR RISKS

**COMPOSITION:**

Goat leather, polyamide, nubuck, neoprene, polyester

## SPEEDER1KP

### Motorcycling and interventions


- ALL-WEATHER COMPATIBLE THANKS TO ITS WATER-REPELLENT LEATHER
- PERFECT HANDLEBAR GRIP AND HOLD
- FLEXIBLE D30® PROTECTION SHELLS



**SIZES: 6 TO 12**

**COMPOSITION:**

Goat leather, silicone amara, polyester, D30®



## INTERCROSS

### Security intervention team rope work glove

- ULTRA VERSATILE FOR ROPE ACCESS OPERATIONS
- SUITABLE FOR USE WITH FIREARMS
- SPLIT LEATHER REINFORCEMENT FOR CONCERTINA WIRE HANDLING



**SIZES: 6 TO 11**

**COMPOSITION:**

Cow split leather, thermoplastic, high-tenacity polyethylene, mineral fibre, polyurethane, D30®





## CEREMONIE

### Shows and parades

- CROW'S FOOT FINISH
- WASHABLE: STABILISED STITCHING
- HEAT REGULATING MATERIAL



**SIZES: 6 TO 10**

**COMPOSITION:**  
Cotton

## TN27NS

### Shows and parades

- DOES NOT FLUFF
- NON-FRAY DOUBLE HEM
- VERY SOFT TOUCH



CO<sub>2</sub>  
1.0 Kg eq.



**SIZES: 6 TO 10**

**COMPOSITION:**  
Polyamide

## PARADE

### Shows and parades

- LOCKNIT FABRICS
- STRETCH WEAVE FOR INCREASED COMFORT
- VERY SOFT TOUCH



**SIZES: 6 TO 9**

**COMPOSITION:**  
Polyamide, elasthane

## FAUVE

### Shows and parades

- TOP END LEATHER
- EXTREMELY SUPPLE
- SILK LINING



**SIZES: 6 TO 10**

**COMPOSITION:**  
Lamb leather, silk

2016/425 MINOR RISKS

# The world's smallest metal detector

## Compact

lightweight,  
ultra-effective

## Maximum

hands-free  
responsiveness

## Discreet and silent

information  
by vibration

## Patented detection system

French  
design and  
manufacture

# SCANFORCE®

Increases the effectiveness of pat-down checks by law enforcement officers and security guards.



more information on the  
SCANFORCE®  
line:





## SCANFORCE-BR

### All types of controls

- IDEAL FOR COLLECTIVE ALLOCATION
- FITS ON ALL GLOVES
- WATER-REPELLENT SUPPLE AND STRONG LEATHER



**SIZES: S-M (5 TO 7)**

**L-XL (8 TO 11)**

**COMPOSITION:**

Goat leather

RED DIRECTIVE:  
2004/108/EC  
ELECTROMAGNETIC  
COMPATIBILITY (EMC)

## SCANFORCE-LG

### Event access control

- SYSTEM WITH CLEAR PALM: OPTIMISED PAT-DOWN
- AMBIDEXTROUS
- WATER-REPELLENT SUPPLE AND STRONG LEATHER



**SINGLE SIZE**

**COMPOSITION:**

Goat leather

RED DIRECTIVE:  
2004/108/EC  
ELECTROMAGNETIC  
COMPATIBILITY (EMC)

## SCANFORCE-BL

### Sensitive controls: high risk populations, prisons

- SOBER AND DISCRETE
- HIGHLY CUT RESISTANT (28.2 N)
- SEAMLESS TECHNOLOGY FOR FINE DEXTERITY



**SIZES: 7 TO 11**

**COMPOSITION:**

Goat leather, high tenacity polyethylene mineral fibres

RED DIRECTIVE:  
2004/108/EC  
ELECTROMAGNETIC  
COMPATIBILITY (EMC)





### SCANFORCE-GP

Discrete controls (VIP protection) or in cold environments

- DISCRETE SYSTEM
- CUT RESISTANT
- WATER-REPELLENT SUPPLE AND STRONG LEATHER

**SIZES: 7 TO 11**

**COMPOSITION:**

Goat leather, para-aramid, mineral fibres, polyester, cotton, foamback

RED DIRECTIVE:  
2004/108/EC  
ELECTROMAGNETIC  
COMPATIBILITY (EMC)

### SCANFORCE-VE

Security - sensitive sites, hostage situations

- OPTIMISED DEXTERITY AND SENSITIVITY
- EXCELLENT SHOCK PROTECTION
- QUICK TO DON AND REMOVE

**SIZES: 8 TO 11**

**COMPOSITION:**

Goat leather, polyamide, nubuck, neoprene, polyester

RED DIRECTIVE:  
2004/108/EC  
ELECTROMAGNETIC  
COMPATIBILITY (EMC)





## B SKINTOUCH

### Delicate pat-down operations

- SECOND SKIN EFFECT
- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- THE FIRST FLUID BARRIER IN THE PALM



**SIZES: 6 TO 12**  
**COMPOSITION:**  
 Polyurethane, nylon



## FULLSENS/O

### Pat-down operations requiring sensitivity

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- MAXIMUM CUT RESISTANCE
- SEAMLESS TECHNOLOGY: CAN BE USED AS A GLOVE LINER



**SIZES: 6 TO 12**  
**COMPOSITION:**  
 Reinforced polyamide, mineral fibre,  
 stainless steel



## EVOTACTIL

### Delicate pat-down operations with a cut prevention requirement

- MAXIMUM CUT RESISTANCE
- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- DMF FREE WATER BASED PU PALM COATING



**SIZES: 6 TO 12**  
**COMPOSITION:**  
 High tenacity polyethylene, stainless steel,  
 polyamide, DMF-free water-based polyurethane



## FULLSENS

### Delicate pat-down operations with a cut prevention requirement

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- MAXIMUM CUT RESISTANCE (43.9 N)
- THE FIRST FLUID BARRIER IN THE PALM



**SIZES: 6 TO 12**  
**COMPOSITION:**  
 Polyurethane, reinforced polyamide,  
 mineral fibre, stainless steel





**BLACKTACTIL/O**  
Control and arrest operations

- VERY HIGH CUT RESISTANCE (28.2 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



**SIZES: 6 TO 11**  
**COMPOSITION:**  
High tenacity polyethylene, mineral fibres



**BLACKTACTIL**  
Control and arrest operations

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- THE FIRST FLUID BARRIER IN THE PALM



**TOP SALES**  
CO<sub>2</sub>  
1.4 Kg eq.

**SIZES: 6 TO 12**  
**COMPOSITION:**  
Polyurethane, high tenacity polyethylene, mineral fibres



**PATROL**  
Control and arrest operations in cold weather

- OFFSET SEAMS FOR MORE SENSITIVITY
- CUT RESISTANT
- WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



**NEW**  
LEATHER TANNED IN FRANCE

**SIZES: 6 TO 11**  
**COMPOSITION:**  
Goat leather, cotton, mineral fibres, para-aramid, polyester, foamback



**B MECANO**  
Pat-down operations - Single use

- 100% WATERPROOF TO PROTECT THE WEARER
- GUARANTEED SECOND SKIN EFFECT
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



**SIZES: 7 TO 10**  
**COMPOSITION:**  
Nitrile





# VENUE SECURITY

## B DURANIT-ONE

### Installation of temporary security barriers


- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- GRIP IN WET AND OILY ENVIRONMENTS



**SIZES: 6 TO 12**

**COMPOSITION:**

Nitrile, polyamide, elastane



## B DURANIT-ULTRA

### Miscellaneous handling


- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN WET AND OILY ENVIRONMENTS



**SIZES: 6 TO 12**

**COMPOSITION:**

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elastane



## RIPDEXG

### Perimeter security: installation of razor wire, concertina wire


- MAXIMUM CUT RESISTANCE (62 N)
- HIGH PERFORATION RESISTANCE
- GRIP MAINTAINED IN WET AND OILY ENVIRONMENTS



**SIZES: 7 TO 11**

**COMPOSITION:**

Split cowhide leather, stainless steel, high tenacity polyethylene, polyamide



## RIPDEX LINE

Complementary products for **total protection** when handling **razor wire**.



**RIPDEXLEG**  
Leg pad



**RIPDEX**  
Cuff



**RIPDEXTAB**  
Apron



# EVENT SECURITY

SECURITY

## B SPLITWELD

### Smoke candle handling


- WITHSTANDS HEAT UP TO 100°C
- RESISTANCE TO MOLTEN METAL SPRAY
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



**SIZES: 7 TO 13**

**COMPOSITION:**

Cow split leather, cotton



## ATTACK6PEOM-BSC

### Fire fighting interventions


- REINFORCED FLASHOVER PROTECTION
- GUARANTEED STRENGTH AFTER WASHING
- PROTECTION FROM THERMAL BRIDGES



**SIZES: 6 TO 13**

**COMPOSITION:**

Textile mix, goat leather, para-aramid, AIRSYSTEM fabric



## SPP2NIT05+

### Fire fighting interventions


- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING
- EASY TO DON THANKS TO THE CUFF WIDTH



**SIZES: 6 TO 12**

**COMPOSITION:**

Cow grain leather, para-aramid, cotton, mineral fibres



## SSIAP

### Fire and Rescue Department

Fire and rescue officers play an essential role in the safety of establishments and event venues. To comply with strict **fire safety** regulations, such as early intervention in the event of a fire, we strongly recommend gloves from our **FIRE-FIGHTER** line. These gloves are specially designed to meet these demanding requirements.

# Rescue operations

## **PUTTING OUT STRUCTURAL FIRES**

- 58. RAPACEMMIX
- 58. RAPACEMTEX
- 58. RAPACEM
- 60. ATTACK6PEOMTEX-BSC
- 60. ATTACK6PEOM-BSC
- 60. TREXSMSQUALE-BLSC

## **CONTROLLING WILD FIRES**

- 61. SPP2NITO5+
- 61. SPP2NITBKV+
- 61. TRACKERM
- 61. TRACKER

## **VEHICLE EXTRICATION**

- 62. RESCUESENS
- 62. RESCUESENSVL
- 62. RESCUESENSTOUCH
- 62. RESCUE
- 63. RESCUEFITFLUO
- 63. RESCUEFLUOBC-SC
- 63. RESCUEFLUO-SC
- 63. BLACKSTICK+-SC

## **INTERVENTIONS & ASSISTANCE**

- 64. STOP-OIL
- 64. GASPRO
- 64. DURANIT-ONE
- 64. MIDSEASON
- 65. ANIMALYSTI
- 65. SAP
- 65. BLACKTOP
- 65. EPS7BPA

## **PARADE**

- 48. CEREMONIE
- 48. TN27NS
- 48. FAUVE
- 48. PARADE



RESCUE



# PUTTING OUT STRUCTURAL FIRES

## RAPACEMMIX

### Fire fighting interventions


- STRENGTH GUARANTEED **AFTER 10 WASHES**
- PROTECTION FROM THERMAL BRIDGES
- MORE RESISTANT TO MECHANICAL STRESS



**SIZES: 5 TO 13**

#### COMPOSITION:

Kermel para-aramid fabric, goat leather, Kevlar, mineral fibres, FR viscose, Porelle membrane, cow split leather, cotton, D30®



## RAPACEMTEX

### Fire fighting interventions


- STRENGTH GUARANTEED **AFTER 10 WASHES**
- PROTECTION FROM THERMAL BRIDGES
- ULTRA-STABLE SILICONE PALM



**SIZES: 5 TO 13**

#### COMPOSITION:

Kermel para-aramid fabric, silicone coating, Kevlar, mineral fibre, FR viscose, Porelle membrane, D30®



## RAPACEM

### Fire fighting interventions


- STRENGTH GUARANTEED **AFTER 10 WASHES**
- PROTECTION FROM THERMAL BRIDGES
- ULTRA-STRONG LEATHER TANNED IN FRANCE



**SIZES: 5 TO 13**

#### COMPOSITION:

Goat leather, cow split leather, Kevlar, mineral fibres, FR viscose, Porelle membrane, cotton, D30®



## WASHING: A MAJOR ISSUE!

Your PPE can be contaminated by toxic gases and **VOCs** (volatile organic compounds) during fire-fighting operations. These gases can have harmful effects on fire-fighters' health. **Rostaing** is committed to reducing this risk as much as possible.

**Rostaing** produces **washable, long-lasting gloves** and is committed to **certifying its products after 10 washes**. Furthermore, we are continuing this process to increase the number of possible washes or to allow decontamination methods that will guarantee your safety over time.

# RAPACE CONCEPT

This innovation, called "RAPACE", was inspired by our in-house fire-fighters, who are working to deploy Rostaing gloves in this sector and in the field.

Indeed, we discovered that the word RAPACE was a mnemonic used by French fire-fighters before deployments wearing SCBA. It is the final checklist of safety features the wearer must check. We explored this convenient coherence with the symbolism of birds of prey. Birds of prey are often the liberators of inextricable situations. They are courageous birds, an invitation to more grandeur.

**15% LIGHTER GLOVES FOR  
GREATER COMFORT**



The bird of prey represents determination, concentration, leadership, clarity, planning for the future, intuitive decision-making and protection. The design of our new fire-fighter gloves conveys an image of power and balance in keeping with their durability. Every day, we thank these men and women who protect us so passionately, and we are honoured to protect them with this new line.



## ATTACK6PEOMTEX-BSC

### Fire fighting interventions

- REINFORCED BACK AND CUFF PROTECTION IN FLASHOVER SITUATIONS
- STRENGTH GUARANTEED **AFTER 10 WASHES**
- THERMALLY ULTRA-STABLE THERMASIL PALM



TOP SALES




TYPE  
**C**



**SIZES: 6 TO 13**

**COMPOSITION:**  
100% textile, AIRSYSTEM fabric,  
silicone coating, para-aramid



## ATTACK6PEOM-BSC

### Fire fighting interventions

- REINFORCED FLASHOVER PROTECTION
- GUARANTEED STRENGTH AFTER WASHING
- PROTECTION FROM THERMAL BRIDGES



TOP SALES




TYPE  
**C**



**SIZES: 6 TO 13**

**COMPOSITION:**  
Mixed leather/textile, para-aramid,  
AIRSYSTEM fabric



## TREXSMSQUALE-BLSC

### Fire fighting interventions

- PROTECTION FROM THERMAL BRIDGES
- GUARANTEED STRENGTH AFTER WASHING



TOP SALES




TYPE  
**C**




**SIZES: 6 TO 12**

**COMPOSITION:**  
100% leather (goat leather, cow  
split leather), para-aramid



# AIRSYSTEM<sup>®</sup>

ROSTAING



**IMPROVES THE TECHNICAL HEAT RESISTANCE PERFORMANCES BY 20%**

**Air-bag effect**  
Thanks to its innovating structure and its cutting edge technology, AIRSYSTEM<sup>®</sup> effectively protects in FLASHOVER situations.

**how does it work?**  
When subjected to very high temperatures, the diamond-shaped cells in the fabric expand to create a layer of air that provides an additional thermal barrier.



# CONTROLLING WILD FIRES

## SPP2NIT05+

### Interventions on forest fires and rescues


- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING
- EASY TO DON THANKS TO THE CUFF WIDTH



**SIZES: 6 TO 12**

**COMPOSITION:**

Cow grain leather, para-aramid, cotton, mineral fibres



## SPP2NITBKV+

### Interventions on forest fires and rescues


- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING
- EASY TO DON THANKS TO THE HANGER LOOP



**SIZES: 6 TO 12**

**COMPOSITION:**

Cow grain leather, para-aramid, cotton, mineral fibres



## TRACKERM

### Forest fire and rescue operations


- STANDARD SHOCK PROTECTION
- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING



**SIZES: 6 TO 12**

**COMPOSITION:**

Cow grain leather, para-aramid, cotton, mineral fibres, D3O®



## TRACKER

### Forest fire and rescue operations


- STANDARD SHOCK PROTECTION
- OPTIMUM FLEXIBILITY ADAPTED TO ALL USES
- THE LEATHER DOES NOT HARDEN AFTER WASHING



**SIZES: 6 TO 12**

**COMPOSITION:**

Cow grain leather, para-aramid, cotton, mineral fibres, D3O®



RESCUE



# VEHICLE EXTRICATION

## RESCUESENS

Traffic accident rescue, personal rescue and clearance

- EXCEPTIONAL CUT RESISTANCE (43.9 N)
- STANDARD SHOCK PROTECTION
- GRIP IN WET AND OILY ENVIRONMENTS



**NEW**

COMPLIANT WITH STANDARDS  
CIVIL PROTECTION LABEL

**TYPE B**

LEAK TIGHTNESS

COMFORT


DURABILITY

DEXTERITY

**SIZES: 6 TO 11**

**COMPOSITION:**

Split cowhide leather, polyurethane, reinforced polyamide, mineral fibre, stainless steel, thermoplastic D30®



## RESCUESENSVL

Traffic accident rescue, personal rescue and clearance

- EXCEPTIONAL CUT RESISTANCE (43.9 N)
- STANDARD SHOCK PROTECTION
- ADJUSTABLE WRIST STRAP



**NEW**

COMPLIANT WITH STANDARDS  
CIVIL PROTECTION LABEL

**TYPE B**

LEAK TIGHTNESS

COMFORT


DURABILITY

DEXTERITY

**SIZES: 6 TO 11**

**COMPOSITION:**

Split cowhide leather, polyurethane, reinforced polyamide, mineral fibre, stainless steel, thermoplastic D30®



## RESCUESENSTOUCH

Traffic accident rescue, personal rescue and clearance

- EXCEPTIONAL CUT RESISTANCE (43.9 N)
- STANDARD SHOCK PROTECTION
- FREE THUMB AND INDEX FINGER



**NEW**

COMPLIANT WITH STANDARDS  
CIVIL PROTECTION LABEL

**TYPE B**

LEAK TIGHTNESS

COMFORT


DURABILITY

DEXTERITY

**SIZES: 6 TO 11**

**COMPOSITION:**

Split cowhide leather, polyurethane, reinforced, polyamide, mineral fibre, stainless steel, thermoplastic, D30®



## RESCUE

Traffic accident rescue, personal rescue and clearance

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARDISED IMPACT PROTECTION
- COATED PALM: INCREASED DEXTERITY AND SENSITIVITY



**NEW**

CONFORME AU RÉFÉRENTIEL  
LABEL SÉCURITÉ CIVILE

**TYPE B**

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

**SIZES: 6 TO 11**

**COMPOSITION :**

Polyurethane, high tenacity polyethylene, mineral fibres, polyamide, D30®





### RESCUEFITFLUO

Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD SHOCK PROTECTION



**SIZES: 6 TO 11**

**COMPOSITION:** High-tenacity polyethylene, mineral fibre, polyurethane, cow split leather, D30®, thermoplastic



### RESCUEFLUOBC-SC

Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD SHOCK PROTECTION
- GRIP IN WET AND OILY ENVIRONMENTS



**SIZES: 6 TO 11**

**COMPOSITION:** High-tenacity polyethylene, mineral fibre, polyurethane, cow split leather, D30®, thermoplastic



### RESCUEFLUO-SC:

Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD SHOCK PROTECTION
- WRIST ADJUSTMENT SYSTEM



**SIZES: 6 TO 11**

**COMPOSITION:** High-tenacity polyethylene, mineral fibre, polyurethane, cow split leather, D30®, thermoplastic



### BLACKSTICK+-SC

Personal rescue and road rescue

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN WET AND OILY ENVIRONMENTS
- HIGH PERFORMANCE RESISTANCE



**SIZES: 7 TO 11**

**COMPOSITION:** Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres



RESCUE



## STOP-OIL

### Wildlife rescue

- GRIP IN OILY CONDITIONS
- TOTAL OIL AND WATER PROTECTION



**SIZES: 6 TO 11**

**COMPOSITION:**  
Nitrile, polyamide



## B GASPRO

### Wildlife rescue

- HYDROCARBON & CHEMICAL RESISTANCE
- GRIP MAINTAINED IN GREASY ENVIRONMENTS



**SIZES: 9 AND 10**

**COMPOSITION:**  
PVC, nitrile, polyamide



## B DURANIT-ONE


### Rescue, stretcher bearers and young fire-fighters

- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



**SIZES: 6 TO 12**

**COMPOSITION:**  
Nitrile, polyamide, elasthan



## B MIDSEASON


### Handling operations and barracks maintenance

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- PLEASANT SKIN CONTACT



**SIZES: 7 TO 12**

**COMPOSITION:**  
Nitrile, acrylic





# INTERVENTION AND ASSISTANCE

## ANIMALYS1

Personal and non venomous pet rescue

- BARRIER TO BITES AND SCRATCHES
- FULL ARM PROTECTION (58 CM)
- GOOD PERFORATION PROTECTION

LEATHER TANNED IN FRANCE



**SIZES: 8 TO 12**

**COMPOSITION:**

Cow grain leather, para-aramid

2016/425 MINOR RISKS  
\*Certification pending for information



## SAP

Technical rescue and Hazardous environment intervention unit


- USE OF ALL ROPES IN EXTREME SITUATIONS
- HEAT RESISTANT
- CUT RESISTANT



**SIZES: 7 TO 11**

**COMPOSITION:**

Goat leather, polyurethane laminated polyamide fabric, cow split leather, para-aramid



## BLACKTOP

Use of ropes and Young Fire-fighters

- MAXIMUM CUT RESISTANCE (32.1 N)
- VERY GOOD GRIP
- ERGONOMIC ROPE PASSAGE



**SIZES: 7 TO 11**

**COMPOSITION:**

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres



## EPS7BPA

Young fire-fighters


- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY
- REINFORCED VEIN PROTECTION
- FULL HAND PROTECTION



**SIZES: 6 TO 11**

**COMPOSITION:**

Goat leather



# Processing and shaping materials

## **EXTRACTING**

- 68. FEELPRO
- 68. CANADA
- 68. VIBRAPROTECT
- 68. DURANIT-IMPACT

## **PRODUCING**

- 69. B7VERD
- 69. PROFUSION-I
- 69. HEATRESIST+
- 69. PROTRI-I

## **PROCESSING**

- 70. HEATRESIST
- 70. WARM250/50D2
- 70. PARA4HEAT+
- 71. OILGRIP5
- 71. ROLLHEAT
- 71. HYDROPRO
- 72. METALSTRONG
- 72. METALSTRONG+
- 72. MASTERTOP
- 72. BLACKTOP
- 73. FITXTRA
- 73. BLACKNIT
- 73. DURANIT-PLUS
- 73. DURANIT-ULTRA
- 74. STOP-OILCUT
- 74. DURANIT-DRY
- 74. PARARC+
- 74. BLACKSTICK+
- 76. SPLITWELD
- 76. PROSOUD/I

- 76. LIGHT-WELD

- 76. ALUWELD
- 77. EVOI3
- 77. STOP-OIL
- 77. GASPRO
- 78. ERGOMASTER
- 78. ERGOPRIMA
- 78. PRIMACUFF
- 78. PARACUFF
- 79. TABMASTER
- 79. TABMASTER
- 79. MASTERTSHIRT

## **ASSEMBLE**

- 80. BLACKTACTIL
- 80. EVOTACTIL
- 80. FULLSENS/O
- 80. FLUOSENS
- 81. PROTECT4SHOCK
- 81. DURANIT-ONE
- 81. FIT4PROTOUCH

## **HANDLE**

- 82. FULLSENS
- 82. BLACKTACTIL/O
- 82. BLACKTOPNIT
- 82. SKINPRO
- 83. WETCUTO1-EVOLUTION
- 83. WETCUTO3-EVOLUTION
- 83. WETCUTO3M-EVO
- 83. WETCUTO5-EVOLUTION
- 84. CRIO
- 84. CRIOBC

## **CONTROLLING**

- 85. SPEEDNET
- 85. TN27NS
- 85. MECANO
- 85. SKINTOUCH



INDUSTRY





# EXTRACT

## FEELPRO

### Machinery and gantry crane operators

- SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, polyamide, elastane



## B CANADA

### Machinery operator in wet and cold weather

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- GOOD GRIP
- EXTREMELY SOFT ON THE SKIN



**SIZES: 6 TO 11**

**COMPOSITION:**  
Nitrile, acrylic



## VIBRAPROTECT

### Extraction - Pneumatic drill

- VALIDATED BY PUBLIC WORKS PROFESSIONALS
- STANDARDISED VIBRATION ABSORPTION
- OPTIMISED ERGONOMICS FOR INTENSIVE WORK



**SIZES: 8 TO 11**

**COMPOSITION:**  
Rubber, polyester, cotton



## DURANIT-IMPACT


### Handling with risk of impacts


- STANDARD SHOCK PROTECTION
- HIGHLY CUT RESISTANT
- MAINTAINED COMFORT AND FLEXIBILITY



**SIZES: 6 TO 12**

**COMPOSITION:**  
Nitrile, polyester, high tenacity polyethylene, mineral fibres, elastane, thermoplastic





# PRODUCE

## B7VERD

### Silica production and melting


- VALIDATED BY FLUE MASONS
- HIGH TEMPERATURE RESISTANCE: UP TO 800°C
- MAXIMUM CUT RESISTANCE (77.6 N)



#### SINGLE SIZE

#### COMPOSITION:

Mineral fibres, silicone, cotton



## PROFUSION-1

### Hot processing


- EXCELLENT HEAT RESISTANCE AT 500°C
- RESISTANCE TO MOLTEN METAL SPRAY
- BARRIER TO OILS AND MAINTAINS A GOOD GRIP



#### SIZES: 6 TO 12

#### COMPOSITION:

Cow split leather, aluminised fabric, para-aramid, mineral fibres, cotton, Porelle membrane



## HEATRESIST+

### Processing operations


- EXCELLENT HEAT RESISTANCE AT 500°C
- HIGHLY CUT RESISTANT
- FOREARM PROTECTION



#### SIZES: 8 TO 11

#### COMPOSITION:

Para-aramid terry loop, cow split leather, wool, cotton, aluminised acrylic



## PROTRI-1

### Foundries


- WITHSTANDS CONTACT HEAT UP TO 350°C
- VERY HIGH CUT RESISTANCE (24.8 N)
- GRIP MAINTAINED IN GREASY AND WET ENVIRONMENTS



#### SIZES: 8 TO 13

#### COMPOSITION:

Cow split leather, para-aramid, mineral fibres, cotton, Porelle membrane



INDUSTRY



**HEATRESIST**

**Flue-mason**


- WITHSTANDS CONTACT HEAT UP TO 350°C
- HIGHLY CUT RESISTANT



**SIZES: 8 TO 11**

**COMPOSITION:**

Para-aramid terry loop, cow split leather, wool, cotton



**WARM250/50D2**

**Foundries**

- WITHSTANDS CONTACT HEAT UP TO 350°C WITHOUT SHRINKAGE
- VERY HIGH CUT RESISTANCE (**24.2 N**)
- LIQUID AND HOT VAPOUR REPELLENT



**SIZES: 8 TO 12**

**COMPOSITION:**

Silicone, para-aramid, acrylic, cotton



**PARA4HEAT+**

**Steel industry - processing operations**


- WITHSTANDS CONTACT HEAT UP TO 250°C
- HIGHLY CUT RESISTANT
- COTTON COMFORT LINING



**SIZES: 7 TO 10**

**COMPOSITION:**

Para-aramid, cow split leather, cotton





# PROCESS

## OILGRIP5

### Rolling


- WITHSTANDS FLAMES AND CONTACT HEAT UP TO 350°C
- MAXIMUM CUT RESISTANCE (42 N)
- GRIP MAINTAINED IN GREASY ENVIRONMENTS



**SIZES: 8 TO 11**

#### COMPOSITION:

Para-aramid, cow split leather, silicone, cotton, mineral fibres



## ROLLHEAT

### Rolling


- WITHSTANDS CONTACT HEAT UP TO 350°C
- HIGHLY CUT RESISTANT
- BARRIER TO OILS AND KEEPS A GOOD GRIP



**SIZES: 7 TO 11**

#### COMPOSITION:

Para-aramid terry loop, cotton



INDUSTRY

## HYDROPRO

### Rolling


- WITHSTANDS CONTACT HEAT UP TO 100°C
- CUT RESISTANT
- THE WATERPROOFED LEATHER DOES NOT HARDEN ONCE DRY



**SIZES: 8 TO 11**

#### COMPOSITION:

Cow grain leather, para-aramid





## METALSTRONG

### Stamping

- MAXIMUM CUT RESISTANCE (51.8 N)
- GRIP IN OILY CONDITIONS



**SIZES: 7 TO 11**

#### COMPOSITION:

Split cowhide leather, cotton, stainless steel, high tenacity polyethylene, polyamide



## METALSTRONG+

### Stamping

- MAXIMUM CUT RESISTANCE (51.8 N)
- GRIP IN OILY CONDITIONS
- REINFORCED HAND BACK PROTECTION



**SIZES: 7 TO 11**

#### COMPOSITION:

Split cowhide leather, cotton, stainless steel, high tenacity polyethylene, polyamide



## MASTERTOP

### Stamping


- VERY HIGH CUT RESISTANCE (25 N)
- GRIP IN OILY CONDITIONS
- WITHSTANDS CONTACT HEAT UP TO 100°C



**SIZES: 7 TO 12**

#### COMPOSITION:

Split cowhide leather, polyamide, high tenacity polyethylene, mineral fibres



## BLACKTOP

### Stamping

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- HIGH PERFORATION RESISTANCE



**SIZES: 7 TO 11**

#### COMPOSITION:

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres





# PROCESS

## ■ FITXTRA

### End of line, glass dispatch

- SMALL CUT RESISTANCE
- SECOND SKIN EFFECT
- COOL SENSATION



**SIZES: 6 TO 11**

**COMPOSITION:**

Polyurethane, high tenacity polyethylene, polyamide



## ■ BLACKNIT

### Shaping

- MAXIMUM CUT RESISTANCE (33.6 N)
- SUITABLE FOR OILY ENVIRONMENTS
- SOBER BLACK COLOUR, STAIN RESISTANT



**SIZES: 7 TO 11**

**COMPOSITION:**

Nitrile, high tenacity polyethylene, mineral fibres



## ■ DURANIT-PLUS

### Shaping


- HIGHLY CUT RESISTANT
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



**SIZES: 6 TO 12**

**COMPOSITION:**

Nitrile, polyester, high tenacity polyethylene, mineral fibres, elasthane



## ■ DURANIT-ULTRA

### Cutting


- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



**SIZES: 6 TO 12**

**COMPOSITION:**

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane





## STOP-OILCUT

### Machining


- MAXIMUM CUT RESISTANCE (40.7 N)
- GRIP MAINTAINED IN OILY ENVIRONMENTS
- WITHSTANDS CONTACT HEAT UP TO 100°C



**SIZES: 6 TO 12**

#### COMPOSITION:

Nitrile, high tenacity polyethylene, polyester, stainless steel



## DURANIT-DRY

### Handling of cutting and oily parts


- 3/4 WATERPROOFING FOR WET AND OILY ENVIRONMENTS
- HIGHLY CUT RESISTANT
- 3 X MORE LONG-LASTING: REINFORCEMENT ON 1<sup>ST</sup> WEAR ZONE



**SIZES: 6 TO 12**

#### COMPOSITION:

Nitrile, polyester, high tenacity polyethylene, mineral fibres, elasthane



## PARARC+

### Handling of abrasive and oily parts


- REINFORCED WEAR ZONE AND FINGERTIPS
- EXCELLENT PERFORATION RESISTANCE
- CUT RESISTANT



**SIZES: 8 TO 11**

#### COMPOSITION:

Cow split leather, para-aramid



## BLACKSTICK+

### Machining and handling of cutting items

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- HIGH PERFORMANCE RESISTANCE



**SIZES: 6 TO 12**

#### COMPOSITION:

High tenacity polyethylene, polyurethane, cow split leather, mineral fibres





INDUSTRY



## B SPLITWELD


### Welding and sheet metal work

- WELDER STANDARD
- SUITABLE FOR WELD MAINTENANCE AND REPAIRS
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



**SIZES: 7 TO 13**

**COMPOSITION:**  
Cow split leather, cotton



## PROSOUD/1

### Welding and sheet metal work

- WELDER STANDARD
- VERY HIGH CUT RESISTANCE (24.9 N)
- RESISTANCE TO MOLTEN METAL SPRAY



**SIZES: 5 TO 12**

**COMPOSITION:**  
Cow split leather, para-aramid, mineral fibres, cotton, polyester



## LIGHT-WELD


### Welding and brazing

- WELDER STANDARD
- SUITABLE TO GRIP WELDING-BRAZING RODS
- CUT RESISTANT



**SIZES: 6 TO 11**

**COMPOSITION:**  
Goat leather, para-aramid, mineral fibres, cotton



## ALUWELD


### Welding operations

- WELDER STANDARD
- RESISTANCE TO MOLTEN METAL SPRAY
- GOOD GRIP



**SIZES: 7 TO 11**

**COMPOSITION:**  
Cow split leather, aluminised fabric, wool, cotton





## EVO13

### Refinery operations

- SCOTCHGUARD TREATED WATER REPELLENT LEATHER
- FREEDOM OF MOVEMENT
- GRIP MAINTAINED IN GREASY ENVIRONMENTS



TOP SALES



**SIZES: 6 TO 11**

**COMPOSITION:**  
Goat leather, Skinsoft



## STOP-OIL

### Refinery operations

- GRIP IN OILY CONDITIONS
- TOTAL OIL AND WATER PROTECTION



**SIZES: 6 TO 11**

**COMPOSITION:**  
Nitrile, polyamide



## B GASPRO


### Refinery operations

- HYDROCARBON & CHEMICAL RESISTANCE
- EXCELLENT GRIP IN GREASY CONDITIONS



**SIZES: 9 AND 10**

**COMPOSITION:**  
PVC, nitrile, polyamide





# PROCESS

## ERGOMASTER

Handling of cutting and abrasive parts

- VERY HIGH CUT RESISTANCE (29.3 N)
- MOVEMENT FACILITATED BY THE KNIT ERGONOMICS
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP) 60 CM (WITH HOOK AND LOOP)**

**COMPOSITION:**

Polyamide, high tenacity polyethylene, mineral fibres



## ERGOPRIMA

Handling of cutting and abrasive parts

- HIGHLY CUT RESISTANT
- MOVEMENT FACILITATED BY THE KNIT ERGONOMICS
- HIGH VISIBILITY ORANGE COLOUR



**SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP) 60 CM (WITH HOOK AND LOOP)**

**COMPOSITION:**

Polyamide, polyester, mineral fibres



## PRIMACUFF

Handling of cutting and abrasive parts

- HIGHLY CUT RESISTANT
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP) 50 CM (WITH HOOK AND LOOP), 60 CM (WITH HOOK AND LOOP)**

**COMPOSITION:**

Polyamide, polyester, mineral fibres



## PARACUFF

Handling of hot and cutting parts

- WITHSTANDS HEAT UP TO 100°C
- HIGHLY CUT RESISTANT
- AMBIDEXTROUS FOR DOUBLE SERVICE LIFE



**SIZE: 35 CM**

**COMPOSITION:**

Para-aramid





# PROCESS

## TABMASTER

### Handling of cutting and abrasive parts

- HIGHLY CUT RESISTANT
- ADJUSTABLE TIGHTENING STRAP



#### SINGLE SIZE

#### COMPOSITION:

Polyamide, high tenacity polyethylene, mineral fibres

2016/425 MINOR RISKS

## TABMASTER+

### Handling of cutting and abrasive parts

- HIGHLY CUT RESISTANT
- ADJUSTABLE TIGHTENING STRAP
- REINFORCED PROTECTION ON 1<sup>ST</sup> WEAR ZONE



#### SINGLE SIZE

#### COMPOSITION:

Split cowhide leather, polyamide, high tenacity polyethylene, mineral fibres

2016/425 MINOR RISKS

## MASTERTSHIRT

### Handling of cutting and abrasive parts

- PRACTICAL: 2 IN 1
- REINFORCED PROTECTION: THE CUFF WILL NOT ROLL
- OPTIONS: BLUE COLOUR, BIB




#### SIZES: S TO XXXL

#### COMPOSITION:

Cotton, high tenacity polyethylene, mineral fibres

2016/425 MINOR RISKS



INDUSTRY



## BLACKTACTIL

### Rebars and rivets

- MAXIMUM CUT RESISTANCE (32.1 N)
- SECOND SKIN EFFECT
- SOBER, STAIN RESISTANT BLACK COLOUR



**SIZES: 6 TO 12**

**COMPOSITION:**

Polyurethane, high tenacity polyethylene, mineral fibres



## EVOTACTIL

### Handling and assembly of cutting parts

- MAXIMUM CUT RESISTANCE
- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- DMF FREE WATER BASED PU PALM COATING



**SIZES: 6 TO 12**

**COMPOSITION:**

High tenacity polyethylene, stainless steel, polyamide, DMF-free water-based polyurethane



## FULLSENS/O

### Cutting part assembly operations

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- MAXIMUM CUT RESISTANCE
- SEAMLESS TECHNOLOGY: CAN BE USED AS A GLOVE LINER



**SIZES: 6 TO 12**

**COMPOSITION:**

Reinforced polyamide, mineral fibre, stainless steel



## FLUOSENS

### Precision mounting - FOD environments

- HIGHLY RESISTANT TO CUTS
- 21-GAUGE: ERGONOMIC (35% THINNER THAN A 15 GAUGE)
- HIGH-VISIBILITY ORANGE COLOUR



**SIZES: 6 TO 11**

**COMPOSITION :**

Nitrile, high tenacity polyethylene, inox, polyester, polyamide





# ASSEMBLE

## PROTECT4SHOCK

### Intensive clipping

- CREATED BY AN ERGONOMICS SPECIALIST
- CAN BE USED AS A HAND CLIPPING TOOL (D30°)
- OPTIMISED DEXTERITY



**SIZES: 7 TO 11**

**COMPOSITION:**

Metis leather, polyester, D30°

2016/425 MINOR RISKS

## B DURANIT-ONE

### Assembly operations


- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- GRIP IN OILY CONDITIONS
- SECOND SKIN EFFECT



**SIZES: 6 TO 12**

**COMPOSITION:**

Nitrile, polyamide, elasthane



## FIT4PROTOUCH

### Antistatic operations - ATEX zones


- SMALL CUT RESISTANCE
- ELECTROSTATIC PROTECTION
- HIGH VISIBILITY



**SIZES: 6 TO 11**

**COMPOSITION:**

Polyurethane, high tenacity polyethylene, carbon



## ANTISTATIC

In some atmospheric conditions, objects and people have an electrostatic charge which results from the accumulation of electric charges and can cause electrification phenomena.

To be antistatic, a fabric must discharge quickly and not accumulate charges.

Our FIT4PROTOUCH reference meets the requirements of the EN 16350 standard specific to protective gloves with electrostatic properties. Therefore the FIT4PROTOUCH can be worn in electrostatic and ATEX (ATmosphère Explosive) zones.



## FULLSENS

### Thin and cutting part handling

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- MAXIMUM CUT RESISTANCE (43.9 N)
- SECOND SKIN EFFECT



**SIZES: 6 TO 12**

#### COMPOSITION:

Polyurethane, reinforced polyamide, mineral fibre, stainless steel



## BLACKTACTIL/O

### Handling, removal from the press

- VERY HIGH CUT RESISTANCE (28.2 N)
- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



**SIZES: 6 TO 11**

#### COMPOSITION:

High tenacity polyethylene, mineral fibres



## BLACKTOPNIT

### Invar handling

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- LEAVES NO MARKS



**SIZES: 7 TO 11**

#### COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres



## SKINPRO

### Maintenance operations

- ULTRA LIGHTWEIGHT
- BEST ALTERNATIVE TO DISPOSABLE GLOVES



**SIZES: 7 TO 11**

#### COMPOSITION:

Polyurethane, polyester





# HANDLE

## WETCUTO1-EVOLUTION

### Handling and assembly


- SMALL CUT RESISTANCE
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



**SIZES: 7 TO 12**

#### COMPOSITION:

Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester



## WETCUTO3-EVOLUTION

### Handling and assembly


- HIGHLY CUT RESISTANT
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



**SIZES: 7 TO 12**

#### COMPOSITION:

Grain leather, Skinsoft, mineral fibres, polyamide, polyester



## WETCUTO3M-EVO

### Handling and assembly


- HIGHLY CUT RESISTANT
- GRIP IN WET ENVIRONMENTS
- EXTENDED WRIST PROTECTION



**SIZES: 7 TO 12**

#### COMPOSITION:

Grain leather, Skinsoft, mineral fibres, polyamide, polyester



## WETCUTO5-EVOLUTION

### Handling and assembly


- MAXIMUM CUT RESISTANCE (31.4 N)
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



**SIZES: 7 TO 12**

#### COMPOSITION :

Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester





# HANDLE

## CRIO

### Cryogenic gas handling

- PROTECTS FROM CRYOGENIC COLD (-196°C)
- CLOSURE ADJUSTABLE ON THE FOREARM
- LEATHER THAT DOES NOT HARDEN ONCE DRY



LEATHER TANNED IN FRANCE


CO<sub>2</sub>  
10.8 Kg eq.



**SIZES: 8 TO 11**

**COMPOSITION:**

Cow leather, wool, cotton,  
Porelle membrane



## CRIOBC

### Cryogenic gas handling

- PROTECTS FROM CRYOGENIC COLD (-196°C)
- WRIST PROTECTION WITH VEIN PATCH
- LEATHER THAT DOES NOT HARDEN ONCE DRY



LEATHER TANNED IN FRANCE


CO<sub>2</sub>  
7.2 Kg eq.



**SIZES: 8 TO 11**

**COMPOSITION:**

Cow leather, wool, cotton,  
Porelle membrane



## CRYO LINE

Complementary products for **total protection** for cryogenic handling.



**GUETRECRYO**  
Gaiters



**T-CRYO**  
Apron



### SPEEDNET

#### Paint handling and surface cleaning

- LEAVES SURFACES CLEAN AND FREE OF MARKS
- DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



**SIZES: 6 TO 11**

**COMPOSITION:**  
Microfibre

### TN27NS

#### Clean room operations

- DOES NOT FLUFF
- DOUBLE HEM TO PREVENT FRAYING



**SIZES: 6 TO 11**

**COMPOSITION:**  
Polyamide

INDUSTRY

### B MECANO


#### Drainage operations

- AMBIDEXTROUS
- SUITABLE FOR PEOPLE SUFFERING FROM LATEX ALLERGY
- OIL RESISTANT



**SIZES: 7 TO 10**

**COMPOSITION:**  
Nitrile



### B SKINTOUCH

#### Fine maintenance and quality control

- SECOND SKIN: 18 GAUGE, 40% THINNER THAN 13 GAUGE
- SOBER, STAIN RESISTANT BLACK COLOUR



**SIZES: 6 TO 12**

**COMPOSITION:**  
Polyurethane, nylon



# Build with the elements

## **EXTRACT**

- 88. FEELPRO
- 88. MAXIPRO
- 88. CANADA
- 88. DURANIT-IMPACT

## **DEMOLISH**

- 89. RESCUEPRO
- 89. WINTERPRO
- 89. BACKPROTECT
- 89. VIBRAPROTECT

## **BUILD**

- 90. MACPRO
- 90. DURANIT-ONE
- 90. DURANIT-ULTRA
- 90. BLACKSTICK+
- 91. COLDPRO
- 91. GRIPRO
- 91. LIQUIDO

- 91. DURANIT-PLUS
- 92. SPLITWELD
- 92. FITXTRA
- 92. WETCUT05-EVOLUTION
- 92. OPTIPRO
- 93. GASPRO
- 93. WETPRO
- 93. BLACKTOP
- 93. SOFTPRO

## **WORK**

- 94. CARPRO
- 94. WHITEPRO
- 94. SKINPRO
- 94. MIDSEASON





# EXTRACT

## FEELPRO

### Machinery operation

- SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY

**TOP SALES**

CO<sub>2</sub> 1.1 Kg eq.

STANDARD 100  
15.HCN.68777  
Hohenstein HTTI

OEKO TEX®

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, polyamide, elastane



EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

## B MAXIPRO

### Machinery operation in wet weather

- FULL HAND PROTECTION
- EXCELLENT GRIP
- WATER AND GREASE RESISTANT

CO<sub>2</sub> 2.0 Kg eq.

STANDARD 100  
2012PK0113  
AITEK  
www.oeko-tex.com

OEKO TEX®

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

**SIZES: 8 TO 11**

**COMPOSITION:**  
Nitrile, polyamide



## B CANADA

### Machinery operation in wet and cold weather

- WITHSTANDS COLD DOWN TO 0°C
- GOOD GRIP
- EXTREMELY SOFT ON THE SKIN

**TOP SALES**

CO<sub>2</sub> 1.7 Kg eq.

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

**SIZES: 6 TO 11**

**COMPOSITION:**  
Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

## DURANIT-IMPACT

### Handling and extraction with risk of impacts

- STANDARD SHOCK PROTECTION
- HIGHLY CUT RESISTANT
- MAINTAINED COMFORT AND FLEXIBILITY

**NEW**

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

**SIZES: 6 TO 12**

**COMPOSITION:**  
Nitrile, polyester, high tenacity polyethylene, mineral fibres, elastane, thermoplastic





## B RESCUEPRO

### Heavy load handling

- MAXIMUM RESISTANCE TO MECHANICAL RISKS
- STANDARD SHOCK PROTECTION
- LOOP TO EASILY HANG AND DON THE GLOVES



**SIZES: 8 TO 11**

#### COMPOSITION:

Cow split leather, thermoplastic high tenacity polyethylene, mineral fibres, polyurethane, D30®



## B WINTERPRO

### Machinery operation in wet and cold weather

- WITHSTANDS COLD DOWN TO -10°C
- FULL HAND PROTECTION
- GOOD TOOL GRIP



TOP SALES



**SIZES: 7 TO 11**

#### COMPOSITION:

Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

## BACKPROTECT

### Quarries and large object transport

- STANDARD SHOCK PROTECTION ON THE BACK OF THE HAND
- GOOD GRIP



**SIZES: 8 TO 10**

#### COMPOSITION:

Natural rubber, polyamide, cotton



## VIBRAPROTECT

### Use of vibrating equipment (hammer drill, pneumatic drill)

- VALIDATED BY PUBLIC WORKS PROFESSIONALS (CAPEB)
- STANDARDISED VIBRATION ABSORPTION
- OPTIMISED ERGONOMICS FOR INTENSIVE WORK



**SIZES: 8 TO 11**

#### COMPOSITION:

Rubber, polyester, cotton





**B MACPRO**

**Masonry and cladding**

- VALIDATED BY MASONS (CAPEB)
- EXCELLENT TOOL GRIP
- HIGHLY CUT RESISTANT (24 N)



**SIZES: 8 TO 11**

**COMPOSITION:**

Latex, high tenacity polyethylene, mineral fibres



**B DURANIT-ONE**

**Handling operations**


- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



**SIZES: 6 TO 12**

**COMPOSITION:**

Nitrile, polyamide, elasthane



**B DURANIT-ULTRA**

**Handling sheet metal and glass**


- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS



**SIZES: 6 TO 12**

**COMPOSITION:**

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane



**BLACKSTICK+**

**Carpenter, joiner, cabinet maker**

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS
- HIGH PERFORMANCE RESISTANCE



**SIZES: 6 TO 12**

**COMPOSITION:**

High tenacity polyethylene, polyurethane, cow split leather, mineral fibres





### B COLDPRO

#### Stone-work in cold weather

- WITHSTANDS COLD DOWN TO -10°C
- EXCELLENT GRIP
- VISIBLE COLOUR




CO<sub>2</sub>  
5.6 Kg eq.



**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, acrylic



### B DURANIT-PLUS

#### Roofer (handling tiles, slates, etc.)

- HIGHLY CUT RESISTANT
- SECOND SKIN EFFECT
- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE



OEKO  
TEX®  
STANDARD  
100  
15.HCN.68777  
Hohenstein HTTI


CO<sub>2</sub>  
1.0 Kg eq.



**SIZES: 6 TO 12**

**COMPOSITION:**

Nitrile, polyester, high tenacity polyethylene, mineral fibres, elasthan



### B LIQUIDO

#### Preparation and facade specialist

- GOOD GRIP
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES
- FOREARM PROTECTION (35 CM)



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, polyester



### B GRIPRO

#### Stone work

- EXCELLENT GRIP
- VISIBLE COLOUR



CO<sub>2</sub>  
2.4 Kg eq.



**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, polycotton





## B SPLITWELD

### Welding and sheet metal work

- WELDER STANDARD
- SUITABLE FOR WELD MAINTENANCE AND REPAIRS
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



CO<sub>2</sub>  
4.1 Kg eq.



**SIZES: 7 TO 13**

**COMPOSITION:**  
Cow split leather, cotton



## B FITXTRA

### Thermal assembly operations

- SMALL CUT RESISTANCE
- SECOND SKIN EFFECT
- COOL SENSATION



CO<sub>2</sub>  
1.7 Kg eq.



**SIZES: 6 TO 11**

**COMPOSITION:**  
Polyurethane, high tenacity polyethylene, polyamide



## WETCUT05-EVOLUTION

### Handling and assembly

- MAXIMUM CUT RESISTANCE (31.4 N)
- GRIP IN WET ENVIRONMENTS
- DIRT STAYS ON THE OUTSIDE: ADJUSTABLE WRIST TIGHTENING



LEATHER TANNED  
IN FRANCE



**SIZES: 7 TO 12**

**COMPOSITION:**  
Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester, mineral fibres



## B OPTIPRO

### Assembly using vibrating tools

- SUITABLE FOR LOW VIBRATION TOOLS
- NON-SLIP FINGERTIPS
- CLOSURE ADJUSTABLE AT THE WRIST



**SIZES: 8 TO 11**

**COMPOSITION:**  
Polyester, polyester microfibre

2016/425 - MINOR RISKS



## B GASPRO

### Handling acids and solvents

- EXCELLENT GRIP IN GREASY OR WET CONDITIONS
- 35 CM FOREARM PROTECTION
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



**SIZES: 9 AND 10**

**COMPOSITION:**  
PVC, nitrile, polyamide



## B WETPRO

### Sewer work

- PROTECTION EXTENDED UP TO THE SHOULDER (60 CM)
- ARM ADJUSTMENT USING A TIGHTENING ELASTIC
- GOOD GRIP



**SIZES: 9 TO 11**

**COMPOSITION:**  
PVC, cotton



## BLACKTOP

### Work at height

- MAXIMUM CUT RESISTANCE (**32.1 N**)
- GRIP IN OILY CONDITIONS
- ERGONOMIC REINFORCEMENT FOR ROPE PASSAGE



**SIZES: 7 TO 11**

**COMPOSITION:**  
Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres



## B SOFTPRO

### Formwork operations

- FULL HAND PROTECTION
- SUPPLE, PLEASANT TO WEAR LEATHER
- TIGHTENING ELASTIC AT THE WRIST



**SIZES: 8 TO 11**

**COMPOSITION:**  
Cow leather

2016/425 - MINOR RISKS



# FITTING OUT

## B CARPRO

### Tile laying

- VALIDATED BY TILERS AND CAPEB
- PERFECT FOR SMOOTHING GROUTING
- CLOSURE ADJUSTABLE AT THE WRIST



**SIZES: 8 TO 11**

**COMPOSITION:**  
Nitrile, polyester



## B WHITEPRO

### Painting and plastering

- WHITE GLOVE TO WORK WITHOUT LEAVING MARKS
- ULTRA LIGHTWEIGHT
- BEST ALTERNATIVE TO DISPOSABLE GLOVES



**SIZES: 7 TO 11**

**COMPOSITION:**  
Polyurethane, polyester



## B SKINPRO

### Laying floor and wall coverings

- ULTRA LIGHTWEIGHT
- BEST ALTERNATIVE TO DISPOSABLE GLOVES



**SIZES: 7 TO 11**

**COMPOSITION:**  
Polyurethane, polyester



## B MIDSEASON

### Outdoor works and installations

- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- PLEASANT SKIN CONTACT



**SIZES: 7 TO 12**

**COMPOSITION:**  
Nitrile, acrylic





# Storing- Preparing & Transporting

## **PREPARE - PACK**

**98.** COLD-SOFT  
**98.** COLD-CONTROL  
**100.** CANADA  
**100.** WINTERPRO  
**100.** BLUE-ICE  
**100.** ONTARIO  
**101.** SPEEDNET  
**101.** ZPP25  
**101.** EPS7BPA  
**101.** BACKPROTECT  
**102.** FULLSENS  
**102.** FIT4PROTOUCH  
**102.** FEELPRO  
**103.** DURANIT-ULTRA  
**103.** DURANIT-PLUS  
**103.** DURANIT-ONE  
**103.** DURANIT-IMPACT

## **TRANSPORT**

**104.** FEELPRO  
**104.** CANADA  
**104.** SKINTOUCH  
**104.** FITXTRA  
**105.** SPEEDERIKP  
**105.** SOULDIER

## **COORDINATE**

**106.** FAUVE  
**106.** PATROL

## **HANDLE- CONTROL**

**107.** BACKPROTECT  
**107.** DURANIT-ONE  
**107.** FIT4PROTOUCH





## COLD-CONTROL

### Heated glove: cold logistics


- ENHANCED DURABILITY: REMOTE ELECTRONICS (WASHING AND BATTERY CHANGE POSSIBLE)
- 3 HEATING LEVELS
- INSULATING AND BREATHABLE TECHNICAL FABRIC



**SIZES: 6 TO 12**

#### COMPOSITION:

Goat leather, polyester-PTFE softshell, Primaloft®, neoprene, heating fabric



## COLD-SOFT

### Heated glove liner: cold logistics

- ENHANCED DURABILITY: REMOTE ELECTRONICS (WASHING AND BATTERY CHANGE POSSIBLE)
- 3 HEATING LEVELS
- THIN SUPPORT FOR IMPROVED SENSITIVITY



**SIZES: 6 TO 12**

#### COMPOSITION:

Polyester-PTFE softshell, recycled polyester, heating fabric

2016/425 MINOR RISKS

## BATTERY

### For heating solutions

- RECHARGEABLE BATTERIE
- AUTONOMY: UP TO 3H40 AT LOW HEATING LEVEL



## CORDON-USB

### For heating solutions

- USB-A DOUBLE JACK



# INNOVATION

## HEATING GLOVE



### Optimised heating

Innovating heating patch for exposed areas

### Adjustable

3 heating levels

### Remote electronic system

Easy charging

## Innovating technology

An ideal solution for professionals



#### **SOCIAL:**

Taking care of employees means giving yourself every chance of: **recruiting them, keeping them, involving them and promoting them.**



#### **ECOLOGICAL:**

Rostaing recovers your used gloves and systems. **We take care of repairs and the recycling of the solution.**



#### **ECONOMIC:**

Invest in a comfortable and durable solution!  
**Only replace the elements at the end of their service life (gloves or batteries).**



## B CANADA

Handling and fork lift driver in positive cold environments

- IDEAL FOR COLD AND WET ENVIRONMENTS DOWN TO 0°C
- GOOD GRIP
- FOOD HANDLING



**SIZES: 6 TO 11**

**COMPOSITION:**  
Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

## B WINTERPRO

Handling and fork lift driver in negative cold environments

- WITHSTANDS COLD DOWN TO -10°C
- FULL HAND PROTECTION
- FOOD HANDLING



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

## BLUE-ICE

Handling and fork lift driver in negative cold environments

- WITHSTANDS COLD DOWN TO -30°C
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- CUT RESISTANT



**SIZES: 7 TO 11**

**COMPOSITION:**  
Cow split leather, wool, cotton



## ONTARIO

Handling and fork lift driver in negative cold environments

- WITHSTANDS COLD DOWN TO -10°C
- COMFORT AND FLEXIBILITY THANKS TO THE FLEECE LINING
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



**SIZES: 6 TO 12**

**COMPOSITION:**  
Cow leather, recycled polyester





# PREPARE-PACK

## SPEEDNET

Warehouse operator and fork lift driver - fragile products

- LEAVES SURFACES CLEAN AND FREE OF MARKS
- DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



**SIZES: 6 TO 11**  
**COMPOSITION:**  
 Microfibre

## ZPP25

Warehouse operative and fork lift driver - liner glove

- INSULATES FROM NEGATIVE COLD (-5°C)
- USED AS A LINER GLOVE IT INCREASES COMFORT
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SIZES: 6 TO 11**  
**COMPOSITION:**  
 Polypropylene, elasthane

2016/425 MINOR RISKS


## EPS7BPA

Warehouse operator and fork lift driver - temperate environment

- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY
- REINFORCED VEIN PROTECTION
- FULL HAND PROTECTION



**SIZES: 6 TO 11**  
**COMPOSITION:**  
 Goat leather



## BACKPROTECT

Warehouse operator and fork lift driver - bulky products

- STANDARD SHOCK PROTECTION
- GOOD GRIP



**SIZES: 8 TO 10**  
**COMPOSITION:**  
 Natural rubber, polyamide, cotton





## FULLSENS

Handling and warehouse operative in a dry environment

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- MAXIMUM CUT RESISTANCE (43.9 N)
- SECOND SKIN EFFECT



**SIZES: 6 TO 12**

**COMPOSITION:**

Polyurethane, reinforced polyamide, mineral fibre, stainless steel



## FIT4PROTOUCH

Handling and warehouse operative in a dry environment


- SMALL CUT RESISTANCE
- ELECTROSTATIC PROTECTION
- HIGH VISIBILITY



**SIZES: 6 TO 11**

**COMPOSITION:**

Polyurethane, high tenacity polyethylene, carbon



## FEELPRO

Handling and warehouse operative in a dry environment

- SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



**SIZES: 7 TO 11**

**COMPOSITION:**

Nitrile, polyamide, elasthane



### OUR "TOUCH" TECHNOLOGY

A glove solution compatible with touch screens or tablets.

Our touch gloves are especially suited to logistics and transport where the use of touch devices is increasing.

Using Rostaing touch gloves, stay protected and connected.



# PREPARE - PACK

## B DURANIT-ULTRA

### Use of banding machines

- MAXIMUM CUT RESISTANCE (40.4 N)
- SECOND SKIN EFFECT
- GRIP IN OILY CONDITIONS

**STANDARD 100**  
 15.HCN.68777  
 Hohenstein HTTI


**CO<sub>2</sub>**  
 1.6 Kg eq.

LEAK TIGHTNESS  
 COMFORT  
 DURABILITY  
 DEXTERITY

**SIZES: 6 TO 12**

#### COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elasthane



## B DURANIT-PLUS

### Order preparation

- HIGHLY CUT RESISTANT
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS

**STANDARD 100**  
 15.HCN.68777  
 Hohenstein HTTI


**CO<sub>2</sub>**  
 1.0 Kg eq.

LEAK TIGHTNESS  
 COMFORT  
 DURABILITY  
 DEXTERITY

**SIZES: 6 TO 12**

#### COMPOSITION:

Nitrile, polyester, high tenacity polyethylene, mineral fibres, elasthane



## B DURANIT-ONE

### Warehouse operator, fork lift driver - greasy environment

- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS

**STANDARD 100**  
 15.HCN.68777  
 Hohenstein HTTI


**CO<sub>2</sub>**  
 1.9 Kg eq.

LEAK TIGHTNESS  
 COMFORT  
 DURABILITY  
 DEXTERITY

**SIZES: 6 TO 12**

#### COMPOSITION:

Nitrile, polyamide, elasthane



## DURANIT-IMPACT

### Handling with risk of impacts

- SHOCK RISK PROTECTION
- HIGHLY CUT RESISTANT
- MAINTAINED COMFORT AND FLEXIBILITY

**STANDARD 100**  
 15.HCN.68777  
 Hohenstein HTTI


**CO<sub>2</sub>**  
 1.9 Kg eq.

LEAK TIGHTNESS  
 COMFORT  
 DURABILITY  
 DEXTERITY

**SIZES: 6 TO 12**

#### COMPOSITION:

Nitrile, high tenacity polyethylene, mineral fibres, elasthane, thermoplastic





## FEELPRO

Driver, delivery driver - temperate environment

- SECOND SKIN EFFECT
- EXCELLENT GRIP
- HIGH VISIBILITY



**SIZES: 7 TO 11**

**COMPOSITION:**

Nitrile, polyamide, elastane



EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

## CANADA

Driver, delivery driver - wet and positive cold environment

- IDEAL FOR COLD AND WET ENVIRONMENTS DOWN TO 0°C
- GOOD GRIP
- EXTREMELY SOFT ON THE SKIN



**SIZES: 6 TO 11**

**COMPOSITION:**

Nitrile, acrylic



EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

## SKINTOUCH

Metro and urban train driving

- SECOND SKIN: 18 GAUGE, 40% THINNER THAN 13 GAUGE
- SOBER, STAIN RESISTANT BLACK COLOUR



**SIZES: 6 TO 12**

**COMPOSITION:**

Polyurethane, nylon



## FITXTRA

Driver, delivery driver - temperate environment

- SMALL CUT RESISTANCE
- SECOND SKIN EFFECT
- COOL SENSATION



**SIZES: 6 TO 11**

**COMPOSITION:**

Polyurethane, high tenacity polyethylene, polyamide





# TRANSPORT

## SPEEDER1KP

### Motorcycle delivery

- ALL-WEATHER COMPATIBLE THANKS TO ITS WATER-REPELLENT LEATHER
- PERFECT HANDLEBAR GRIP AND HOLD
- FLEXIBLE D30® PROTECTION SHELLS



LEATHER TANNED  
IN FRANCE



**SIZES: 6 TO 12**

**COMPOSITION:**

Goat leather, silicone amara, polyester, D30®



## B SOULDIER

### Bicycle delivery

- WATER REPELLENT BACK
- EXCELLENT GRIP
- 2X MORE LONG LASTING: REINFORCED 1ST WEAR ZONE



**SIZES: 6 TO 10**

**COMPOSITION:**

Polyester microfibre, silicone, polyamide



## TECHNOLOGY D30®

Built into the palms or backs of gloves, smart D30® foam helps protect your hands subjected to shocks or high energy on impact.

### HOW DOES IT WORK?



Supple and flexible material



Absorbs and dissipates impact energy



Return to the flexible state





## FAUVE

### Station master and control

- TOP END LEATHER
- EXTREME FLEXIBILITY
- DISCRETE COLOUR



**SIZES: 6 TO 12**

**COMPOSITION:**  
Lamb leather, silk

2016/425 MINOR RISKS

## PATROL

### Cold weather control

- OPTIMISED COMFORT
- CUT RESISTANT
- WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



**NEW**

LEATHER TANNED  
IN FRANCE



**SIZES: 6 TO 11**

**COMPOSITION:**  
Goat leather, cotton, mineral fibres, para-aramid,  
high tenacity polyethylene





# HANDLE-CONTROL

## BACKPROTECT

Maintenance and handling of gas canisters

- PROTECTS FROM SHOCK RISK ON THE BACK OF THE HAND
- GOOD GRIP



**SIZES: 8 TO 10**

**COMPOSITION:**

Natural rubber, polyamide, cotton



## B DURANIT-ONE

Fine maintenance


- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- SECOND SKIN EFFECT
- SUITABLE FOR OILY ENVIRONMENTS



**SIZES: 6 TO 12**

**COMPOSITION:**

Nitrile, polyamide, elasthane



## FIT4PROTOUCH

Maintenance of electric bicycles and push scooters


- ELECTROSTATIC PROTECTION
- SMALL CUT RESISTANCE
- HIGH VISIBILITY



**SIZES: 6 TO 11**

**COMPOSITION:**

Polyurethane, high tenacity polyethylene, carbon



# Grow up, learn & play

## **WORK LIKE GROWN-UPS**

- 111. SUPERMAGMA
- 111. SUPERGREEN
- 111. SUPERELECTRO
- 112. SUPERFREEZE
- 112. SUPERMAGNETIC
- 112. SUPERGRAVITY

## **CREATIVE LEISURE ACTIVITIES**

- 113. ANABEL
- 113. AXEL

## **OUTDOOR LEISURE ACTIVITIES**

- 114. EUGENE
- 114. PROSPER

## **SMALL GARDENING JOBS**

- 115. GASTON
- 115. MARGOT
- 115. LISON



**ROSTAINING**  
**THE POWER OF DOING...**  
**NOT EVEN AFRAID!**



# **SUPER** **HERO ROSTAINING**





## B SUPERMAGMA

Diy and outdoor leisure activities

- UV REACTIVITY
- FLEXIBLE AND COMFORTABLE
- ADJUSTED TO THE HAND



NEW



**SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD**

**COMPOSITION:**

Polyester, recycled polyester

## B SUPERGREEN

Gardening and outdoor leisure activities

- NATURE OBSERVATION POWER (BUILT-IN MAGNIFYING GLASS)
- EXCELLENT GRIP
- RESISTANCE TO DAMP



NEW



**SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD**

**COMPOSITION:**

Polyester, latex

## B SUPERELECTRO

Diy and outdoor leisure activities

- PHOSPHORESCENT POWER
- GRIP REINFORCEMENT IN PALM
- ADJUSTED TO THE HAND



NEW



**SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD**

**COMPOSITION:**

Polyamide, recycled polyester microfibre, amara





**B SUPERFREEZE**

Mid-season Diy and leisure activities

- MIRROR EFFECT POWER
- SOFT AND WARM KNIT
- EXCELLENT GRIP



NEW



**SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD**

**COMPOSITION:**  
Polyester, elasthane, silicone

**B SUPERMAGNETIC**

Diy and outdoor leisure activities

- ATTRACTING POWER (WRIST MAGNET)
- EXCELLENT GRIP
- CLOSURE ADJUSTABLE AT THE WRIST



NEW



**SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD**

**COMPOSITION:**  
Polyester, elasthane, silicone

**B SUPERGRAVITY**

Diy and outdoor leisure activities

- ADHERENCE POWER
- SECOND SKIN EFFECT
- EXCELLENT GRIP



NEW



**SIZES: 6-8 YEAR-OLD/ 9-11 YEAR-OLD**

**COMPOSITION:**  
Polyester, elasthane, silicone





**B ANABEL**

Leisure activities (scooter, bike, painting)

- 1<sup>ST</sup> PROTECTION: DIRT, SCRATCHES
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GRIP ADAPTED TO ALL OBJECTS



**TOP SALES**  
CO<sub>2</sub>  
0.8 Kg eq.



**SIZES: 3-4 YEAR-OLD/ 5-6 YEAR-OLD**

2016/425 MINOR RISKS

**COMPOSITION:**  
Recycled polyamide

**B AXEL**

Leisure activities (scooter, bike, painting)

- 1<sup>ST</sup> PROTECTION: DIRT, SCRATCHES
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GRIP ADAPTED TO ALL OBJECTS



CO<sub>2</sub>  
0.8 Kg eq.



**SIZES: 3-4 YEAR-OLD/ 5-6 YEAR-OLD**

2016/425 MINOR RISKS

**COMPOSITION:**  
Recycled polyamide



YOUTH

# OUTDOOR LEISURE ACTIVITIES

## B EUGENE

Gardening and games - cold and wet environment

- FOR MID-SEASON LEISURE ACTIVITIES (0 TO 15 °C)
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- EXTREMELY SOFT ON THE SKIN



CO<sub>2</sub>  
0,8 Kg eq.



**SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD**

**COMPOSITION:** 2016/425 MINOR RISKS  
Nitrile, acrylic

## B PROSPER

Push scooter, bicycle - cold environment

- GOOD GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- SO SOFT!



CO<sub>2</sub>  
1,3 Kg eq.



**SIZES: 3-6 YEAR-OLD**

**COMPOSITION:** 2016/425 MINOR RISKS  
Polyester, elasthane





**B GASTON**

**Gardening and leisure activities**

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- RECYCLED POLYESTER KNIT



**SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD**

**COMPOSITION:** 2016/425 MINOR RISKS  
Latex, recycled polyester

**B MARGOT**

**Gardening and leisure activities**

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- RECYCLED POLYESTER KNIT



**SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD**

**COMPOSITION:** 2016/425 MINOR RISKS  
Latex, recycled polyester

**B LISON**

**Gardening and leisure activities**

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- 100% RECYCLED POLYESTER KNIT



**SIZES: 4-6 YEAR-OLD AND 6-8 YEAR-OLD**

**COMPOSITION:** 2016/425 MINOR RISKS  
Latex, recycled polyester

**RECYCLED POLYESTER**

The three gloves on this page are fully in line with our **CSR eco-design approach** .

They are more environmentally friendly because they are made from **recycled polyester and natural latex**.

Polyester can be recycled **from textile production off-cuts, used clothing and also plastic bottles**.

Recycled polyester is used to "clean" the oceans of the waste that pollutes them.

# Do it yourself

## REPOTTING & WEEDING

119. NUDE  
119. ROOTS

## PRUNE

120. ONE4ALL  
120. BOHO  
120. MISS  
120. MISTER

## HANDLING SMALL THORNY PLANTS

121. PROTECT  
121. PROTECTMAX

## PLANT

122. FLOWER  
122. VISIBLE  
123. MAXIMA.F  
123. MAXIMA.H  
123. TRADITION  
124. FRENCHIE  
124. JEAN

## MAJOR WORKS

125. DENIM  
125. T.DENIM

## MAINTAINING THE GARDEN

126. SOULDIER.F  
126. SOULDIER.H  
127. COCOON  
127. MONTBLANC

## ABRASIVE WORK

129. MAXTEEN.F  
129. MAXTEEN.G  
130. MAXFEEL  
130. MAXTOP  
130. MAXSAFE

## CUTTING WORK

132. MAXSTRONG.F  
132. MAXSTRONG.G  
132. MAXIMPACT

## MID-SEASON WORK

133. CANADA  
133. MAXGRIP

## MULTI- PURPOSE

135. BASIC  
135. FUSHIA  
135. NERINE  
135. PLANT  
136. WORK  
136. CONTACT  
136. DRYFEEL  
137. WGB  
137. CHALEUR  
137. SKINTOUCH  
138. LIQUIDO  
138. ENTRETIEN  
138. MECANO  
138. WETPRO



AT HOME



# Garden



"CHOOSE YOUR GLOVE AND I'LL TELL YOU WHO YOU ARE"



GARDEN is a product line that began in 2019. Acclaimed for its quality and trendy look and designed using psycho-graphic criteria, take the test to see which glove is for you!



## B NUDE

### All small gardening jobs

- WELL-BEING WITH EUCALYPTUS ESSENTIAL OILS
- 90% NATURAL: BAMBOO FIBRES
- EXTREMELY SOFT ON THE SKIN



**SIZES: 6 TO 8**

**COMPOSITION:**

Latex, bamboo fibres



## B ROOTS

### All small gardening jobs

- TRENDY: NATURE AND UNISEX LOOK
- STAINS ARE NOT VISIBLE
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



**SIZES: 7 TO 11**

**COMPOSITION:**

Nitrile, polyamide



## SENSORY INNOVATION ACCORDING TO ROSTANG

Surprise your customers with the NUDE glove which offers an **innovating olfactory experience**.

**Eucalyptus globulus essential oil microcapsules** are included in the glove coating.

Handle, smell and let yourself bathe in the **delicate fragrance** which will last as long as the glove.



# PRUNING

## B ONE4ALL

### Pruning, planting, weeding

- WEAR INDICATOR IN THE HONEYCOMB
- PALM AND FINGER PROTECTION
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, polyamide



## B BOHO

### Pruning, planting, weeding

- 90% NATURAL: BAMBOO FIBRES
- EXTREMELY SOFT SKIN CONTACT
- GRIP ADAPTED TO ALL TOOLS



**SIZES: 6 TO 8**

**COMPOSITION:**  
Latex, bamboo fibres



## B MISS

### Pruning, planting, weeding

- FULL PROTECTION
- TRENDY LOOK
- STAYS CLEAN: STAIN TREATMENT



**SIZES: 6 TO 8**

**COMPOSITION:**  
Goat leather, Skinsoft



## B MISTER

### Pruning, planting, weeding

- FULL PROTECTION
- TRENDY LOOK
- STAYS CLEAN: STAIN TREATMENT



**SIZES: 8 TO 10**

**COMPOSITION:**  
Goat leather, Skinsoft





# HANDLING SMALL THORNY PLANTS

## **B PROTECT**

Pruning, rose and small thorny bush planting

- THE THICK LATEX PROTECTS FROM SMALL THORNS
- EXCELLENT SHEAR GRIP
- THE THORNS DO NOT GET STUCK IN THE WOVEN SUPPORT



**SIZES: 6 TO 10**

**COMPOSITION:**  
Latex, cotton



## **B PROTECTMAX**


Pruning, rose and small thorny bush planting

- THE THICK LATEX PROTECTS FROM SMALL THORNS
- EXCELLENT SHEAR GRIP
- EXTENDED FOREARM PROTECTION



**SIZES: 7 TO 10**

**COMPOSITION:**  
Latex, cotton



AT HOME



# PLANTING

## B FLOWER

Planting, weeding, watering

- STAYS WHITE! : PERFECTLY WASHABLE
- ECOLOGICAL: COLOURING-FREE LATEX
- PERFECT TOOL GRIP



**SIZES: 6 TO 8**

**COMPOSITION:**  
Latex, recycled polyester



## B VISIBLE

Planting, weeding, watering

- PERFECT TOOL GRIP
- BRIGHT COLOUR TO FIND THE GLOVES QUICKLY
- PALM AND FINGER PROTECTION



**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, recycled polyester





# PLANTING

## B MAXIMA.F

### Planting, weeding, watering

- FULL HAND PROTECTION: AN ALTERNATIVE TO LEATHER
- SUITABLE FOR INTENSE PLANTING WORK
- CLOSURE ADJUSTABLE AT THE WRIST



**OEKO TEX®**  
STANDARD 100  
15.HCN.68777  
Hohenstein HTTI

**CO<sub>2</sub>**  
1.7 Kg eq.



**SIZES: 7 AND 8**

**COMPOSITION:**  
Nitrile, polyamide



## B MAXIMA.H

### Planting, weeding, watering

- FULL HAND PROTECTION: AN ALTERNATIVE TO LEATHER
- SUITABLE FOR INTENSE PLANTING WORK
- CLOSURE ADJUSTABLE AT THE WRIST



**OEKO TEX®**  
STANDARD 100  
15.HCN.68777  
Hohenstein HTTI



**SIZES: 8 TO 10**

**COMPOSITION:**  
Nitrile, polyamide



## B TRADITION

### Planting, digging

- FULL HAND PROTECTION
- EXTENDED WRIST PROTECTION
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



LEATHER TANNED  
IN FRANCE

**CO<sub>2</sub>**  
1.0 Kg eq.



**SIZES: 6 TO 11**

**COMPOSITION:**  
Cow leather



AT HOME



## B JEAN

### All gardening jobs

- OVER-CYCLED GLOVE: RECYCLING OF LEATHER AND DENIM OFF-CUTS
- EACH GLOVE IS UNIQUE
- DAMP RESISTANT THANKS TO THE WATERPROOF LEATHER



**SIZES: 6 TO 10**

#### COMPOSITION:

Organic cotton denim, cow split leather



## B FRENCHIE

### Planting, digging

- ECO-DESIGNED: END OF LEATHER STOCK
- LIMITED EDITION: UNIQUE MODEL!
- DAMP RESISTANT THANKS TO THE WATERPROOF LEATHER



**SIZES: 6 TO 10**

#### COMPOSITION:

Cow leather

2016/425 MINOR RISKS



### OVERCYCLING ACCORDING TO ROSTAING

An eco-responsible design approach to minimise environmental impacts:

#### Local production in a short circuit:

The FRENCHIE and JEAN gloves are made in France, in our workshop in Villieu (Ain) using leather tanned in Italy and denim woven in Charlieu (Loire).

In this way, we support local employment and reduce transport and logistics costs.

#### Reuse of declassified materials:

The furniture and clothing industries declassify certain materials for a variety of reasons.

We recover these "declassified" materials and recycle them into the design of protective gloves.





**B DENIM**

**Wood and stone working**

- HIGHLY CUT RESISTANT
- VERY POPULAR: DENIM LOOK
- PERFECT TOOL GRIP



**SIZES: 7 TO 11**

**COMPOSITION:**

Nitrile, high tenacity polyethylene, mineral fibres



**B T.DENIM**

**Picking and gardening work**

- VALIDATED BY FLORISTS: WATERTIGHT AT THE PREPARATION TABLE LEVEL
- TOOL STORAGE POCKETS
- ADAPTED TO ALL SIZES: ADJUSTABLE STRAP



**SINGLE SIZE**

**COMPOSITION:**

Organic cotton denim



The T.DENIM apron matches all our Garden line gloves. It keeps you trendy at all times!

AT HOME



# GARDEN MAINTENANCE

## **B SOULDIER.F**

Handling hedge trimmers and lawnmowers

- VERSATILE AND WATER REPELLENT ON THE BACK
- CLOSURE ADJUSTABLE AT THE WRIST
- 2X MORE LONG-LASTING: REINFORCED 1ST WEAR ZONE



**SIZES: 6 TO 8**

**COMPOSITION:**

Polyester microfibre, silicone, polyamide



## **B SOULDIER.H**

Handling hedge trimmers and lawnmowers

- VERSATILE AND WATER REPELLENT ON THE BACK
- CLOSURE ADJUSTABLE AT THE WRIST
- 2X MORE LONG-LASTING: REINFORCED 1ST WEAR ZONE



**SIZES: 8 TO 10**

**COMPOSITION:**

Polyester microfibre, silicone, polyamide





**B COCOON**

Cold weather glove liners, leisure activities

- 100% RECYCLED POLYESTER KNIT
- EXTREMELY SOFT ON THE SKIN
- HIGH VIZ: MARKING VISIBLE AT NIGHT



NEW



CO<sub>2</sub>  
0.7 Kg eq.



**SIZE: 5 TO 11**

**COMPOSITION:**  
Recycled polyester

**B MONTBLANC**

Outdoor work in cold weather

- WITHSTANDS COLD DOWN TO -10°C
- COMFORT AND FLEXIBILITY THANKS TO ITS FLEECE LINING
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



NEW




CO<sub>2</sub>  
1.9 Kg eq.




**SIZES: 6 TO 11**

**COMPOSITION:**  
Turned cow leather, recycled polyester



AT HOME



## *"touch"* **LINE**

Touch screen compatible gloves that protect ALL hands and are suitable for ALL uses.





**B MAXTEEN.F**

**Leisure activities**

- SECOND SKIN EFFECT
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- CHILDREN LOVE IT: SPORTY AND PUNCHY LOOK



**STANDARD 100**  
15.HCN.68777  
Hohenstein HTTI

**OEKO TEX®**

**CO<sub>2</sub>**  
0.9 Kg eq.

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

**SIZE: 9-11 YEAR-OLD**

**COMPOSITION:**  
Nitrile, polyamide



**B MAXTEEN.G**

**Leisure activities**

- SECOND SKIN EFFECT
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- CHILDREN LOVE IT: SPORTY AND PUNCHY LOOK



**STANDARD 100**  
15.HCN.68777  
Hohenstein HTTI

**OEKO TEX®**

**CO<sub>2</sub>**  
0.9 Kg eq.

LEAK TIGHTNESS

COMFORT

DURABILITY

DEXTERITY

**SIZE: 9-11 YEAR-OLD**

**COMPOSITION:**  
Nitrile, polyamide



AT HOME



# ABRASIVE WORK

## B MAXFEEL

Pruning, sanding, painting

- SECOND SKIN EFFECT
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- FOR EVERYONE: DIFFERENT COLOURS



**SIZES: 7-8 AND 9-10**

**COMPOSITION:**  
Nitrile, polyamide



## B MAXTOP

Pruning, sanding, painting

- LIQUID BARRIER ON THE PALMS AND FINGERS
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- SOBER, UNISEX COLOUR



**SIZES: 7 TO 12**

**COMPOSITION:**  
Nitrile, polyamide



## B MAXSAFE

Virus protection glove liner (public transport, shopping, ...)

- THE GLOVE DESTROYS VIRUSES AND BACTERIA
- WASHABLE 100 TIMES
- 100% FRENCH MATERIALS AND MANUFACTURING



**SIZES: 7 AND 9**

**COMPOSITION:**  
Polypropylene



# BARRIER GLOVE

Viruses and bacteria



Materials and  
manufacture

**100% French**



Compatible  
**with touch  
screens**



**Durable**

Effectiveness tested  
after 100 washes



Thread  
**treated against  
Viruses  
and bacteria**

## Choose MAXSAFE

The 1st 100% French glove that bolsters your health protection

**ROSTAING**



# CUTTING WORK

## B MAXSTRONG.F

### Wood and stone working

- FULL PROTECTION FOR HEAVY WORK
- COOL SENSATION
- LEASH LIKE SKIERS TO STOP LOSING GLOVES



**SIZES: 6 TO 8**

**COMPOSITION:**

Nitrile, high tenacity polyethylene



## B MAXSTRONG.G

### Wood and stone working

- FULL PROTECTION FOR HEAVY WORK
- COOL SENSATION
- LEASH LIKE SKIERS TO STOP LOSING GLOVES



**SIZES: 8 TO 10**

**COMPOSITION:**

Nitrile, high tenacity polyethylene



## B MAXIMPACT

### Intensive DIY work


- STANDARD SHOCK PROTECTION
- HIGHLY CUT RESISTANT
- MAINTAINED COMFORT AND FLEXIBILITY



**SIZES: 7 TO 11**

**COMPOSITION:**

Nitrile, polyester, high tenacity polyethylene, mineral fibres, elasthane, thermoplastic



# MID-SEASON WORK

## B CANADA

### Outdoor upkeep

- IDEAL IN COLD WEATHER DOWN TO 0°C
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GOOD GRIP



TOP SALES



**SIZES: 6 TO 11**

**COMPOSITION:**  
Nitrile, acrylic



## B MAXGRIP

### Any work requiring a good grip

- IDEAL IN COLD WEATHER DOWN TO 0°C
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- ECONOMIC, MORE DURABLE: AMBIDEXTROUS DESIGN



**SIZES: 7 TO 11**

**COMPOSITION:**  
Acrylic, silicone

2016/425 MINOR RISKS



## OUR TOUCH LINE

The biggest glove market, non-wearers are the majority. Our duty: to convince people to protect their hands because **in France there is an accident involving the hands every 4 minutes.** We investigated the reasons:

- “We can’t feel what we’re doing”
- “We take them off (to shake hands, use screens...)”
- “We sweat”

As a result, **we launched the Touch line in 2016** according to the following criteria:

- Thin and breathable materials (cooling thread, aerated coating...)
- A leash: to stop losing them or store them better
- The touch function to avoid taking them off





**4 IN 1**  
Because it suits you!

**MAKE LIFE EASIER WITH THE "4 IN 1", GLOVES!**  
**1 GLOVE, SEVERAL USES AND HANDS**  
**THAT ARE ALWAYS PROTECTED!**



# MULTI-PURPOSE

## B PLANT

Planting, watering, handle tools, handling

- SECOND SKIN EFFECT
- RESISTANCE TO WATER SPRAY
- EXCELLENT GRIP



**SIZES: 7 TO 9**  
**COMPOSITION:**  
 Nitrile, polyamide



## B NERINE

Small gardening jobs, re-potting, furniture assembly, painting

- GOOD GRIP
- SECOND SKIN EFFECT



**SIZES: 6 TO 8**  
**COMPOSITION:**  
 Latex, recycled polyester



## B BASIC

Planting, handle tools, masonry, handling

- EXCELLENT GRIP
- PALM AND FINGER PROTECTION



**SIZES: 6 TO 10**  
**COMPOSITION:**  
 Latex, polycotton



## B FUSHIA

Planting, handle tools, masonry, handling

- EXCELLENT GRIP
- PALM AND FINGER PROTECTION



**SIZES: 6 TO 8**  
**COMPOSITION:**  
 Latex, polycotton





**B WORK**

Planting, pruning, digging, outdoor work

- FULL HAND PROTECTION
- VEIN PATCH
- THE TREATED WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY



**SIZES: 9 AND 10**

**COMPOSITION:**  
Cow leather



**B CONTACT**

Pruning, lawn mower, weeding, driving

- THIN LEATHER FOR PRECISION WORK
- CLOSURE ADJUSTABLE AT THE WRIST



**SIZES: 7 TO 10**

**COMPOSITION:**  
Polyester, goat leather

2016/425 MINOR RISKS

**B DRYFEEL**

Mowing, pruning, woodworking, sanding

- 100% BREATHABLE
- LIGHTWEIGHT



**SIZES: 7 TO 10**

**COMPOSITION:**  
Polyester

2016/425 MINOR RISKS





# MULTI-PURPOSE

## B WGB

Digging, handling, woodworking, plumbing

- WRIST PROTECTION



**SIZE: 10**

**COMPOSITION:**

Cow split leather, cotton

2016/425 MINOR RISKS

## B CHALEUR

Taking dishes out of the oven, plancha, kitchen, hot part handling


- 2X MORE LONG LASTING: TURN IT INSIDE OUT
- FOR LEFT AND RIGHT HANDED PEOPLE: AMBIDEXTROUS
- WITHSTANDS 250°C FOR 10 SECONDS



**SIZES: 8 AND 10**

**COMPOSITION:**

Cotton, silicone



## B SKINTOUCH

Precision mechanics, DIY, weeding, removals

- SECOND SKIN: 18 GAUGE, 40% THINNER THAN 13 GAUGE
- SOBER, STAIN RESISTANT BLACK COLOUR



**SIZES: 6 TO 12**

**COMPOSITION:**

Polyurethane, nylon



AT HOME

# MULTI-PURPOSE

## B LIQUIDO

Masonry, maintenance, watering, washing

- GOOD GRIP
- SUITABLE FOR PEOPLE SUFFERING FROM LATEX ALLERGY
- FOREARM PROTECTION (35 CM)



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, polyester



## B ENTRETIEN

Maintenance, washing, market gardening, watering

- FOREARM PROTECTION
- NON-SLIP PALM EFFECT



**SIZES: 7 AND 8**

**COMPOSITION:**  
Latex

2016/425 MINOR RISKS

## B WETPRO

Pool, septic tank, manger maintenance, plumbing

- PROTECTION EXTENDED UP TO THE SHOULDER (60 CM)
- ARM ADJUSTMENT USING A TIGHTENING ELASTIC
- GOOD GRIP



**SIZES: 9 TO 11**

**COMPOSITION:**  
PVC, cotton



## B MECANO

Mechanics, dyeing, varnishing, household tasks

- RESISTANT TO CHEMICALS
- GUARANTEED SECOND SKIN EFFECT
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



**SIZES: 7 TO 10**

**COMPOSITION:**  
Nitrile

EN ISO 374-1:2016  
TYPE B



EN ISO 374-5  
ISO 18889





MAKE LIFE EASIER WITH THE "4 IN 1", **GLOVES!**  
1 GLOVE, **SEVERAL USES** AND HANDS  
THAT ARE ALWAYS **PROTECTED!**



# Evasion

## **SPORTS/ HANDISPORTS**

**142.** MAXTOP  
**142.** MAXFEEL  
**142.** GRIPRO  
**143.** CANADA  
**143.** COLDPRO  
**143.** IVERNO  
**143.** COLD-SOFT

## **HUNTING**

**144.** SOULDIER  
**144.** MIDSEASON  
**144.** OPSB+  
**145.** SPEEDNET  
**145.** SKINTOUCH  
**145.** MECANO  
**145.** CUTFOOD

## **FISHING & CAVING**

**146.** VISIBLE  
**146.** MACPRO  
**146.** PROTECTMAX

## **2 WHEELERS**

**147.** SPEEDERIKP  
**147.** SOULDIER  
**147.** MAXGRIP

*This world was born from voluntary and spontaneous feedback from our users. We realised that our protective gloves could also be worn and appreciated for other hobby or passion activities.*

***"DENIM gloves used to careen my boat did the trick. Good and practical!"***





# SPORTS / HANDISPORTS

## B MAXTOP

### Handisports - wheelchair sports

- EXCELLENT GRIP
- SOBER AND UNISEX
- LEASH LIKE SKIERS TO STOP LOSING GLOVES



**SIZES: 7 TO 12**

**COMPOSITION:**  
Nitrile, polyamide



## B MAXFEEL

### Handisports - wheelchair sports

- EXCELLENT GRIP
- FOR EVERYONE: DIFFERENT COLOURS
- LEASH LIKE SKIERS TO STOP LOSING GLOVES



**SIZES: 7-8 AND 9-10**

**COMPOSITION:**  
Nitrile, polyamide



## B GRIPRO

### Handisports - wheelchair sports

- EXCELLENT GRIP
- HIGH VISIBILITY



**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, polycotton





# SPORTS / HANDISPORTS

## B CANADA

### Outdoor leisure activities

- EXTREMELY SOFT ON THE SKIN; IDEAL FROM 0 TO 15°C
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- GOOD GRIP



TOP SALES




CO<sub>2</sub>  
1.7 Kg eq.



**SIZES: 6 TO 11**

**COMPOSITION:**  
Nitrile, acrylic



## B COLDPRO

### Outdoor sports

- WITHSTANDS COLD DOWN TO -10°C
- EXCELLENT GRIP
- VISIBLE COLOUR




CO<sub>2</sub>  
5.6 Kg eq.



**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, acrylic



## B IVERNO

### Outdoor sports - skiing

- WITHSTANDS COLD DOWN TO -10°C
- WATERPROOF, BREATHABLE MEMBRANE
- THE WATERPROOF LEATHER DOES NOT HARDEN ONCE DRY




CO<sub>2</sub>  
2.4 Kg eq.



**SIZES: 7 TO 11**

**COMPOSITION:**  
Cow leather, polar fleece, polyester  
Ripstop



## B COLD-SOFT

### Outdoor sports - skiing

- REMOTE ELECTONICS: FOR MORE DURABILITY (WASHING AND BATTERY CHANGE)
- 3 HEATING LEVELS
- THIN SUPPORT FOR IMPROVED SENSITIVITY



NEW

Product photos not contractually binding



**SIZES: 6 TO 12**

**COMPOSITION:**  
Polyester-PTFE softshell, recycled polyester,  
heating fabric

2016/425 MINOR RISKS



## B SOULDIER

### Shooting - beaters

- WATER REPELLENT AND BREATHABLE
- CAMOUFLAGE EFFECT
- 2X MORE LONG LASTING: REINFORCED 1ST WEAR ZONE



**SIZES: 6 TO 10**

**COMPOSITION:**

Polyester microfibre, silicone, polyamide



## B MIDSEASON

### Shooting - beaters


- IDEAL FOR COLD AND WET ENVIRONMENTS (DOWN TO 0°C)
- SECOND SKIN EFFECT
- 3X MORE LONG LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE



**SIZES: 7 TO 12**

**COMPOSITION:**

Nitrile, acrylic



## OPSB+

### Shooting - beaters


- MAXIMUM CUT RESISTANCE (32.1 N)
- OPTIMUM GRIP THANKS TO SILICONE PALM
- TRIGGER FINGER DEXTERITY



**SIZES: 6 TO 11**

**COMPOSITION:**

Thermoplastic, silicone amara, polyurethane, high tenacity polyethylene, mineral fibres, D3O®





# HUNTING

## SPEEDNET

### Gun cleaning

- LEAVES SURFACES CLEAN AND FREE OF MARKS
- DOES NOT FLUFF
- IMPROVED PERFORMANCES AFTER WASHING



**SIZES: 6 TO 11**

**COMPOSITION:**  
Microfibre

## B SKINTOUCH

### Gun cleaning

- SECOND SKIN: 18 GAUGE, 40% THINNER THAN 13 GAUGE
- SOBER, STAIN RESISTANT BLACK COLOUR



**SIZES: 6 TO 12**

**COMPOSITION:**  
Polyurethane, nylon



## B MECANO


### Animal cleaning

- AMBIDEXTROUS
- SUITABLE FOR PEOPLE WITH LATEX ALLERGIES



**SIZES: 7 TO 10**

**COMPOSITION:**  
Nitrile



## CUTFOOD

### Butchering and boning

- MAXIMUM CUT RESISTANCE (45.3 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SIZES: 5 TO 13**

**COMPOSITION:**  
High tenacity polyethylene, mineral fibres, polyester, stainless steel, polypropylene





# FISHING / POTHOLING

## B VISIBLE:

### Handling tools and fish

- EXCELLENT TOOL GRIP
- BRIGHT COLOUR TO FIND THE GLOVES QUICKLY
- PALM AND FINGER PROTECTION



**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, recycled polyester



## B MACPRO

### Fish handling and potholing

- EXCELLENT GRIP OF RODS AND FISH
- CLOSURE ADJUSTABLE AT THE WRIST



**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, high tenacity polyethylene, mineral fibres



## B PROTECTMAX


### Oyster farming

- EXCELLENT GRIP
- ITS THICK LATEX WITHSTANDS SMALL PERFORATIONS



**SIZES: 7 TO 10**

**COMPOSITION:**  
Latex, cotton





## **SPEEDER1KP**

Motorised devices - summer and mid-season

- TO MOTORCYCLING STANDARDS
- PERFECT HANDLEBAR GRIP AND HOLD
- FLEXIBLE D30® PROTECTION SHELLS



**SIZES: 6 TO 12**

**COMPOSITION:**

Goat leather, silicone amara, polyester, D30®



## **B SOULDIER**

Bicycle, push scooter - regular use

- WATER-REPELLENT AND BREATHABLE
- EXCELLENT GRIP
- 2X MORE LONG LASTING: REINFORCED 1ST WEAR ZONE



**SIZES: 6 TO 10**

**COMPOSITION:**

Polyester microfibre, silicone, polyamide



## **B MAXGRIP**

Bicycle, push scooter - mid-season

- EXCELLENT GRIP
- LEASH LIKE SKIERS TO STOP LOSING GLOVES
- ECONOMIC, MORE DURABLE: AMBIDEXTROUS DESIGN




**SIZES: 7 TO 11**

**COMPOSITION:**

Acrylic, silicone

2016/425 MINOR RISKS



# Find your gloves by risk

## **CUT - LIGHT & MEDIUMWEIGHT HANDLING**

- 150. LEVEL A
- 151. LEVEL B
- 150. LEVEL D
- 152. LEVEL E
- 152. LEVEL F

## **CUT - HEAVY HANDLING**

- 154. LEVEL B/C
- 155. LEVEL D/E
- 154. LEVEL F

## **HEAT**

- 156. 100°C
- 156. 250°C
- 158. 350°C
- 158. 500°C

## **COLD**

- 160. POSITIVE COLD DRY
- 160. NEGATIVE COLD
- 161. WET POSITIVE COLD
- 161. EXTREME FROID

## **PERFORATION**

- 162. PERFORATION

## **VIBRATIONS & SHOCKS**

- 164. VIBRATIONS
- 165. SHOCKS



**SKINTOUCH**

- SECOND SKIN EFFECT
- SOBER AND STAIN RESISTANT



**SIZES: 6 TO 12**

**COMPOSITION:** Polyurethane, nylon




**DURANIT-ONE**

- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- GRIP IN OILY CONDITIONS



**SIZES: 6 TO 12**

**COMPOSITION:** Nitrile, polyamide, elasthane



**MAXIPRO**

- FULL PROTECTION OF THE HANDS
- EXCELLENT GRIP



**SIZES: 8 TO 11**

**COMPOSITION:** Nitrile, polyamide




**DURANIT-PLUS**

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- HIGH VISIBILITY



**SIZES: 6 TO 12**

**COMPOSITION:** Nitrile, polyester, high tenacity polyethylene, mineral fibres, elasthane




**DURANIT-IMPACT**

- STANDARD PROTECTION FROM IMPACTS
- 3X MORE DURABLE: REINFORCEMENT 1ST WEAR ZONE



**SIZES: 6 TO 12**

**COMPOSITION:** Nitrile, polyester, high tenacity polyethylene, mineral fibres, elasthane, thermoplastic




**DURANIT-DRY**

- 3X MORE DURABLE: REINFORCEMENT OF THE 1ST WEAR ZONE
- 3/4 WATERPROOFING FOR WET AND OILY ENVIRONMENTS



**SIZES: 6 TO 12**

**COMPOSITION:** Nitrile, polyester, high tenacity polyethylene, mineral fibres, elasthane



**FITXTRA**

- COOL SENSATION
- SECOND SKIN EFFECT



**SIZES: 6 TO 11**

**COMPOSITION:** Polyurethane, high tenacity polyethylene, polyamide




**FIT4PROTOUCH**

- HIGH VISIBILITY
- ELECTROSTATIC PROTECTION



**SIZES: 6 TO 11**

**COMPOSITION:** Polyurethane, high tenacity polyethylene, carbon



**FLUOSENS**

- GAUGE 21: ERGONOMIC (35% THINNER THAN A 15 GAUGE)
- HIGH-VISIBILITY ORANGE COLOUR



**SIZES: 6 TO 11**

**COMPOSITION :** Nitrile, high tenacity polyethylene, inox, polyester, polyamide



**PRIMACUFF**

- AMBIDEXTROUS
- THUMB-HOLE COMFORT



**SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP) 50 CM (WITH HOOK AND LOOP), 60 CM (WITH HOOK AND LOOP)**  
**COMPOSITION:** Polyamide, polyester, mineral fibres



**ERGOPRIMA**

- HIGH VISIBILITY
- MOVEMENT FACILITATED BY THE ERGONOMIC KNIT



**SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP), 60 CM (WITH HOOK AND LOOP)**  
**COMPOSITION:** Polyamide, polyester, mineral fibres



**MACPRO**

- VALIDATED BY MASONS
- EXCELLENT GRIP ON TOOLS



**SIZES: 8 TO 11**

**COMPOSITION:**

Latex, high tenacity polyethylene, mineral fibres

EN388	ISO 13997
	24 N
3X42E	

**MASTERCUFF**

- AMBIDEXTROUS
- CONTACT HEAT RESISTANCE TO 100°C



**SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP), 60 CM (WITH HOOK AND LOOP)**

**COMPOSITION:**

High tenacity polyethylene, mineral fibres, polyamide

EN388	ISO 13997
	25 N
2X42E	

**BLACKTACTIL/O**

- COLOUR ADAPTED TO USE
- SECOND SKIN EFFECT



**SIZES: 6 TO 11**


**COMPOSITION:**

High tenacity polyethylene, mineral fibres

EN388	ISO 13997
	28.2 N
3X4XE	

**ERGOMASTER**

- VISIBLE COLOUR
- MOVEMENT FACILITATED BY ERGONOMIC KNIT



**SIZES: 35 CM, 45 CM (WITH OR WITHOUT HOOK AND LOOP), 60 CM (WITH HOOK AND LOOP)**

**COMPOSITION:**

Polyamide, high tenacity polyethylene, mineral fibres

EN388	ISO 13997
	29.3 N
2X4XE	

**BLACKSTICK+**

- GRIP IN OILY CONDITIONS
- EXCELLENT PERFORATION RESISTANCE



**SIZES: 6 TO 12**

**COMPOSITION:** Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres

EN388	ISO 13997
	32.1 N
4X44F	

**RESCUEFITFLUO**

- CLEAR FINGERS
- STANDARD PROTECTION FROM IMPACTS



**SIZES: 6 TO 11**

**COMPOSITION:** Thermoplastic & cow split leather, high-tenacity polyethylene, mineral fibre, polyurethane, D30®

EN388	ISO 13997
	32.1 N
4X42FP	

**BLACKKNIT**

- GRIP IN OILY CONDITIONS
- HIGHLY RESISTANT TO PERFORATION



**SIZES: 7 TO 11**

**COMPOSITION:** Nitrile, high tenacity polyethylene, mineral fibres

EN388	ISO 13997
	33.6 N
4X43F	

**BLACKTACTIL**

- SECOND SKIN EFFECT
- COLOUR ADAPTED TO THE USE



**SIZES: 6 TO 12**

**COMPOSITION:**

Polyurethane, high tenacity polyethylene, mineral fibres

EN388



4X42F



32.1 N

**BLACKTACTILRC**

- REINFORCEMENT OF THE 1<sup>ST</sup> WEAR ZONE
- ERGONOMIC KNIT



**SIZES: 7 TO 11**

**COMPOSITION:**

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres

EN388



4X42F



32.1 N

**BLACKTOP**

- GRIP IN OILY CONDITIONS
- ERGONOMIC REINFORCEMENT



**SIZES: 7 TO 11**

**COMPOSITION:**

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres

EN388



4X42F



32.1 N

**EVOTACTIL**

- 18 GAUGE: 40% THINNER THAN 13 GAUGE
- WATER-BASED POLYURETHANE PALM COATING



**SIZES: 6 TO 12**

**COMPOSITION :** High tenacity polyethylene, stainless steel, polyamide, DMF-free water-based polyurethane

EN388



4X42F

**DURANIT-ULTRA**

- VERY GOOD GRIP
- 3X MORE LONG LASTING: REINFORCEMENT 1<sup>ST</sup> WEAR ZONE



**SIZES: 6 TO 12**

**COMPOSITION:** Nitrile, high tenacity polyethylene, mineral fibres, stainless steel, polyamide, elastane

EN388



4X42F

EN407



X1XXXX

ISO 13997



40 N

**STOP-OILCUT**

- GRIP IN OILY CONDITIONS
- PERFORATION RESISTANCE



**SIZES: 6 TO 12**

**COMPOSITION:** Nitrile, high tenacity polyethylene reinforced polyamide, mineral polyester, stainless steel

EN388



4X43F

EN407



X1XXXX

ISO 13997



40.7 N

**FULLSENS**

- 18 GAUGE: 40% THINNER THAN A 13 GAUGE
- SOBER AND STAIN RESISTANT



**SIZES: 6 TO 12**

**COMPOSITION:** Polyurethane, fibre, stainless steel

EN388



3X41F

ISO 13997



43.9 N


**WETCUT01-EVOLUTION**

- GRIP IN WET ENVIRONMENTS
- FULL PROTECTION OF THE HANDS



**SIZES: 7 TO 12**

**COMPOSITION:**  
Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester




**HYDROPRO**

- CONTACT HEAT RESISTANCE UP TO 100°C
- WATERPROOFED LEATHER



**SIZES: 8 TO 11**

**COMPOSITION:**  
Cow grain leather, para-aramid




**PARARC+**

- REINFORCED WEAR AREA AND FINGERTIPS
- EXCELLENT PERFORATION PERFORMANCE



**SIZES: 8 TO 11**

**COMPOSITION:**  
Para-aramid, cow split leather



**WETCUT05-EVOLUTION**

- GRIP IN WET ENVIRONMENTS
- HIGHLY RESISTANT TO PERFORATION



**SIZES: 7 TO 12**

**COMPOSITION:**  
Grain leather, Skinsoft, high tenacity polyethylene, polyamide, polyester, mineral fibres




**METALSTRONG**

- EXCELLENT PERFORATION PERFORMANCE
- SUPPLE BACK



**SIZES: 7 TO 11**

**COMPOSITION:**  
Split cowhide leather, cotton, stainless steel, high tenacity polyethylene, polyamide




**METALSTRONG+**

- EXCELLENT PERFORATION PERFORMANCE
- REINFORCED HAND BACK PROTECTION



**SIZES: 7 TO 11**

**COMPOSITION:**  
Split cowhide leather, cotton, stainless steel, high tenacity polyethylene, polyamide




**WETCUTO3-EVOLUTION**

- GRIP IN WET ENVIRONMENTS
- FULL PROTECTION OF THE HANDS



**SIZES: 7 TO 12**

**COMPOSITION:**  
Grain leather, Skinfoot, mineral fibres, polyamide, polyester




**WETCUTO3M-EVOLUTION**

- FOREARM PROTECTION
- GRIP IN WET ENVIRONMENTS



**SIZES: 7 TO 12**

**COMPOSITION:**  
Grain leather, Skinfoot, mineral fibres, polyamide, polyester



**MASTERTOP**

- HIGHLY RESISTANT TO PERFORATION
- GRIP IN WET ENVIRONMENTS



**SIZES: 7 TO 12**

**COMPOSITION:**  
Split cowhide leather, polyamide, high tenacity polyethylene, mineral fibres



**RIPEUR/CO**

- EXCELLENT PERFORATION PERFORMANCE
- OIL BARRIER AND KEEPS A GOOD GRIP



**SIZES: 7 TO 12**

**COMPOSITION:**  
Split cowhide leather, stainless steel, high tenacity polyethylene, polyamide



**RIPDEXG**

- EXCELLENT PERFORATION PERFORMANCE
- GRIP IN WET OR OILY ENVIRONMENTS



**SIZES: 7 TO 11**

**COMPOSITION:**  
Split cowhide leather, stainless steel, high tenacity polyethylene, polyamide



**RIPDEX LINE**




**LIGHT-WELD**

- WELDER STANDARD
- SUITABLE FOR GRIPPING WELDING AND BRAZING RODS



**SIZES: 6 TO 11**

**COMPOSITION:**  
Goat leather, para-aramid, mineral fibres, cotton




**HEAT-BLACK**

- RESISTANCE TO MOLTEN METAL SPRAY
- SELF-GRIPPING TIGHTENING



**SIZES: 8 TO 12**

**COMPOSITION:**  
Goat leather, para-aramid, mineral fibres, cotton




**SPLITWELD**

- COMFORT LINING IN THE PALM
- WELDER STANDARD



**SIZES: 7 TO 13**

**COMPOSITION:**  
Cow split leather, cotton




**PARA4HEAT+**

- HIGHLY RESISTANT TO CUTTING
- FOREARM PROTECTION



**SIZES: 7 TO 10**

**COMPOSITION:**  
Para-aramid, cow split leather, cotton




**PARA4HEAT**

- COMFORTABLE LINING
- HIGHLY RESISTANT TO CUTS



**SIZES: 7 TO 10**

**COMPOSITION:**  
Para-aramid, cotton




**PROTECTMAX**

- EXCELLENT GRIP
- WITHSTANDS SMALL PERFORATIONS RESISTANCE



**SIZES: 7 TO 10**

**COMPOSITION:**  
Latex, cotton



**ALUWELD**

- WELDER STANDARD
- RESISTANCE TO MOLTEN METAL SPRAY



**SIZES: 7 TO 11**

**COMPOSITION:**

Cow split leather, aluminised fabric, wool, cotton



**PROSOUD/1**

- WELDER STANDARD
- HIGHLY RESISTANT TO CUTS (24.9 N)



**SIZES: 5 TO 12**

**COMPOSITION:**

Cow split leather, para-aramid, mineral fibres, cotton, polyester



**PARACUFF**


- CUT RESISTANT
- AMBIDEXTROUS



**SIZES: 35 CM**

**COMPOSITION:**

Para-aramid



**HEATRESIST**

- HIGHLY RESISTANT TO CUTS
- MAINTAINED SUPPLENESS



**SIZES: 8 TO 11**

**COMPOSITION:**

Para-aramid terry loop, cow split leather, wool, cotton



**OILGRIP5**


- OIL BARRIER
- MAXIMUM CUT RESISTANCE (42 N)



**SIZES: 8 TO 11**

**COMPOSITION:**

Para-aramid, cow split leather, silicone, cotton, mineral fibres



**PROTRI-1**


- HIGHLY RESISTANT TO CUTS
- WATER REPELLENT AND OIL-REPELLENT LEATHER



**SIZES: 8 TO 13**

**COMPOSITION:**

Cow split leather, para-aramid, mineral fibres, cotton, Porelle membrane



**HEATRESIST+**


- HIGHLY RESISTANT TO CUTS
- FOREARM PROTECTION



**SIZE: 8 TO 11**

**COMPOSITION:**

Para-aramid terry loop, cow split leather, wool, cotton, aluminised acrylic



**HEATRESIST-MITT**


- HIGHLY RESISTANT TO CUTS (29.2 N)
- AMBIDEXTROUS: DOUBLE SERVICE LIFE



**SINGLE SIZE**

**COMPOSITION:**

Para-aramid terry loop, wool, cotton, aramid



**ROLLHEAT**


- HIGHLY RESISTANT TO CUTS
- OIL BARRIER



**SIZES: 7 TO 11**

**COMPOSITION:**

Para-aramid terry loop, cotton



**WARM250/50D2**

- FOOD COMPATIBILITY
- DOES NOT SHRINK



**SIZES: 8 TO 12**

**COMPOSITION:**

Silicone, para-aramid, acrylic, cotton



**WARM250D2**


- FOOD COMPATIBILITY
- DOES NOT SHRINK



**SIZES: 8 TO 12**

**COMPOSITION:**

Silicone, para-aramid, acrylic, cotton



**PROFUSION-1**


- RESISTANT TO MINOR MOLTEN METAL SPRAY
- IMPROVED THERMAL PERFORMANCES



**SIZES: 6 TO 12**

**COMPOSITION:**

Cow split leather, aluminised fabric, para-aramid, mineral fibres, cotton, Porelle membrane



**B7VERD**


- VALIDATED BY FLUE MASONS
- HIGH TEMPERATURE RESISTANCE: UP TO 800°C



**SINGLE SIZE**

**COMPOSITION:**

Mineral fibres, silicone, cotton



**COCOON**

- EXTREMELY SOFT ON THE SKIN
- REFLECTIVE MARKING



**SIZES: 5 TO 11**

**COMPOSITION:**  
Recycled polyester

**MAXGRIP**

- EXCELLENT GRIP
- LEASH TO AVOID LOSING GLOVES LIKE SKIERS



**SIZES: 7 TO 11**

**COMPOSITION:**  
Acrylic, silicone

2016/425 MINOR RISKS

**ZPP25**

- GOOD THERMAL INSULATION
- AMBIDEXTROUS



**SIZES: 6 TO 11**

**COMPOSITION:**  
Polypropylene, elasthane

2016/425 MINOR RISKS


**COLDPRO**

- WITHSTANDS COLD DOWN TO -10°C
- EXCELLENT GRIP



**SIZES: 8 TO 11**

**COMPOSITION:**  
Latex, acrylic




**ONTARIO**

- COMFORT AND FLEXIBILITY THANKS TO THE FLEECE LINING
- WATER REPELLENT LEATHER



**SIZES: 6 TO 12**

**COMPOSITION:**  
Recycled polyester, cow leather



**WINTERPRO**

- EXCELLENT GRIP
- GOOD CUT RESISTANCE



**SIZES: 7 TO 11**

**COMPOSITION:**  
Nitrile, acrylic




**IVERNO**

- WATERPROOF AND BREATHABLE MEMBRANE
- WATER REPELLENT LEATHER



**SIZES: 7 TO 11**

**COMPOSITION:**  
Cow leather, polar fleece, polyester Ripstop



### CANADA

- GOOD GRIP
- FOOD HANDLING



### MIDSEASON

- 3X MORE LONG-LASTING: REINFORCEMENT OF THE 1ST WEAR ZONE
- PLEASANT IN CONTACT WITH THE SKIN



### SARMENT

- GOOD SHEAR GRIP
- WATER-REPELLENT REINFORCEMENT



### COLDPROOF

- INSULATING WIND-PROOF TECHNOLOGY ON THE WHOLE HAND
- PITTARD'S LEATHER PROVIDING A GOOD GRIP



**SIZES: 6 TO 11**

**COMPOSITION:**

Nitrile, acrylic




EUROPEAN FOOD CONTACT APPROVAL EXCEPT FRANCE

**SIZES: 7 TO 12**

**COMPOSITION:**


Nitrile, acrylic



**SIZES: 7 TO 11**

**COMPOSITION:**

Acrylic, nitrile, polyamide, para-aramid



**SIZES: 6 TO 11**

**COMPOSITION:**

Goat leather, polyester-PTFE softshell, fleece



### ALPIN

- INSULATING WIND-PROOF TECHNOLOGY ON THE WHOLE HAND
- THUMB/INDEX FINGER REINFORCEMENTS USE OF POLES



### BLUE-ICE

- INCREASED SERVICE LIFE THANKS TO THE PALM REINFORCEMENT
- RESISTANT TO CUTS



### CRIO

- PROTECTS FROM CRYOGENIC COLD (-196°C)
- EXTENDED FOREARM PROTECTION



### HEATED GLOVES

- 3 HEATING LEVELS
- WORN COMPONENT RECOVERY SOLUTION



**SIZES: 6 TO 11**

**COMPOSITION:**


Goat leather, polyester-PTFE softshell, recycled polyester wadding, fleece, D3O



**SIZES: 7 TO 11**

**COMPOSITION:**


Cow split leather, wool, cotton



**SIZES: 8 TO 11**

**COMPOSITION:**

Cow leather, wool, cotton, Porelle membrane



**SIZES: 6 TO 12**

**COMPOSITION:**

Polyester-PTFE softshell, recycled polyester, heating fabric

2016/425 MINOR RISKS


**PROTECTMAX**

- EXCELLENT GRIP
- WITHSTANDS SMALL PERFORATIONS THANKS TO THE THICK LATEX



**SIZES: 7 TO 10**

**COMPOSITION:**  
Latex, cotton




**SARMENT**

- GOOD SHEAR GRIP
- IDEAL IN WET ENVIRONMENTS AND COLD WEATHER (DOWN TO 0°C)



**SIZES: 7 TO 11**

**COMPOSITION:**  
Acrylic, nitrile, polyamide, para-aramid



**RONCIER**

- PROTECTION FROM LARGE THORNS THANKS TO THE THICK LEATHER
- OIL BARRIER AND KEEPS A GOOD GRIP



**SIZES: 7 TO 11**

**COMPOSITION:**  
Grain leather, polyester Ripstop, Skinsoft



**CLOTURE**

- VALIDATED BY FARMERS
- EXTENDED WRIST PROTECTION



**BLACKSTICK30+RI**

- MAXIMUM CUT RESISTANCE (32.1 N)
- GRIP IN OILY CONDITIONS



**INTERCROSS**

- ULTRA VERSATILE FOR ROPE ACCESS OPERATIONS
- INCREASED DEXTERITY FOR SHARPSHOOTING



**RIPDEXG**

- MAXIMUM CUT RESISTANCE (62 N)
- SUITABLE FOR THE INSTALLATION OF RAZOR WIRE



**SIZES: 8 TO 11**

**COMPOSITION:**

Grain leather, polyester Ripstop

EN388



4144X

**SIZES: 7 TO 11**

**COMPOSITION:**

Split cowhide leather, polyurethane, high tenacity polyethylene, mineral fibres

EN388



4X44F

**SIZES: 6 TO 11**

**COMPOSITION:**

High-tenacity polyethylene, mineral fibre, polyurethane, D3O, cow split leather, thermoplastic

EN388



4X44FP

**SIZES: 7 TO 11**

**COMPOSITION:**

Split cowhide leather, stainless steel, high tenacity polyethylene, polyamide

EN388




4X44F

EN407



X1XXXX



**FOREST**

- VALIDATED BY LUMBERJACKS
- VIBRATION ABSORPTION BY THE D30® FOAM



**SIZES: 8 TO 11**

**COMPOSITION:**

Cow split leather, goat leather, polyester Ripstop, D30®



**SOULDIER**

- WATER REPELLENT BACK
- EXCELLENT GRIP



**SIZES: 6 TO 10**

**COMPOSITION:**

Polyester microfibre, silicone, polyamide



**OPTIPRO**

- NON-SLIP FINGERTIPS
- CLOSURE ADJUSTABLE AT THE WRIST



**SIZES: 8 TO 11**

**COMPOSITION:**

Polyester, polyester microfibre

2016/425 - MINOR RISKS

**VIBRAPROTECT**


- STANDARD VIBRATION ABSORPTION
- OPTIMISED ERGONOMICS FOR INTENSIVE WORK



**SIZES: 8 TO 11**

**COMPOSITION:**

Rubber, polyester, cotton



**BACKPROTECT**

- PROTECTS FROM SHOCK RISKS
- GOOD GRIP



**SIZES: 8 TO 10**

**COMPOSITION:**

Natural rubber, polyamide, cotton



**PROTECT4SHOCK**

- CAN BE USED AS A CLIPPING HAND TOOL (D30\*)
- OPTIMISED DEXTERITY



**SIZES: 7 TO 11**

**COMPOSITION:**

Metis leather, polyester, D30\*

2016/425 MINOR RISKS

**DURANIT-IMPACT**


- STANDARD PROTECTION FROM SHOCKS
- HIGHLY RESISTANT TO CUTS



**SIZES: 6 TO 12**

**COMPOSITION:**

Nitrile, polyester, high tenacity polyethylene, mineral fibres, elasthane, thermoplastic



**RESCUEFLUO**

- MAXIMUM CUT RESISTANCE (32.1 N)
- STANDARD PROTECTION FROM IMPACTS



**SIZES: 6 TO 11**

**COMPOSITION:**

Thermoplastic & cow split leather, high-tenacity polyethylene, mineral fibre, polyurethane, D30\*



**RESCUEPRO**

- MAXIMUM RESISTANCE TO MECHANICAL RISKS
- STANDARD PROTECTION FROM IMPACTS



**SIZES: 8 TO 11**

**COMPOSITION:**

High-tenacity polyethylene, mineral fibre, polyurethane, cow split leather, D30\*, thermoplastic



**MAXIMPACT**


- STANDARD SHOCK PROTECTION
- HIGHLY RESISTANT TO CUTS



**SIZES: 7 TO 11**

**COMPOSITION:**

Nitrile, polyester, high tenacity polyethylene, mineral fibres, elasthane, thermoplastic



**PATROLSHOCK**

- INCREASED DEXTERITY FOR WEAPONS HANDLING
- RESISTANT TO PALM CUTS



**SIZES: 6 TO 12**

**COMPOSITION:** Goat leather, amara, silicone amara, D3O, thermoplastic, para-aramid, mineral fibres



**INTERCROSS**

- ULTRA VERSATILE FOR ROPE ACCESS OPERATIONS
- INCREASED DEXTERITY FOR SHARPSHOOTING



**SIZES: 6 TO 11**

**COMPOSITION:** High-tenacity polyethylene, mineral fibre, polyurethane, D3O, cow split leather, thermoplastic



**GUARDIAN**

- INCREASED DEXTERITY FOR WEAPONS HANDLING
- EASY TO DON AND OPTIMUM FIT



**SIZES: 6 TO 12**

**COMPOSITION:** Polyester, polyamide, polyurethane, D3O, thermoplastic




**RESCUESENS**

- MAXIMUM CUT RESISTANCE (43.9 N)
- INCREASED DEXTERITY AND SENSITIVITY



**SIZES: 6 TO 11**

**COMPOSITION:** Thermoplastic, cow split leather, polyurethane, reinforced polyamide, mineral fibres stainless steel, D3O®



**OPSB+**

- MAXIMUM CUT RESISTANCE (32.1 N)
- TRIGGER FINGER DEXTERITY



**SIZES: 6 TO 11**

**COMPOSITION:** High tenacity polyethylene, polyurethane, D3O®, silicone amara, thermoplastic




**SPEEDER1KP**

- TO MOTORCYCLING STANDARDS
- EXCELLENT HANDLEBAR GRIP



**SIZES: 6 TO 12**

**COMPOSITION:** Goat leather, silicone amara, polyester, D3O®




**MO456**

- OPTIMUM GRIP PROVIDED BY THE ADDED SILICONE
- FIRE TREATMENT



**SIZES: 7 TO 11**

**COMPOSITION:** Goat leather, aramid, nubuk, D30®




**URBANSHOCK**

- LEATHER TEXTILE MIX FOR MAXIMUM DEXTERITY
- STANDARD PROTECTION FROM IMPACTS USING D30®



**SIZES: 6 TO 12**

**COMPOSITION:** Goat leather, Nomex, high tenacity polyethylene, cotton, stainless steel, Twaron, silicone amara, D30®



**VERDON**

- OPTIMISED DEXTERITY AND OPTIMISED SENSITIVITY
- EXCELLENT PROTECTION FROM IMPACTS



**SIZES: 8 TO 11**

**COMPOSITION:** Goat leather, polyamide, nubuk, neoprene, polyester

2016/425 MINOR RISKS





# OUR PRODUCT LINE ADD-ONS

## ICOMBJET

- OVERALLS TO PROTECT FROM SOILING
- ZIP FASTENER: EASIER TO PUT ON
- ELASTICATED EDGE HOOD



**SIZES: M TO XL**

## ICOMCS5022/5023

- PROTECTIVE OVERALLS FOR PHYTOSANITARY, INFECTIOUS AND RADIOACTIVE ENVIRONMENTS
- BREATHABLE AND ANTISTATIC MATERIAL
- ELASTICATED SLEEVES, LEGS AND WAIST



**SIZES: L TO XL**



EN 1073-2: 2002 EN 14216-2:2003  
EN149:2001+A1:2009

## 4255+:

- FILTER BUILT INTO THE MASK AGAINST ORGANIC VAPOURS AND PARTICLES (PAINT, HANDLING OF ORGANIC CHEMICALS, PHYTOSANITARY PRODUCTS)
- CLEAR FIELD OF VISION



**SINGLE SIZE**

2016/425 PROTECTION CLASS FFA2P3D

## MASKCHIRN

- CLASS I MEDICAL DEVICE
- NOSE BAR
- SOFT AND COMFORTABLE



**SINGLE SIZE**

EN14683:2019

## MASKCHIRO

- CLASS I MEDICAL DEVICE
- NOSE BAR
- SOFT AND COMFORTABLE



**SINGLE SIZE**

EN14683:2019

## MASQUEFFP2

- FFP2 **POLLUTION**, ALLERGEN AND VIRUS PROTECTION
- FINE PARTICLE FILTRATION > 94%
- SOFT AND COMFORTABLE



**SINGLE SIZE**

EN149:2001-A1:2009

## MASQUEFFP3

- FFP3 **POLLUTION**, ALLERGEN AND VIRUS PROTECTION
- FINE PARTICLE FILTRATION > 99%
- SOFT AND COMFORTABLE



**SINGLE SIZE**

EN149:2001-A1:2009



# OUR PRODUCT LINE ADD-ONS

## RUSHPPSIO

- NON-SLIP BRIDGE
- CO-INJECTED BRANCHES, ULTRA FLEXIBLE
- SCRATCH PROOF / NO FOGGING

**bolle**  
SAFETY



### SINGLE SIZE

EN166 FTKN

## RUSHPPSFO

- SOLAR AND UV PROTECTION
- NON-SLIP BRIDGE
- SCRATCH PROOF / NO FOGGING

**bolle**  
SAFETY



### SINGLE SIZE

EN166 FTKN

## LUNMAS

- FOGGING-PROOF GOGGLE MASK
- COMPATIBLE WITH PRESCRIPTION GLASSES
- ADJUSTABLE ELASTIC HEADBAND

**bolle**  
SAFETY



### SINGLE SIZE

EN166 FTKN

## ATOAPSI

- PROTECTION AGAINST ORGANIC VAPOURS
- COMPACT AND LIGHTWEIGHT
- COMPATIBLE WITH PRESCRIPTION GLASSES

**bolle**  
SAFETY



### SINGLE SIZE

EN166 FTKN

## EAR DEFENDERS

- ADJUSTABLE HEAD BAND
- COMFORTABLE
- SNR = 25 DB




### SINGLE SIZE

EN352-1

## HEADBAND

- REUSABLE AND RECYCLABLE
- SUITABLE FOR PEOPLE WHO ARE ALLERGIC TO LATEX
- SNR = 23 DB



### SINGLE SIZE

EN352-2



## AN ADAPTED PRODUCT LINE

Our product lines are designed by listening to our customers and the feedback from specialist users.

### How does it work?

#### 1. ATTENTIVENESS

From factory production operators to policemen, to beginner gardeners, everyone's requirements and needs are collected and analysed.

#### 2. DESIGN

The needs expressed by the users make it possible to target the most relevant technology to protect them and make it possible for them to have the best use.

#### 3. FIELD TEST

A true test bench, this validation step is essential to validate the design of our most technical products. No glove gets past the design phase without having been tested by a representative panel of users.

#### 4. ADVICE AND RECOMMENDATION

Our catalogue and materials make it possible to find the glove for your application. Our gloves are scored using a diagram that features the 4 main characteristics being sought.



Product scores are given for the **recommended use in the various universes**

#### For example:

A very durable glove to lay tiling is not durable when pruning thorn bushes or handling metal plates. It is therefore very important not to compare the diagrams for a same glove in different environments or applications.

#### 5. FEEDBACK

Information is collected on various media: production sites, training centres, web sites, etc. Everything is closely looked at to make your feedback an enriched and shared experience.

Do you want to testify or take part in our continuous improvement?  
You were not able to find the ideal glove?

Write to us: [product@rostaing.fr](mailto:product@rostaing.fr)

# AN OFFER FOR EVERYONE!

We adapt our size ranges to our customer needs, uses and the identified population:

- From 3 years old to the biggest sizes
- 70% of our offer covers extreme sizes from 6 to 12
- A customisable line for the disabled

No one is immune to mistakes caused by loss of concentration, a defective machine or other factors beyond our control... Everyday we see hands that have suffered from everyday accidents. Rostaing creates bespoke products to allow the pursuit of a professional activity or a passion.


Contact: [commercial@rostaing.fr](mailto:commercial@rostaing.fr)



# MERCHANDISING AS A SALES AID

A good layout with an attractive shelf that catches the eye will make it easier for consumers to make their choice and for sales staff to do their job in-store (see pages 178-179). On-shelf support is also provided by our riders, adapted to each of our staple ranges (see pages 172 to 175).

## What information do you need?



### FACING :

- Main use
- Product benefits
- Product range
- Product reference and size

### EN MAIN :

- Bar code
- Standards
- QR code to product page
- Regulatory information

# THE BEST PROTECTION FOR EVERYONE!

## Today, Rostaing is:

over 10,000 distributors and points of sale in France and abroad...  
We are also on the web.

Flash the QR code to see partner **distributors and points of sale**





## CHILDREN'S LINE

### ZAMIS line: for younger children aged 3 to 8!

This colourful line is guaranteed to catch the eye of parents and children alike: a guaranteed must have! See all the models on pages **113** to **115**.

#### WE LIKE:

- The visible colourful line
- The animal designs and the games on the backs of the packs
- The gloves are attached and can't be lost thanks to their leash, parents can relax!

### SUPERHEROSTAING line: for older children aged 6 to 11!

New! 6 glove models, each with its own superpower: visibility in the dark, colour change in sunlight, magnetic and more. The superhero-inspired design will appeal to young and old alike!

See all the models on pages **110** to **112**.

#### WE LIKE:

- Innovating technical gloves with superpowers
- Their pop design and the games on the back of the packs
- A fun way to learn to protect your hands



## GARDEN LINE

Garden is the most trendy line in the garden! Created by the Chlorosphere trend firm, its flowery natural kraft packaging and its trendy coloured gloves in natural materials will delight users who are sensitive to design and the environment.

See all the models on pages **118** to **127**.

Other product highlighting solutions are possible on page **179**.

#### WE LIKE:

- Natural trendy line
- Eco-responsible models
- The associated personality test



# We've all dreamed one day of having ***SUPERPOWERS!***

Superpowers mean that a person is extra-agile and has significantly increased potential to 'do' things. Each superhero "pair" has at least one power!

This concept targets primary school children: **kids are curious to learn and understand.** It's the best age to learn. The autonomy process is starting.

And what better way to showcase your products than with a **visible, attractive** display?

The **SUPERHEROSTAING** 12-pin cardboard display stand will be ideal!





## TOUCH LINE

TOUCH line gloves were the most acclaimed in 2016! With their colourful look, their second skin comfort and their touch function, they offer adapted protection for all age ranges, uses and seasons. The challenge for this line: to win over non-wearers

See all the models on pages **128** to **133**.

Other product highlighting solutions are possible on page **179**.

### WE LIKE:

- A mixed line for the garden and/or DIY
- Leashes like skiers to avoid losing them
- References from pre-teen to size 12



## 4 IN 1 LINE

The concept is simple, one glove = 4 uses. If your customer is undecided, reassure them by proposing a multi-purpose "4 in 1" model.

New: 2 touch products in 2023.

See all the models on pages **134** to **139**.

Other product highlighting solutions are possible on page **179**.

### WE LIKE:

- A practical, simple and essential offer
- Different types of protection
- Their fun and playful packaging

# ROSTAINING

UNLEASH YOUR POTENTIAL



## BATIPRO LINE

Initiated by the “CAPEB” and validated by construction sector professionals, this offer proposes gloves for all uses, from the most generic to the most specific.

See all the models on pages **88** to **94**.

Other product highlighting solutions are possible on page **179**.

### WE LIKE:

- The “Expert” gloves for specific professional uses
- The models that protect from the cold
- Their excellent value for money

*\*French confederation of construction tradesmen and small companies*

# ROSTAINING

UNLEASH YOUR POTENTIAL



## PRONATUR LINE

Created and validated by landscaping and farming professionals, this offer perfectly meets both professional and demanding non-professional needs for garden and green space maintenance.

See all the models on pages **16** to **27**.

Other product highlighting solutions are possible on page **179**.

### WE LIKE:

- The best selling RONCIER glove for large thorns
- The CLOTURE glove for barbed wire
- A durable leather offer that is functional with its RIPSTOP technology (see page 18)

# BLACK- BLACKTACTIL LINE

The **BLACKTACTIL** glove was created in 2012. This sober cut-resistant glove was the first to achieve Level F in the TDM ISO 13997 test. Building on its success, the product has been rolled out in a range of models for a variety of applications and environments: industry, private security, maintenance, fire-fighters, landscapers, metal detection, prisons, etc. Thanks to our expertise and our detailed job audits, we have been able to develop versions with additional reinforcements for different requirements. These different reinforcements (nitrile, cow split leather, D3O®, etc.), that have been tested on exposed areas, provide a **tailored** solution for our wearer customers. These gloves are particularly popular for their comfort and second-skin effect.



**25 REFERENCES ON SUPPORT  
BLACKTACTIL**

# DURANIT LINE



STANDARD  
100  
15.HCN.68777  
Hohenstein HTTI



ONE

LEVEL A



PLUS

LEVEL D



ULTRA

LEVEL F

Born in 2021, our **DURA** line is the other strong coated line in our offer. These gloves **last 3x longer than the abrasion standard (20,000 cycles compared to 8,000)**.

With more durable products, Rostaing continues its commitment to reducing waste generated by PPE consumption in the workplace.

## 2 NEW PRODUCTS IN 2024:



IMPACT



DRY

ON A DURANIT-PLUS BASIS  
(LEVEL D)

- Three times more long lasting thanks to an innovating and stronger coating: 1<sup>st</sup> wear zone reinforced, orange sticker, wear indicator.
- Three times more grip: less fatigue for the gripping effort.
- Freedom of movement: innovating supple and comfortable coating
- Touch function: all the fingers are conductors.
- Suitable gloves: for use in dry, oily, and wet environments.
- Withstands contact heat up to 100°C.

### DURANIT-IMPACT

For solid protection against impacts and shocks on the back of the hand.

### DURANIT-DRY

For solid protection against water and oil.

## • EXAMPLES OF TYPICAL INSTALLATIONS

### FREE OF CHARGE: END OF AISLE DRESSING KIT

Reference:  
KITGONDOLE  
The kit includes:

- A** 1 Front
- +
- B** 1 shelf stop
- +
- C** 20 segment labels
- +
- D** 1 kakemono with its magnetic post

**Boost your sales!**  
Delivered on cross




### MULTI-IT

Reference: MULTI-IT.

Sizes: 7 and 9

Composition:

Polyester support  
natural latex  
palm coating.



**A**  
1 METRE  
FRONT

**C**  
SEGMENT  
LABELS

**B**  
SHELF STOP  
1 Touch shelf stop  
+ 1 Garden quiz shelf stop

**D**  
KAKEMONO  
with its magnetic  
post



Our 5 lines over 2 metres

\*Simulation using our Rostaing planogramme tool. Ask your local sales representative for the tool.

### Aisle dressing proposed by Rostaing is:

more simplicity and efficiency, everything is packaged in kit form.

more advice and sales by giving your customers the answer to their questions: hand size, use, protection standards.

more footfall in the aisle using attractive visuals: two shelf stops of a design close to the packaging of the corresponding product line will provide additional information and fun activities.

### Your Rostaing expert is:

- Your product expert who will provide training, advice and recommendations tailored to your customer base.
- Your sales expert: Business booster, they will propose themed offers throughout the year and transverse sales.
- Your service expert: they will know how to optimise space and will lay out your selection perfectly.

Contact us for your store layout and boost your sales: [commercial@rostaing.fr](mailto:commercial@rostaing.fr)

• **THE DURABLES:** NAIL AND SCREW FREE WOOD



**Practical!**  
Our displays are all mounted on rollers



**Built-in storage trays**



Non-contractual PLV pictures



**24 RACK DISPLAY UNIT**

Ref : PLVBOIS24

Free of charge for all orders of at least 240 units.

**16 RACK DISPLAY UNIT**

Ref : PLVBOIS16

Free of charge for all orders of at least 160 units.

• **THE OCCASIONALS:** CARDBOARD

Non-contractual PLV pictures

Non-contractual PLV pictures



**Boost your sales!**  
Guaranteed +20% cash register exits



**ADULT TOTEM  
16 RACK DISPLAY**

Ref: PLVCARTON16  
Free of charge for all orders of at least 80 units.



**CHILDREN'S  
12 RACK DISPLAY**

Ref: PLVSUPERHERO  
Free of charge for all orders of at least 60 units.



**OFFER TRAY  
BULK SINGLE PRICE**

Ref: BACPROMO  
Free of charge for all orders of at least 100 units.



**UNIVERSAL COUNTER  
BOX 3 RACKS**

Ref: BOXCOMPTOIR  
Free of charge for all orders of at least 60 units.

4255+	4255+	ANABEL	ANABEL-IT3-4	ANABEL-IT5-6	ARCEAU
					
ARCEAU-ITU	ATOAPSI	ATOAPSI	AXEL	AXEL-IT3-4	AXEL-IT5-6
					
BASIC	BASIC-IT06	BASIC-IT07	BASIC-IT08	BASIC-IT09	BASIC-IT10
					
BOHO	BOHO-IT06	BOHO-IT07	BOHO-IT08	CANADA	CANADA-IT06
					
CANADA-IT07	CANADA-IT08	CANADA	CANADA-IT09	CANADA-IT10	CANADA-IT11
					
CARPRO	CARPRO/IT08	CARPRO/IT09	CARPRO/IT10	CARPRO/IT11	CASQUE
					
CASQUE	CHALEUR	CHALEUR-IT08	CHALEUR-IT10	CLOTURE	CLOTURE-IT08
					
CLOTURE-IT09	CLOTURE-IT10	CLOTURE-IT11	COCOON	COCOON-IT05	COCOON-IT06
					
COCOON-IT07	COCOON-IT08	COCOON-IT09	COCOON-IT10	COCOON-IT11	COLDPRO
					
COLDPRO/IT08	COLDPRO/IT09	COLDPRO/IT10	COLDPRO/IT11	CONTACT	CONTACT/IT07
					
CONTACT/IT08	CONTACT/IT09	CONTACT/IT10	CORDIST	CORDIST-IT07	CORDIST-IT08
					
CORDIST-IT09	CORDIST-IT10	CORDIST-IT11	CORDIST-IT12	DENIM	DENIM-IT07
					

<b>DENIM-IT08</b>  3 353090 089439	<b>DENIM-IT09</b>  3 353090 089446	<b>DENIM-IT10</b>  3 353090 089453	<b>DENIM-IT11</b>  3 353090 089460	<b>DRYFEEL</b> 	<b>DRYFEEL-IT07</b>  3 353090 079348
<b>DRYFEEL-IT08</b>  3 353090 079355	<b>DRYFEEL-IT09</b>  3 353090 079362	<b>DRYFEEL-IT10</b>  3 353090 079379		<b>DURANIT-ONE</b>  3 353090 111468	<b>DURANIT-ONE-IT06</b>  3 353090 111475
<b>DURANIT-ONE-IT08</b>  3 353090 111482	<b>DURANIT-ONE-IT09</b>  3 353090 111499	<b>DURANIT-ONE-IT10</b>  3 353090 111505	<b>DURANIT-ONE-IT11</b>  3 353090 111512	<b>DURANIT-ONE-IT12</b>  3 353090 111529	
<b>DURANIT-PLUS-IT06</b>  3 353090 111536	<b>DURANIT-PLUS-IT07</b>  3 353090 111543	<b>DURANIT-PLUS-IT08</b>  3 353090 111550	<b>DURANIT-PLUS-IT09</b>  3 353090 111567	<b>DURANIT-PLUS-IT10</b>  3 353090 111574	<b>DURANIT-PLUS-IT11</b>  3 353090 111581
<b>DURANIT-PLUS-IT12</b>  3 353090 111598		<b>DURANIT-ULTRA-IT06</b>  3 353090 111604	<b>DURANIT-ULTRA-IT07</b>  3 353090 111611	<b>DURANIT-ULTRA-IT08</b>  3 353090 111628	<b>DURANIT-ULTRA-IT09</b>  3 353090 111635
<b>DURANIT-ULTRA-IT10</b>  3 353090 111642	<b>DURANIT-ULTRA-IT11</b>  3 353090 111659	<b>DURANIT-ULTRA-IT12</b>  3 353090 111666		<b>EM25A/IT06</b>  3 353090 103746	<b>EM25A/IT7</b>  3 353090 061121
<b>EM25A/IT8</b>  3 353090 320082	<b>EM25A/IT09</b>  3 353090 320099	<b>EM25A/IT10</b>  3 353090 320105	<b>EM25A/IT11</b>  3 353090 077665		<b>ENTRETIEN-IT07</b>  3 353090 079515
<b>ENTRETIEN-IT08</b>  3 353090 079522		<b>EUGENE-IT4-6</b>  3 353090 107010	<b>EUGENE-IT6-8</b>  3 353090 107027		<b>FITXTRA-IT08</b>  3 353090 099858
<b>FITXTRA-IT09</b>  3 353090 099865	<b>FITXTRA-IT10</b>  3 353090 099872	<b>FITXTRA-IT11</b>  3 353090 099889		<b>FLOWER-IT06</b>  3 353090 089750	<b>FLOWER-IT07</b>  3 353090 089767
<b>FLOWER-IT08</b>  3 353090 089774		<b>FOREST-IT08</b>  3 353090 079843	<b>FOREST-IT09</b>  3 353090 073209	<b>FOREST-IT10</b>  3 353090 073216	<b>FOREST-IT11</b>  3 353090 073735
<b>FRENCHIE</b> 	<b>FRENCHIE-IT06</b>  3 353090 089873	<b>FRENCHIE-IT07</b>  3 353090 089880	<b>FRENCHIE-IT08</b>  3 353090 089903	<b>FRENCHIE-IT09</b>  3 353090 089910	<b>FRENCHIE-IT10</b>  3 353090 089927
	<b>FUSHIA/IT06</b>  3 353090 065259	<b>FUSHIA/IT07</b>  3 353090 065266	<b>FUSHIA/IT08</b>  3 353090 065273		<b>GASPRO/IT09</b>  3 353090 061138

<b>GASPRO/IT10</b>  3 353090 061145	<b>GASTON</b> 	<b>GASTON-IT4-6</b>  3 353090 078457	<b>GASTON-IT6-8</b>  3 353090 078464	<b>GRIPRO</b> 	<b>GRIPRO/IT08</b>  3 353090 057827
<b>GRIPRO/IT09</b>  3 353090 087657	<b>GRIPRO/IT10</b>  3 353090 087664	<b>GRIPRO/IT11</b>  3 353090 057858	<b>GRIPRO10</b> 	<b>GRIPRO10T09</b>  3 353090 087657	<b>GRIPRO10T10</b>  3 353090 087664
<b>ICOMBJET1</b> 	<b>ICOMBJET1</b>  3 466671 001017	<b>ICOMBJET3</b> 	<b>ICOMBJET3</b>  3 466671 001031	<b>ICOMCS</b> 	<b>ICOMCS5022</b>  4 029201 125622
<b>ICOMCS5023</b>  4 029201 125639	<b>IVERNO</b> 	<b>IVERNO-IT07</b>  3 353090 073681	<b>IVERNO-IT08</b>  3 353090 073223	<b>IVERNO-IT09</b>  3 353090 073230	<b>IVERNO-IT10</b>  3 353090 073247
<b>IVERNO-IT11</b>  3 353090 073254	<b>JEAN</b> 	<b>JEAN-IT07</b>  3 353090 111741	<b>JEAN-IT08</b>  3 353090 111758	<b>JEAN-IT09</b>  3 353090 111765	<b>JEAN-IT10</b>  3 353090 111772
<b>LIQUIDO</b> 	<b>LIQUIDO-IT07</b>  3 353090 100363	<b>LIQUIDO-IT08</b>  3 353090 100370	<b>LIQUIDO-IT09</b>  3 353090 100387	<b>LIQUIDO-IT10</b>  3 353090 100394	<b>LIQUIDO-IT11</b>  3 353090 117743
<b>LISON</b> 	<b>LISON-IT4-6</b>  3 353090 111789	<b>LISON-IT6-8</b>  3 353090 111796	<b>LUNMAS</b> 	<b>LUNMAS</b>  3 466670 700102	<b>MACPRO</b> 
<b>MACPRO/IT08</b>  3 353090 015643	<b>MACPRO/IT09</b>  3 353090 015650	<b>MACPRO/IT10</b>  3 353090 015667	<b>MACPRO/IT11</b>  3 353090 015674	<b>MARGOT</b> 	<b>MARGOT-IT4-6</b>  3 353090 078471
<b>MARGOT-IT6-8</b>  3 353090 078488	<b>MASKCHIRN</b> 	<b>MASKCHIRN</b>  3 770019 642313	<b>MASKCHIRO</b> 	<b>MASKCHIRO</b>  3 770019 642306	<b>MASQUEFFP2</b> 
<b>MASQUEFFP2</b>  3 770019 642375	<b>MASQUEFFP3</b> 	<b>MASQUEFFP3</b>  3 770019 642382	<b>MAXFEEL.F</b> 	<b>MAXFEEL-IT07</b>  3 353090 073186	<b>MAXFEEL.H</b> 
<b>MAXFEEL-IT09</b>  3 353090 073193	<b>MAXGRIP</b> 	<b>MAXGRIP-IT07</b>  3 353090 099834	<b>MAXGRIP-IT08</b>  3 353090 115572	<b>MAXGRIP-IT09</b>  3 353090 099841	<b>MAXGRIP-IT10</b>  3 353090 115589
<b>MAXGRIP-IT11</b>  3 353090 115596	<b>MAXIMA.F</b> 	<b>MAXIMA.F-IT07</b>  3 353090 083727	<b>MAXIMA.F-IT08</b>  3 353090 083734	<b>MAXIMA.H</b> 	<b>MAXIMA.H-IT08</b>  3 353090 083963

<b>MAXIMA.H-IT09</b>  3 353090 083741	<b>MAXIMA.H-IT10</b>  3 353090 083758	<b>MAXIMPACT</b> 	<b>MAXIMPACT-IT07</b>  3 353090 115602	<b>MAXIMPACT-IT08</b>  3 353090 115619	<b>MAXIMPACT-IT09</b>  3 353090 115626
<b>MAXIMPACT-IT10</b>  3 353090 115633	<b>MAXIMPACT-IT11</b>  3 353090 115640	<b>MAXIPRO</b> 	<b>MAXIPRO/IT08</b>  3 353090 058541	<b>MAXIPRO/IT09</b>  3 353090 058558	<b>MAXIPRO/IT10</b>  3 353090 058565
<b>MAXIPRO/IT11</b>  3 353090 058572	<b>MAXSAFE</b> 	<b>MAXSAFE-IT07</b>  3 353090 115657	<b>MAXSAFE-IT09</b>  3 353090 115664	<b>MAXSTRONG.F</b> 	<b>MAXSTRONG.F-IT06</b>  3 353090 083765
<b>MAXSTRONG.F-IT07</b>  3 353090 083772	<b>MAXSTRONG.F-IT08</b>  3 353090 083789	<b>MAXSTRONG.H</b> 	<b>MAXSTRONG.H-IT08</b>  3 353090 083796	<b>MAXSTRONG.H-IT09</b>  3 353090 083802	<b>MAXSTRONG.H-IT10</b>  3 353090 083819
<b>MAXTEEN.F</b> 	<b>MAXTEEN.F-ITU</b>  3 353090 083826	<b>MAXTEEN.G</b> 	<b>MAXTEEN.G-ITU</b>  3 353090 083833	<b>MAXTOP</b> 	<b>MAXTOP-IT07</b>  3 353090 099995
<b>MAXTOP-IT08</b>  3 353090 100004	<b>MAXTOP-IT09</b>  3 353090 100011	<b>MAXTOP-IT10</b>  3 353090 100028	<b>MAXTOP-IT11</b>  3 353090 103005	<b>MAXTOP-IT12</b>  3 353090 103012	<b>MECANOB</b> 
<b>MECANO B-IT08</b>  3 353090 102152	<b>MECANO B-IT10</b>  3 353090 102169	<b>MECANO</b> 	<b>MECANO-IT07</b>  3 353090 100790	<b>MECANO-IT09</b>  3 353090 100806	<b>MIDSEASON</b> 
<b>MIDSEASON-IT07</b>  3 353090 106952	<b>MIDSEASON-IT08</b>  3 353090 106969	<b>MIDSEASON-IT09</b>  3 353090 106976	<b>MIDSEASON-IT10</b>  3 353090 106983	<b>MIDSEASON-IT11</b>  3 353090 106990	<b>MIDSEASON-IT12</b>  3 353090 107003
<b>MISS</b> 	<b>MISS-IT06</b>  3 353090 089552	<b>MISS-IT07</b>  3 353090 089569	<b>MISS-IT08</b>  3 353090 089576	<b>MISTER</b> 	<b>MISTER-IT08</b>  3 353090 089590
<b>MISTER-IT09</b>  3 353090 089606	<b>MISTER-IT10</b>  3 353090 089613	<b>MONTBLANC</b> 	<b>MONTBLANC-IT06</b>  3 353090 116128	<b>MONTBLANC-IT07</b>  3 353090 115671	<b>MONTBLANC-IT08</b>  3 353090 115688
<b>MONTBLANC-IT09</b>  3 353090 115695	<b>MONTBLANC-IT10</b>  3 353090 115701	<b>MONTBLANC-IT11</b>  3 353090 115718	<b>MULTI</b> 	<b>MULTI-IT07</b>  3 353090 086742	<b>MULTI-IT09</b>  3 353090 086759
<b>NERINE</b> 	<b>NERINE/IT06</b>  3 353090 015414	<b>NERINE/IT07</b>  3 353090 015421	<b>NERINE/IT08</b>  3 353090 015438	<b>NUDE</b> 	<b>NUDE-IT06</b>  3 353090 089675

<b>NUDE-IT07</b>  3 353090 089682	<b>NUDE-IT08</b>  3 353090 089699	<b>ONE4ALL</b> 	<b>ONE4ALL-IT07</b>  3 353090 089507	<b>ONE4ALL-IT08</b>  3 353090 089514	<b>ONE4ALL-IT09</b>  3 353090 089521
<b>ONE4ALL-IT10</b>  3 353090 089538	<b>ONE4ALL-IT11</b>  3 353090 089545	<b>OPTIPRO</b> 	<b>OPTIPRO/IT08</b>  3 353090 071236	<b>OPTIPRO/IT09</b>  3 353090 071243	<b>OPTIPRO/IT10</b>  3 353090 071250
<b>OPTIPRO/IT11</b>  3 353090 116319	<b>PLANT</b> 	<b>PLANT-IT07</b>  3 353090 111376	<b>PLANT-IT08</b>  3 353090 111383	<b>PLANT-IT09</b>  3 353090 111390	<b>PRIMACUFF</b> 
<b>PRIMACUFF35PO/I</b>  3 353090 069530	<b>PROSPER</b> 	<b>PROSPER-IT3-6</b>  3 353090 078518	<b>PROTECT</b> 	<b>PROTECT-IT06</b>  3 353090 089828	<b>PROTECT-IT07</b>  3 353090 089835
<b>PROTECT-IT08</b>  3 353090 089842	<b>PROTECT-IT09</b>  3 353090 089859	<b>PROTECT-IT10</b>  3 353090 089866	<b>PROTECTMAX</b> 	<b>PROTECTMAX-IT07</b>  3 353090 089781	<b>PROTECTMAX-IT08</b>  3 353090 089798
<b>PROTECTMAX-IT09</b>  3 353090 089804	<b>PROTECTMAX-IT10</b>  3 353090 089811	<b>RESCUEPRO</b> 	<b>RESCUEPRO-IT08</b>  3 353090 111802	<b>RESCUEPRO-IT09</b>  3 353090 111819	<b>RESCUEPRO-IT10</b>  3 353090 111826
<b>RESCUEPRO-IT11</b>  3 353090 111833	<b>RONCIER</b> 	<b>RONCIER-IT07</b>  3 353090 077139	<b>RONCIER-IT08</b>  3 353090 073346	<b>RONCIER-IT09</b>  3 353090 073353	<b>RONCIER-IT10</b>  3 353090 073360
<b>RONCIER-IT11</b>  3 353090 073377	<b>ROOTS</b> 	<b>ROOTS-IT07</b>  3 353090 089620	<b>ROOTS-IT08</b>  3 353090 089637	<b>ROOTS-IT09</b>  3 353090 089644	<b>ROOTS-IT10</b>  3 353090 089651
<b>ROOTS-IT11</b>  3 353090 089668	<b>ROSERAIE</b> 	<b>ROSERAIE-IT07</b>  3 353090 099957	<b>ROSERAIE-IT08</b>  3 353090 099964	<b>ROSERAIE-IT09</b>  3 353090 099971	<b>ROSERAIE-IT10</b>  3 353090 099988
<b>RUSHPPSFO</b> 	<b>RUSHPPSFO</b>  3 660740 007461	<b>RUSHPPSIO</b> 	<b>RUSHPPSIO</b>  3 660740 007164	<b>SARMENT</b> 	<b>SARMENT-IT07</b>  3 353090 112823
<b>SARMENT-IT08</b>  3 353090 111840	<b>SARMENT-IT09</b>  3 353090 111857	<b>SARMENT-IT10</b>  3 353090 111864	<b>SARMENT-IT11</b>  3 353090 111871	<b>SEQUOIA</b> 	<b>SEQUOIA-IT07</b>  3 353090 073292
<b>SEQUOIA-IT08</b>  3 353090 073308	<b>SEQUOIA-IT09</b>  3 353090 073315	<b>SEQUOIA-IT10</b>  3 353090 073322	<b>SEQUOIA-IT11</b>  3 353090 073339	<b>SEQUOIA-IT12</b>  3 353090 108284	<b>SKINPRO</b> 

<b>SKINPRO/IT07</b>  3 353090 058114	<b>SKINPRO/IT08</b>  3 353090 058121	<b>SKINPRO/IT09</b>  3 353090 058138	<b>SKINPRO/IT10</b>  3 353090 058145	<b>SKINPRO/IT11</b>  3 353090 058152	<b>SNITRILE</b> 
<b>SNITRILE/IT07</b>  3 353090 620076	<b>SNITRILE/IT08</b>  3 353090 620083	<b>SNITRILE/IT09</b>  3 353090 620090	<b>SNITRILE/IT10</b>  3 353090 620106	<b>SNITRILE/IT11</b>  3 353090 115398	<b>SOFTPRO</b> 
<b>SOFTPRO/IT08</b>  3 353090 059173	<b>SOFTPRO/IT09</b>  3 353090 059180	<b>SOFTPRO/IT10</b>  3 353090 059197	<b>SOFTPRO/IT11</b>  3 353090 060292	<b>SOLIDO</b> 	<b>SOLIDO-IT08</b>  3 353090 100400
<b>SOLIDO-IT09</b>  3 353090 100417	<b>SOLIDO-IT10</b>  3 353090 100424	<b>SOLIDO-IT11</b>  3 353090 100431	<b>SOULDIER.F</b> 	<b>SOULDIER.F-IT06</b>  3 353090 099773	<b>SOULDIER.F-IT07</b>  3 353090 099780
<b>SOULDIER.F-IT08</b>  3 353090 099797	<b>SOULDIER.H</b> 	<b>SOULDIER.H-IT08</b>  3 353090 099803	<b>SOULDIER.H-IT09</b>  3 353090 099810	<b>SOULDIER.H-IT10</b>  3 353090 099827	<b>SPLITWELD</b> 
<b>SPLITWELD-IT08</b>  3 353090 100325	<b>SPLITWELD-IT09</b>  3 353090 100332	<b>SPLITWELD-IT10</b>  3 353090 100349	<b>SPLITWELD-IT11</b>  3 353090 100356	<b>STOPCHAIN1-I</b> 	<b>STOPCHAIN1-IT8</b>  3 353090 119471
<b>STOPCHAIN1-IT9</b>  3 353090 119488	<b>STOPCHAIN1-IT10</b>  3 353090 119495	<b>STOPCHAIN1-IT11</b>  3 353090 119501	<b>STOPCHAIN2-I</b> 	<b>STOPCHAIN2-IT8</b>  3 353090 119518	<b>STOPCHAIN2-IT9</b>  3 353090 119525
<b>STOPCHAIN2-IT10</b>  3 353090 119532	<b>STOPCHAIN2-IT11</b>  3 353090 119549	<b>STOPCHAINCUFF</b> 	<b>STOPCHAINCUFF-I</b>  3 353090 118597	<b>STRONGER</b> 	<b>STRONGER-IT08</b>  3 353090 111888
<b>STRONGER-IT09</b>  3 353090 111895	<b>STRONGER-IT10</b>  3 353090 111901	<b>STRONGER-IT11</b>  3 353090 111925	<b>SUPERELECTRO</b> 	<b>SUPERELECTRO-IT6-8</b>  3 353090 115725	<b>SUPERELECTRO-IT9-11</b>  3 353090 115732
<b>SUPERFREEZE</b> 	<b>SUPERFREEZE-IT6-8</b>  3 353090 115749	<b>SUPERFREEZE-IT9-11</b>  3 353090 115756	<b>SUPERGRAVITY</b> 	<b>SUPERGRAVITY-IT6-8</b>  3 353090 115763	<b>SUPERGRAVITY-IT9-11</b>  3 353090 115770
<b>SUPERGREEN</b> 	<b>SUPERGREEN-IT6-8</b>  3 353090 115787	<b>SUPERGREEN-IT9-11</b>  3 353090 115794	<b>SUPERMAGMA</b> 	<b>SUPERMAGMA-IT6-8</b>  3 353090 115800	<b>SUPERMAGMA-IT9-11</b>  3 353090 115817
<b>SUPERMAGNETIC</b> 	<b>SUPERMAGNETIC-IT6-8</b>  3 353090 115824	<b>SUPERMAGNETIC-IT9-11</b>  3 353090 115831	<b>THERMALIGHT</b> 	<b>THERMALIGHT-IT07</b>  3 353090 115848	<b>THERMALIGHT-IT08</b>  3 353090 115855

<b>THERMALIGHT-IT09</b>  3 353090 115862	<b>THERMALIGHT-IT10</b>  3 353090 115879	<b>THERMALIGHT-IT11</b>  3 353090 115886	<b>T.70X135</b> 	<b>T.70X135</b>  3 353090 043004	<b>T.DENIM</b> 
<b>T.DENIM</b>  3 353090 091722	<b>TRADITION</b> 	<b>TRADITION-IT06</b>  3 353090 089934	<b>TRADITION-IT07</b>  3 353090 089941	<b>TRADITION-IT08</b>  3 353090 089958	<b>TRADITION-IT09</b>  3 353090 089965
<b>TRADITION-IT10</b>  3 353090 089972	<b>TRADITION-IT11</b>  3 353090 089989	<b>VISIBLE</b> 	<b>VISIBLE-IT08</b>  3 353090 089712	<b>VISIBLE-IT09</b>  3 353090 089729	<b>VISIBLE-IT10</b>  3 353090 089736
<b>VISIBLE-IT11</b>  3 353090 089743	<b>WETPRO</b> 	<b>WETPRO/IT09</b>  3 353090 071212	<b>WETPRO/IT10</b>  3 353090 071229	<b>WETPRO/IT11</b>  3 353090 116326	<b>WGB</b> 
<b>WGB/IT10</b>  3 353090 060490	<b>WHITEPRO</b> 	<b>WHITEPRO/IT07</b>  3 353090 058381	<b>WHITEPRO/IT08</b>  3 353090 058398	<b>WHITEPRO/IT09</b>  3 353090 058404	<b>WHITEPRO/IT10</b>  3 353090 058411
<b>WHITEPRO/IT11</b>  3 353090 058992	<b>WINTERPRO</b> 	<b>WINTERPRO/IT07</b>  3 353090 083925	<b>WINTERPRO/IT08</b>  3 353090 065341	<b>WINTERPRO/IT09</b>  3 353090 065358	<b>WINTERPRO/IT10</b>  3 353090 065365
<b>WINTERPRO/IT11</b>  3 353090 065372	<b>WORK</b> 	<b>WORK-IT09</b>  3 353090 111352	<b>WORK-IT10</b>  3 353090 111369	<b>1951</b> 	<b>1951</b>  3 353090 014158
<b>BACPROMO</b> 	<b>BACPROMO</b>  3 353090 083949	<b>BOXCOMPTOIR</b> 	<b>BOXCOMPTOIR</b>  3 353090 094082	<b>KITGONDOLE</b> 	<b>KITGONDOLE</b>  3 353090 091715
<b>PLVBOIS24</b> 	<b>PLVBOIS24</b>  3 353090 119624	<b>PLVBOIS16</b> 	<b>PLVBOIS16</b>  3 353090 119631	<b>PLVCARTON16</b> 	<b>PLVCARTON16</b>  3 353090 119648
<b>PLVSUPERHERO</b> 	<b>PLVSUPERHERO</b>  3 353090 118610				

ALPIN	46-161
ALUWELD	76-157
<b>B</b> ANABEL	113
ANIMALYS1	27-65
ARCEAU	169
ATOAPSI	169
ATTACK6PEOM-BSC	60
ATTACK-6PEOMTEX-BSC	60
<b>B</b> AXEL	113
B7VERD	69-159
BACKPROTECT	89-101-107-165
<b>B</b> BASIC	18-135
BLACKNIT	24-73-153
BLACKSTICK+	31-74-90-152
BLACKSTICK+-SC	63
BLACKSTICK30+RI	90-163
BLACKTACTIL	53-80-153
BLACKTACTIL/0	53-82-152
BLACKTACTILRC	153
BLACKTOP	17-65-72-153
BLACKTOPNIT	82-153
BLUE-FREEZE	100-160
BLUE-ICE	100-160
<b>B</b> BOHO	120
<b>B</b> CANADA	38-68-88-100-104-133-143-161
<b>B</b> CARPRO	94
CASQUE	169
CEREMONIE	48
<b>B</b> CHALEUR	137
CLIFF	45
<b>B</b> CLOTURE	23-30-163
<b>B</b> COCOON	46-127-160
<b>B</b> COLDPRO	32-91-143-160
COLDPROOF	46-161
COLD-CONTROL	98-161
COLD-SOFT	98-161
<b>B</b> CORDIST	17-45

<b>B</b> CONTACT	136
CRIO	84-161
CRIOBC	84-161
CUTFOOD-CUFF	37
CUTFOOD	36-145
CUTFOOD-SENS	36
CUTFOOD-MAX	36
<b>B</b> DENIM	125
<b>B</b> DRYFEEL	136
DURANIT-DRY	74-150
DURANIT-IMPACT	68-88-103-150
<b>B</b> DURANIT-ONE	22-32-54-64-81-90-103-107-150
<b>B</b> DURANIT-PLUS	73-91-103-150
<b>B</b> DURANIT-ULTRA	54-73-90-103-152
<b>B</b> EM25A	20
<b>B</b> ENTRETIEN	138
EPS7BPA	101
ERGOMASTER	78-152
ERGOPRIMA	78-152
<b>B</b> EUGENE	114
EVO13	18-31-77
EVOTACTIL	52-80-153
FAUVE	48-106
FEELPRO	38-68-88-102-104
FIT4PROTOUCH	81-102-107-151
<b>B</b> FITXTRA	73-92-104-151
<b>B</b> FLOWER	122
FLUOSENS	80-151
<b>B</b> FOREST	16-164
<b>B</b> FRENCHIE	124
FULLSENS	52-82-102-153
FULLSENS/0	52-80
<b>B</b> FUSHIA	135
<b>B</b> GASPRO	33-64-77-93
<b>B</b> GASTON	115
<b>B</b> GRIPRO	91-142
GUARDIAN	42-166

GUETRECRYO	84
HEAT-BLACK	156
HEATRESIST	70-158
HEATRESIST+	69-158
HEATRESIST-MITT	69-158
HMP57BP	17
HYDROPRO	71-154
ICOMBJET	168
ICOMCS5022	168
ICOMCS5023	168
INTERCROSS	47-163-166
<b>B</b> IVERNO	20-143-160
<b>B</b> JEAN	124
LIGHT-WELD	76-156
<b>B</b> LIQUIDO	24-34-91-138
<b>B</b> LISON	115
LUNMAS	169
<b>B</b> MACPRO	22-35-90-146-152
<b>B</b> MARGOT	115
<b>B</b> MASKCHIRN	168
<b>B</b> MASKCHIRO	168
<b>B</b> MASQUEFFP2	168
<b>B</b> MASQUEFFP3	168
MASTERCUFF	152
MASTERTOP	72-155
MASTERTSHIRT	79
<b>B</b> MAXFEEL	130-142
<b>B</b> MAXGRIP	133-147-160
<b>B</b> MAXIMA	34-123
<b>B</b> MAXIMPACT	132-165
<b>B</b> MAXIPRO	88-150
<b>B</b> MAXSAFE	130
<b>B</b> MAXSTRONG.F	132
<b>B</b> MAXSTRONG.H	132
<b>B</b> MAXTEEN.F	129

<b>B</b> MAXTEEN.G	129
<b>B</b> MAXTOP	130-142
<b>B</b> MECANO	34-53-85-138
METALSTRONG	72-154
METALSTRONG+	72-154
<b>B</b> MIDSEASON	22-64-94-144-161
<b>B</b> MISS	120
<b>B</b> MISTER	120
MO456	44
<b>B</b> MONTBLANC	160
<b>B</b> NERINE	135
<b>B</b> NUDE	119
OILGRIP5	71-158
<b>B</b> ONE4ALL	120
ONTARIO	100-160
OPSB+	42-144-166
OPS-BLACK	45
<b>B</b> OPTIPRO	21-92
PARA4HEAT	70-156
PARA4HEAT+	70-156
PARACUFF	78-157
PARADE	48
PARARC+	74-164
PATROL	53-106
PATROLSHOCK	44-166
<b>B</b> PLANT	135
<b>B</b> PRIMACUFF	78-151
PROFUSION-1	69-159
PROSOUD/1	76-157
<b>B</b> PROSPER	114
<b>B</b> PROTECT	121
PROTECT4SHOCK	81-165
<b>B</b> PROTECTMAX	35-121-146-162
PROTRI-1	69-158
RAPACEM	58
RAPACEMMIX	58

RAPACETEX	58
RESCUE	62-166
RESCUEFITFLUO	63-152
RESCUEFLUOBC-SC	63-152
RESCUEFLUO-SC	63-152
<b>B</b> RESCUEPRO	89-165
RESCUESENS	62-166
RESCUESENSTOUCH	62-166
RESCUESENSVL	62-166
RIPDEXG	54-163
RIPEUR/CO	24-163
ROLLHEAT	71-159
<b>B</b> RONCIER	21-27-30-132
<b>B</b> ROOTS	119
<b>B</b> ROSERAIE	20
RUSHPPSIO	169
RUSHPPSFO	169
SAP	45-65
<b>B</b> SARMENT	20-32-161-162
SCANFORCE-BL	50
SCANFORCE-BR	50
SCANFORCE-GP	51
SCANFORCE-LG	50
SCANFORCE-VE	51
<b>B</b> SEQUOIA	18
<b>B</b> SKINPRO	82-94
<b>B</b> SKINTOUCH	53-85-104-137-145-150
<b>B</b> SNITRILE	26-33
<b>B</b> SOFTPRO	93
<b>B</b> SOLIDO	23
<b>B</b> SOULDIER.F	105-126-144-147-164
<b>B</b> SOULDIER.H	105-126-144-147-164
SPEEDER1KP	47-105-147-166
SPEEDNET	85-101-145
<b>B</b> SPLITWELD	55-76-92-156
SPP2NIT05+	55-61

SPP2NITBKV+	61
<b>B</b> STOPCHAIN1	17
<b>B</b> STOPCHAIN2	17
<b>B</b> STOPCHAINCUFF	17
STOP-OIL	26-64-77
STOP-OILCUT	26-74-93-153
<b>B</b> STRONGER	23
SUPERELECTRO	111
SUPERFREEZE	112
SUPERGRAVITY	112
SUPERGREEN	111
SUPERMAGMA	111
SUPERMAGNETIC	112
SYSTÈME CHAUFFANT	98-161
<b>B</b> T.70X135	21
T.CRYO	37-84
T.CUTFOOD	37
<b>B</b> T.DENIM	125
TABMASTER	79
TABMASTER+	79
TFI27	39
THERMALIGHT	16
TN22	39
TN27NS	35-85
TRACKER	61
TRACKERM	61
<b>B</b> TRADITION	123
TREXSMSQUALE-BLSC	60
URBANSHOCK	44-167
VERDON	47-167
VIBRAPROTECT	68-89-164
<b>B</b> VISIBLE	34-122
WARM250/50D2	39-70-159
WETCUT01-EVOLUTION	31-83-154
WETCUT03-EVOLUTION	83-155
WETCUT03M-EVO	83-155
WETCUT05-EVOLUTION	83-92-154

## INDEX

<b>B</b> WETPRO	<b>26-93-138</b>
<b>B</b> WGB	<b>137</b>
<b>B</b> WHITEPRO	<b>94</b>
<b>B</b> WHITETACTIL	<b>80-153</b>
<b>B</b> WINTERPRO	<b>22-38-89-100-160</b>
<b>B</b> WORK	<b>136</b>
ZPP25	<b>38-101-160</b>
4255+	<b>168</b>

*Other glove references are available.  
For more information, contact us :  
**commercial@rostaing.fr***

**RELEASE YOUR POTENTIAL**



# ROSTAING

RELEASE YOUR POTENTIAL

## ROSTAING

17, Avenue Charles de Gaulle  
01800 — VILLIEU  
Phone: +33(0) 474 460 710

You want a sales contact?  
[commercial@rostaing.fr](mailto:commercial@rostaing.fr)

Do you want to place an order?  
[order@rostaing.fr](mailto:order@rostaing.fr)

You want to get in touch with our quality department?  
[sav@rostaing.fr](mailto:sav@rostaing.fr)

You need technical  
information about our products?  
[product@rostaing.fr](mailto:product@rostaing.fr)

Do you have an accounting question?  
[compta.client@rostaing.fr](mailto:compta.client@rostaing.fr)

For all other questions:  
[contact@rostaing.fr](mailto:contact@rostaing.fr)

See us  
on social media



[ROSTAING.COM](http://ROSTAING.COM)

